

ISSEP
Attn: Dennis Horion
Rue du Chera 20
4000 Liège

ANALYTICAL REPORT : IAC23-03846

Your reference: LW220061-07 - ISSEP
Number of samples: 46
Date of receipt: 22/03/2023
Identification of the samples:
See next page(s)

Analytical results:

Determination of the dryweight (40°C)
(based on CMA 2/III.A.1)

Determination of per- and polyfluoroalkyl substances (PFAS)
(Acc. to CMA/3/D)

Determination of per- and polyfluoroalkyl substances (PFAS) - indicative list
(Acc. to CMA/3/D)

I.A.C., a division of SGS Belgium NV

ANTWERP, 04/05/2023



Sven Herremans
Lab Operations Manager

Unless otherwise agreed, all orders and documents are executed and issued in accordance with our General Conditions. Upon simple request the conditions will again be sent to you. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects SGS Belgium's findings at the time of its intervention only and within the limits of Client's instructions, if any. SGS Belgium's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. If the sample(s) to which the findings recorded herein (the 'Findings') relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction, then the findings constitute no warranty of the sample's representativeness of any goods and strictly relate to the sample(s). SGS accepts no liability regarding the origin or source from which the sample(s) is/are said to be extracted. The information provided by the client is stated in italics in the report. The data may effect the validity of the reported analytical results.
A description of the used analytical methods, the identity of the external laboratories for the marked (E) analyses and the uncertainty of measurement of analyses are available upon request. Possible mentioned norms or criteria are made in accordance with the client.

ANALYTICAL REPORT : IAC23-03846

Identification of the samples:

IAC23-03846.001 - C5
IAC23-03846.002 - C3
IAC23-03846.003 - C6
IAC23-03846.004 - C8
IAC23-03846.005 - C11
IAC23-03846.006 - A2
IAC23-03846.007 - A5
IAC23-03846.008 - A6
IAC23-03846.009 - A7
IAC23-03846.010 - CT1
IAC23-03846.011 - CT2
IAC23-03846.012 - CT3
IAC23-03846.013 - CT5
IAC23-03846.014 - CT8
IAC23-03846.015 - CT10
IAC23-03846.016 - CT9-1
IAC23-03846.017 - CT9-2
IAC23-03846.018 - CT6
IAC23-03846.019 - N2
IAC23-03846.020 - N4
IAC23-03846.021 - N6
IAC23-03846.022 - N8
IAC23-03846.023 - N10
IAC23-03846.024 - CR2
IAC23-03846.025 - CR8
IAC23-03846.026 - CR3
IAC23-03846.027 - CR4
IAC23-03846.028 - CR7
IAC23-03846.029 - CR10
IAC23-03846.030 - E3
IAC23-03846.031 - E5
IAC23-03846.032 - E6
IAC23-03846.033 - E7
IAC23-03846.034 - E9-1
IAC23-03846.035 - E9-2
IAC23-03846.036 - M2
IAC23-03846.037 - M3
IAC23-03846.038 - M4
IAC23-03846.039 - M1
IAC23-03846.040 - M6
IAC23-03846.041 - M7
IAC23-03846.042 - M8
IAC23-03846.043 - M5
IAC23-03846.044 - M10
IAC23-03846.045 - M11
IAC23-03846.046 - M12

ANALYTICAL REPORT : IAC23-03846

Analytical results - organic parameters			
Sample identification : IAC23-03846.001 Your reference: C5		Date of sampling: <i>unknown</i> Sampled by: <i>Third party</i>	
Determination of per- and polyfluoroalkyl substances (PFAS)			
Component	Date of analysis	Concentration (µg/kgdm)	Reporting Limit (µg/kgdm)
Perfluorobutanoic acid (PFBA)	03/05/2023	1.7	0.5
Perfluoropentanoic acid (PFPeA)	03/05/2023	<0.50	0.5
Perfluorohexanoic acid (PFHxA)	03/05/2023	3.3	0.5
Perfluoroheptanoic acid (PFHpA)	03/05/2023	1.1	0.5
Perfluorooctanoic acid (PFOA)	03/05/2023	8.2	0.5
Perfluorononanoic acid (PFNA)	03/05/2023	1.5	0.5
Perfluorodecanoic acid (PFDA)	03/05/2023	1.7	0.5
Perfluoroundecanoic acid (PFUnDA)	03/05/2023	1.1	0.5
Perfluorododecanoic acid (PFDoDA)	03/05/2023	1.3	0.5
Perfluorotridecanoic acid (PFTrDA)	03/05/2023	0.97	0.5
Perfluorotetradecanoic acid (PFTeDA)	03/05/2023	0.62	0.5
Perfluorohexadecanoic acid (PFHxDA)	03/05/2023	<0.50	0.5
Perfluorobutane sulfonic acid (PFBS)	03/05/2023	1.8	0.5
Perfluoropentane sulfonic acid (PFPeS)	03/05/2023	<0.50	0.5
Perfluorohexane sulfonic acid (PFHxS)	03/05/2023	<0.50	0.5
Perfluoroheptane sulfonic acid (PFHpS)	03/05/2023	<0.50	0.5
Perfluorooctane sulfonic acid (PFOS)	03/05/2023	7.3	0.5
Perfluorononane sulfonic acid (PFNS)	03/05/2023	<0.50	0.5
Perfluorodecane sulfonic acid (PFDS)	03/05/2023	<0.50	0.5
4:2 Fluorotelomersulfonic acid (4:2 FTS)	03/05/2023	0.69	0.5
6:2 Fluorotelomersulfonic acid (6:2 FTS)	03/05/2023	7.5	0.5
8:2 Fluorotelomersulfonic acid (8:2 FTS)	03/05/2023	3.7	0.5
2,3,3,3-tetrafluor-2-(heptafluoropropoxy)propanoic acid (HPFO-DA)	03/05/2023	<0.50	0.5
4,8-Dioxa-3H-perfluorononanoic acid (DONA)	03/05/2023	<0.50	0.5
Perfluoro-4-ethylcyclohexanesulfonic acid (PFECHS)	03/05/2023	<0.50	0.5
Perfluorooctane sulfonamide (PFOSA)	03/05/2023	<0.50	0.5
N-methylperfluorooctanesulfonamide (N-MeFOSA)	03/05/2023	<0.50	0.5
N-ethylperfluorooctanesulfonamide (N-EtFOSA)	03/05/2023	<0.50	0.5
N-methylperfluorooctanesulfonamidoacetic acid (N-MeFOSAA)	03/05/2023	7.2	0.5
N-ethylperfluorooctanesulfonamidoacetic acid (N-EtFOSAA)	03/05/2023	1.8	0.5
8:2 Fluorotelomerphosphate diester (8:2 DiPAP)	03/05/2023	4.3	0.5
Determination of per- and polyfluoroalkyl substances (PFAS) - indicative list			
Component	Date of analysis	Concentration (µg/kgdm)	Reporting Limit (µg/kgdm)
Perfluorooctadecanoic acid (PFOcDA)	03/05/2023	<0.50	0.5
Perfluorododecane sulfonic acid (PFDoDS)	03/05/2023	<0.50	0.5
10:2 Fluorotelomersulfonic acid (10:2 FTS)	03/05/2023	3.1	0.5
Perfluorobutanesulfonamide (PFBSA)	03/05/2023	<0.50	0.5
Perfluorohexaansulfonamide (PFHXSA)	03/05/2023	<0.50	0.5
N-methylperfluorobutanesulfonamide (N-MeFBSA)	03/05/2023	<0.50	0.5
N-Methyl-perfluorobutanesulfonylamidoacetate (N-MeFBSAA)	03/05/2023	5.4	0.5

ANALYTICAL REPORT : IAC23-03846

6:2 Fluorotelomerphosphate diester (6:2 DiPAP)	03/05/2023	1.3	0.5
6:2/8:2 Fluorotelomerphosphatediester (6:2/8:2 DiPAP)	03/05/2023	9.3	0.5

ANALYTICAL REPORT : IAC23-03846

Analytical results - organic parameters			
Sample identification : IAC23-03846.002 Your reference: C3		Date of sampling: <i>unknown</i> Sampled by: <i>Third party</i>	
Determination of per- and polyfluoroalkyl substances (PFAS)			
Component	Date of analysis	Concentration (µg/kgdm)	Reporting Limit (µg/kgdm)
Perfluorobutanoic acid (PFBA)	03/05/2023	1.6	0.5
Perfluoropentanoic acid (PFPeA)	03/05/2023	1.1	0.5
Perfluorohexanoic acid (PFHxA)	03/05/2023	1.7	0.5
Perfluoroheptanoic acid (PFHpA)	03/05/2023	1.4	0.5
Perfluorooctanoic acid (PFOA)	03/05/2023	2.8	0.5
Perfluorononanoic acid (PFNA)	03/05/2023	1.6	0.5
Perfluorodecanoic acid (PFDA)	03/05/2023	1.0	0.5
Perfluoroundecanoic acid (PFUnDA)	03/05/2023	1.0	0.5
Perfluorododecanoic acid (PFDoDA)	03/05/2023	0.91	0.5
Perfluorotridecanoic acid (PFTrDA)	03/05/2023	0.60	0.5
Perfluorotetradecanoic acid (PFTeDA)	03/05/2023	<0.50	0.5
Perfluorohexadecanoic acid (PFHxDA)	03/05/2023	<0.50	0.5
Perfluorobutane sulfonic acid (PFBS)	03/05/2023	4.2	0.5
Perfluoropentane sulfonic acid (PFPeS)	03/05/2023	<0.50	0.5
Perfluorohexane sulfonic acid (PFHxS)	03/05/2023	<0.50	0.5
Perfluoroheptane sulfonic acid (PFHpS)	03/05/2023	<0.50	0.5
Perfluorooctane sulfonic acid (PFOS)	03/05/2023	3.4	0.5
Perfluorononane sulfonic acid (PFNS)	03/05/2023	<0.50	0.5
Perfluorodecane sulfonic acid (PFDS)	03/05/2023	<0.50	0.5
4:2 Fluorotelomersulfonic acid (4:2 FTS)	03/05/2023	0.68	0.5
6:2 Fluorotelomersulfonic acid (6:2 FTS)	03/05/2023	1.5	0.5
8:2 Fluorotelomersulfonic acid (8:2 FTS)	03/05/2023	0.54	0.5
2,3,3,3-tetrafluor-2-(heptafluoropropoxy)propanoic acid (HPFO-DA)	03/05/2023	<0.50	0.5
4,8-Dioxa-3H-perfluorononanoic acid (DONA)	03/05/2023	<0.50	0.5
Perfluoro-4-ethylcyclohexanesulfonic acid (PFECHS)	03/05/2023	<0.50	0.5
Perfluorooctane sulfonamide (PFOSA)	03/05/2023	<0.50	0.5
N-methylperfluorooctanesulfonamide (N-MeFOSA)	03/05/2023	<0.50	0.5
N-ethylperfluorooctanesulfonamide (N-EtFOSA)	03/05/2023	<0.50	0.5
N-methylperfluorooctanesulfonamidoacetic acid (N-MeFOSAA)	03/05/2023	<0.50	0.5
N-ethylperfluorooctanesulfonamidoacetic acid (N-EtFOSAA)	03/05/2023	<0.50	0.5
8:2 Fluorotelomerphosphate diester (8:2 DiPAP)	03/05/2023	2.8	0.5
Determination of per- and polyfluoroalkyl substances (PFAS) - indicative list			
Component	Date of analysis	Concentration (µg/kgdm)	Reporting Limit (µg/kgdm)
Perfluorooctadecanoic acid (PFOcDA)	03/05/2023	<0.50	0.5
Perfluorododecane sulfonic acid (PFDoDS)	03/05/2023	<0.50	0.5
10:2 Fluorotelomersulfonic acid (10:2 FTS)	03/05/2023	0.90	0.5
Perfluorobutanesulfonamide (PFBSA)	03/05/2023	<0.50	0.5
Perfluorohexaansulfonamide (PFHXSA)	03/05/2023	<0.50	0.5
N-methylperfluorobutanesulfonamide (N-MeFBSA)	03/05/2023	<0.50	0.5
N-Methyl-perfluorobutanesulfonylamidoacetate (N-MeFBSAA)	03/05/2023	0.62	0.5

ANALYTICAL REPORT : IAC23-03846

6:2 Fluorotelomerphosphate diester (6:2 DiPAP)	03/05/2023	1.0	0.5
6:2/8:2 Fluorotelomerphosphatediester (6:2/8:2 DiPAP)	03/05/2023	3.8	0.5

ANALYTICAL REPORT : IAC23-03846

Analytical results - organic parameters			
Sample identification : IAC23-03846.003		Date of sampling: <i>unknown</i>	
Your reference: C6		Sampled by: <i>Third party</i>	
Determination of per- and polyfluoroalkyl substances (PFAS)			
Component	Date of analysis	Concentration (µg/kgdm)	Reporting Limit (µg/kgdm)
Perfluorobutanoic acid (PFBA)	03/05/2023	0.96	0.5
Perfluoropentanoic acid (PFPeA)	03/05/2023	<0.50	0.5
Perfluorohexanoic acid (PFHxA)	03/05/2023	1.2	0.5
Perfluoroheptanoic acid (PFHpA)	03/05/2023	0.52	0.5
Perfluorooctanoic acid (PFOA)	03/05/2023	1.7	0.5
Perfluorononanoic acid (PFNA)	03/05/2023	0.57	0.5
Perfluorodecanoic acid (PFDA)	03/05/2023	0.84	0.5
Perfluoroundecanoic acid (PFUnDA)	03/05/2023	<0.50	0.5
Perfluorododecanoic acid (PFDoDA)	03/05/2023	0.53	0.5
Perfluorotridecanoic acid (PFTrDA)	03/05/2023	<0.50	0.5
Perfluorotetradecanoic acid (PFTeDA)	03/05/2023	<0.50	0.5
Perfluorohexadecanoic acid (PFHxDA)	03/05/2023	<0.50	0.5
Perfluorobutane sulfonic acid (PFBS)	03/05/2023	0.51	0.5
Perfluoropentane sulfonic acid (PFPeS)	03/05/2023	<0.50	0.5
Perfluorohexane sulfonic acid (PFHxS)	03/05/2023	<0.50	0.5
Perfluoroheptane sulfonic acid (PFHpS)	03/05/2023	<0.50	0.5
Perfluorooctane sulfonic acid (PFOS)	03/05/2023	0.52	0.5
Perfluorononane sulfonic acid (PFNS)	03/05/2023	<0.50	0.5
Perfluorodecane sulfonic acid (PFDS)	03/05/2023	<0.50	0.5
4:2 Fluorotelomersulfonic acid (4:2 FTS)	03/05/2023	<0.50	0.5
6:2 Fluorotelomersulfonic acid (6:2 FTS)	03/05/2023	0.62	0.5
8:2 Fluorotelomersulfonic acid (8:2 FTS)	03/05/2023	<0.50	0.5
2,3,3,3-tetrafluor-2-(heptafluoropropoxy)propanoic acid (HPFO-DA)	03/05/2023	<0.50	0.5
4,8-Dioxa-3H-perfluorononanoic acid (DONA)	03/05/2023	<0.50	0.5
Perfluoro-4-ethylcyclohexanesulfonic acid (PFECHS)	03/05/2023	<0.50	0.5
Perfluorooctane sulfonamide (PFOSA)	03/05/2023	<0.50	0.5
N-methylperfluorooctanesulfonamide (N-MeFOSA)	03/05/2023	<0.50	0.5
N-ethylperfluorooctanesulfonamide (N-EtFOSA)	03/05/2023	<0.50	0.5
N-methylperfluorooctanesulfonamidoacetic acid (N-MeFOSAA)	03/05/2023	<0.50	0.5
N-ethylperfluorooctanesulfonamidoacetic acid (N-EtFOSAA)	03/05/2023	<0.50	0.5
8:2 Fluorotelomerphosphate diester (8:2 DiPAP)	03/05/2023	<0.50	0.5
Determination of per- and polyfluoroalkyl substances (PFAS) - indicative list			
Component	Date of analysis	Concentration (µg/kgdm)	Reporting Limit (µg/kgdm)
Perfluorooctadecanoic acid (PFOcDA)	03/05/2023	<0.50	0.5
Perfluorododecane sulfonic acid (PFDoDS)	03/05/2023	<0.50	0.5
10:2 Fluorotelomersulfonic acid (10:2 FTS)	03/05/2023	<0.50	0.5
Perfluorobutanesulfonamide (PFBSA)	03/05/2023	<0.50	0.5
Perfluorohexaansulfonamide (PFHXSA)	03/05/2023	<0.50	0.5
N-methylperfluorobutanesulfonamide (N-MeFBSA)	03/05/2023	<0.50	0.5
N-Methyl-perfluorobutanesulfonylamidoacetate (N-MeFBSAA)	03/05/2023	1.0	0.5

ANALYTICAL REPORT : IAC23-03846

6:2 Fluorotelomerphosphate diester (6:2 DiPAP)	03/05/2023	35	0.5
6:2/8:2 Fluorotelomerphosphatediester (6:2/8:2 DiPAP)	03/05/2023	<0.50	0.5

ANALYTICAL REPORT : IAC23-03846

Analytical results - organic parameters			
Sample identification : IAC23-03846.004		Date of sampling: <i>unknown</i>	
Your reference: C8		Sampled by: <i>Third party</i>	
Determination of per- and polyfluoroalkyl substances (PFAS)			
Component	Date of analysis	Concentration (µg/kgdm)	Reporting Limit (µg/kgdm)
Perfluorobutanoic acid (PFBA)	03/05/2023	1.8	0.5
Perfluoropentanoic acid (PFPeA)	03/05/2023	<0.50	0.5
Perfluorohexanoic acid (PFHxA)	03/05/2023	3.5	0.5
Perfluoroheptanoic acid (PFHpA)	03/05/2023	1.5	0.5
Perfluorooctanoic acid (PFOA)	03/05/2023	6.2	0.5
Perfluorononanoic acid (PFNA)	03/05/2023	1.8	0.5
Perfluorodecanoic acid (PFDA)	03/05/2023	2.0	0.5
Perfluoroundecanoic acid (PFUnDA)	03/05/2023	1.2	0.5
Perfluorododecanoic acid (PFDoDA)	03/05/2023	1.9	0.5
Perfluorotridecanoic acid (PFTrDA)	03/05/2023	<0.50	0.5
Perfluorotetradecanoic acid (PFTeDA)	03/05/2023	0.64	0.5
Perfluorohexadecanoic acid (PFHxDA)	03/05/2023	<0.50	0.5
Perfluorobutane sulfonic acid (PFBS)	03/05/2023	1.7	0.5
Perfluoropentane sulfonic acid (PFPeS)	03/05/2023	<0.50	0.5
Perfluorohexane sulfonic acid (PFHxS)	03/05/2023	<0.50	0.5
Perfluoroheptane sulfonic acid (PFHpS)	03/05/2023	<0.50	0.5
Perfluorooctane sulfonic acid (PFOS)	03/05/2023	0.88	0.5
Perfluorononane sulfonic acid (PFNS)	03/05/2023	<0.50	0.5
Perfluorodecane sulfonic acid (PFDS)	03/05/2023	<0.50	0.5
4:2 Fluorotelomersulfonic acid (4:2 FTS)	03/05/2023	<0.50	0.5
6:2 Fluorotelomersulfonic acid (6:2 FTS)	03/05/2023	<0.50	0.5
8:2 Fluorotelomersulfonic acid (8:2 FTS)	03/05/2023	1.2	0.5
2,3,3,3-tetrafluor-2-(heptafluoropropoxy)propanoic acid (HPFO-DA)	03/05/2023	<0.50	0.5
4,8-Dioxa-3H-perfluorononanoic acid (DONA)	03/05/2023	<0.50	0.5
Perfluoro-4-ethylcyclohexanesulfonic acid (PFECHS)	03/05/2023	<0.50	0.5
Perfluorooctane sulfonamide (PFOSA)	03/05/2023	<0.50	0.5
N-methylperfluorooctanesulfonamide (N-MeFOSA)	03/05/2023	<0.50	0.5
N-ethylperfluorooctanesulfonamide (N-EtFOSA)	03/05/2023	<0.50	0.5
N-methylperfluorooctanesulfonamidoacetic acid (N-MeFOSAA)	03/05/2023	<0.50	0.5
N-ethylperfluorooctanesulfonamidoacetic acid (N-EtFOSAA)	03/05/2023	<0.50	0.5
8:2 Fluorotelomerphosphate diester (8:2 DiPAP)	03/05/2023	<0.50	0.5
Determination of per- and polyfluoroalkyl substances (PFAS) - indicative list			
Component	Date of analysis	Concentration (µg/kgdm)	Reporting Limit (µg/kgdm)
Perfluorooctadecanoic acid (PFOcDA)	03/05/2023	<0.50	0.5
Perfluorododecane sulfonic acid (PFDoDS)	03/05/2023	<0.50	0.5
10:2 Fluorotelomersulfonic acid (10:2 FTS)	03/05/2023	1.0	0.5
Perfluorobutanesulfonamide (PFBSA)	03/05/2023	<0.50	0.5
Perfluorohexaansulfonamide (PFHXSA)	03/05/2023	<0.50	0.5
N-methylperfluorobutanesulfonamide (N-MeFBSA)	03/05/2023	<0.50	0.5
N-Methyl-perfluorobutanesulfonylamidoacetate (N-MeFBSAA)	03/05/2023	2.3	0.5

ANALYTICAL REPORT : IAC23-03846

6:2 Fluorotelomerphosphate diester (6:2 DiPAP)	03/05/2023	3.1	0.5
6:2/8:2 Fluorotelomerphosphatediester (6:2/8:2 DiPAP)	03/05/2023	<0.50	0.5

ANALYTICAL REPORT : IAC23-03846

Analytical results - organic parameters			
Sample identification : IAC23-03846.005 Your reference: C11		Date of sampling: <i>unknown</i> Sampled by: <i>Third party</i>	
Determination of per- and polyfluoroalkyl substances (PFAS)			
Component	Date of analysis	Concentration (µg/kgdm)	Reporting Limit (µg/kgdm)
Perfluorobutanoic acid (PFBA)	03/05/2023	0.68	0.5
Perfluoropentanoic acid (PFPeA)	03/05/2023	<0.50	0.5
Perfluorohexanoic acid (PFHxA)	03/05/2023	0.76	0.5
Perfluoroheptanoic acid (PFHpA)	03/05/2023	<0.50	0.5
Perfluorooctanoic acid (PFOA)	03/05/2023	2.6	0.5
Perfluorononanoic acid (PFNA)	03/05/2023	0.64	0.5
Perfluorodecanoic acid (PFDA)	03/05/2023	3.2	0.5
Perfluoroundecanoic acid (PFUnDA)	03/05/2023	<0.50	0.5
Perfluorododecanoic acid (PFDoDA)	03/05/2023	2.6	0.5
Perfluorotridecanoic acid (PFTrDA)	03/05/2023	<0.50	0.5
Perfluorotetradecanoic acid (PFTeDA)	03/05/2023	1.2	0.5
Perfluorohexadecanoic acid (PFHxDA)	03/05/2023	<0.50	0.5
Perfluorobutane sulfonic acid (PFBS)	03/05/2023	0.62	0.5
Perfluoropentane sulfonic acid (PFPeS)	03/05/2023	<0.50	0.5
Perfluorohexane sulfonic acid (PFHxS)	03/05/2023	<0.50	0.5
Perfluoroheptane sulfonic acid (PFHpS)	03/05/2023	<0.50	0.5
Perfluorooctane sulfonic acid (PFOS)	03/05/2023	0.77	0.5
Perfluorononane sulfonic acid (PFNS)	03/05/2023	<0.50	0.5
Perfluorodecane sulfonic acid (PFDS)	03/05/2023	<0.50	0.5
4:2 Fluorotelomersulfonic acid (4:2 FTS)	03/05/2023	<0.50	0.5
6:2 Fluorotelomersulfonic acid (6:2 FTS)	03/05/2023	3.4	0.5
8:2 Fluorotelomersulfonic acid (8:2 FTS)	03/05/2023	0.94	0.5
2,3,3,3-tetrafluor-2-(heptafluoropropoxy)propanoic acid (HPFO-DA)	03/05/2023	<0.50	0.5
4,8-Dioxa-3H-perfluorononanoic acid (DONA)	03/05/2023	<0.50	0.5
Perfluoro-4-ethylcyclohexanesulfonic acid (PFECHS)	03/05/2023	<0.50	0.5
Perfluorooctane sulfonamide (PFOSA)	03/05/2023	<0.50	0.5
N-methylperfluorooctanesulfonamide (N-MeFOSA)	03/05/2023	<0.50	0.5
N-ethylperfluorooctanesulfonamide (N-EtFOSA)	03/05/2023	<0.50	0.5
N-methylperfluorooctanesulfonamidoacetic acid (N-MeFOSAA)	03/05/2023	<0.50	0.5
N-ethylperfluorooctanesulfonamidoacetic acid (N-EtFOSAA)	03/05/2023	<0.50	0.5
8:2 Fluorotelomerphosphate diester (8:2 DiPAP)	03/05/2023	<0.50	0.5
Determination of per- and polyfluoroalkyl substances (PFAS) - indicative list			
Component	Date of analysis	Concentration (µg/kgdm)	Reporting Limit (µg/kgdm)
Perfluorooctadecanoic acid (PFOcDA)	03/05/2023	<0.50	0.5
Perfluorododecane sulfonic acid (PFDoDS)	03/05/2023	<0.50	0.5
10:2 Fluorotelomersulfonic acid (10:2 FTS)	03/05/2023	<0.50	0.5
Perfluorobutanesulfonamide (PFBSA)	03/05/2023	<0.50	0.5
Perfluorohexaansulfonamide (PFHXSA)	03/05/2023	<0.50	0.5
N-methylperfluorobutanesulfonamide (N-MeFBSA)	03/05/2023	<0.50	0.5
N-Methyl-perfluorobutanesulfonylamidoacetate (N-MeFBSAA)	03/05/2023	<0.50	0.5

ANALYTICAL REPORT : IAC23-03846

6:2 Fluorotelomerphosphate diester (6:2 DiPAP)	03/05/2023	<0.50	0.5
6:2/8:2 Fluorotelomerphosphatediester (6:2/8:2 DiPAP)	03/05/2023	<0.50	0.5

ANALYTICAL REPORT : IAC23-03846

Analytical results - organic parameters			
Sample identification : IAC23-03846.006 Your reference: A2		Date of sampling: <i>unknown</i> Sampled by: <i>Third party</i>	
Determination of per- and polyfluoroalkyl substances (PFAS)			
Component	Date of analysis	Concentration (µg/kgdm)	Reporting Limit (µg/kgdm)
Perfluorobutanoic acid (PFBA)	03/05/2023	1.1	0.5
Perfluoropentanoic acid (PFPeA)	03/05/2023	<0.50	0.5
Perfluorohexanoic acid (PFHxA)	03/05/2023	0.85	0.5
Perfluoroheptanoic acid (PFHpA)	03/05/2023	<0.50	0.5
Perfluorooctanoic acid (PFOA)	03/05/2023	2.4	0.5
Perfluorononanoic acid (PFNA)	03/05/2023	<0.50	0.5
Perfluorodecanoic acid (PFDA)	03/05/2023	1.8	0.5
Perfluoroundecanoic acid (PFUnDA)	03/05/2023	0.82	0.5
Perfluorododecanoic acid (PFDoDA)	03/05/2023	0.86	0.5
Perfluorotridecanoic acid (PFTrDA)	03/05/2023	<0.50	0.5
Perfluorotetradecanoic acid (PFTeDA)	03/05/2023	0.75	0.5
Perfluorohexadecanoic acid (PFHxDA)	03/05/2023	<0.50	0.5
Perfluorobutane sulfonic acid (PFBS)	03/05/2023	0.58	0.5
Perfluoropentane sulfonic acid (PFPeS)	03/05/2023	<0.50	0.5
Perfluorohexane sulfonic acid (PFHxS)	03/05/2023	<0.50	0.5
Perfluoroheptane sulfonic acid (PFHpS)	03/05/2023	<0.50	0.5
Perfluorooctane sulfonic acid (PFOS)	03/05/2023	1.9	0.5
Perfluorononane sulfonic acid (PFNS)	03/05/2023	<0.50	0.5
Perfluorodecane sulfonic acid (PFDS)	03/05/2023	<0.50	0.5
4:2 Fluorotelomersulfonic acid (4:2 FTS)	03/05/2023	<0.50	0.5
6:2 Fluorotelomersulfonic acid (6:2 FTS)	03/05/2023	0.57	0.5
8:2 Fluorotelomersulfonic acid (8:2 FTS)	03/05/2023	<0.50	0.5
2,3,3,3-tetrafluor-2-(heptafluoropropoxy)propanoic acid (HPFO-DA)	03/05/2023	<0.50	0.5
4,8-Dioxa-3H-perfluorononanoic acid (DONA)	03/05/2023	<0.50	0.5
Perfluoro-4-ethylcyclohexanesulfonic acid (PFECHS)	03/05/2023	<0.50	0.5
Perfluorooctane sulfonamide (PFOSA)	03/05/2023	<0.50	0.5
N-methylperfluorooctanesulfonamide (N-MeFOSA)	03/05/2023	<0.50	0.5
N-ethylperfluorooctanesulfonamide (N-EtFOSA)	03/05/2023	<0.50	0.5
N-methylperfluorooctanesulfonamidoacetic acid (N-MeFOSAA)	03/05/2023	<0.50	0.5
N-ethylperfluorooctanesulfonamidoacetic acid (N-EtFOSAA)	03/05/2023	4.3	0.5
8:2 Fluorotelomerphosphate diester (8:2 DiPAP)	03/05/2023	4.7	0.5
Determination of per- and polyfluoroalkyl substances (PFAS) - indicative list			
Component	Date of analysis	Concentration (µg/kgdm)	Reporting Limit (µg/kgdm)
Perfluorooctadecanoic acid (PFOcDA)	03/05/2023	<0.50	0.5
Perfluorododecane sulfonic acid (PFDoDS)	03/05/2023	<0.50	0.5
10:2 Fluorotelomersulfonic acid (10:2 FTS)	03/05/2023	<0.50	0.5
Perfluorobutanesulfonamide (PFBSA)	03/05/2023	<0.50	0.5
Perfluorohexaansulfonamide (PFHXSA)	03/05/2023	<0.50	0.5
N-methylperfluorobutanesulfonamide (N-MeFBSA)	03/05/2023	<0.50	0.5
N-Methyl-perfluorobutanesulfonylamidoacetate (N-MeFBSAA)	03/05/2023	0.57	0.5

ANALYTICAL REPORT : IAC23-03846

6:2 Fluorotelomerphosphate diester (6:2 DiPAP)	03/05/2023	1.3	0.5
6:2/8:2 Fluorotelomerphosphatediester (6:2/8:2 DiPAP)	03/05/2023	8.6	0.5

ANALYTICAL REPORT : IAC23-03846

Analytical results - organic parameters			
Sample identification : IAC23-03846.007 Your reference: A5		Date of sampling: <i>unknown</i> Sampled by: <i>Third party</i>	
Determination of per- and polyfluoroalkyl substances (PFAS)			
Component	Date of analysis	Concentration (µg/kgdm)	Reporting Limit (µg/kgdm)
Perfluorobutanoic acid (PFBA)	03/05/2023	3.0	0.5
Perfluoropentanoic acid (PFPeA)	03/05/2023	<0.50	0.5
Perfluorohexanoic acid (PFHxA)	03/05/2023	4.1	0.5
Perfluoroheptanoic acid (PFHpA)	03/05/2023	0.99	0.5
Perfluorooctanoic acid (PFOA)	03/05/2023	5.0	0.5
Perfluorononanoic acid (PFNA)	03/05/2023	1.7	0.5
Perfluorodecanoic acid (PFDA)	03/05/2023	1.9	0.5
Perfluoroundecanoic acid (PFUnDA)	03/05/2023	0.76	0.5
Perfluorododecanoic acid (PFDoDA)	03/05/2023	0.92	0.5
Perfluorotridecanoic acid (PFTrDA)	03/05/2023	<0.50	0.5
Perfluorotetradecanoic acid (PFTeDA)	03/05/2023	0.57	0.5
Perfluorohexadecanoic acid (PFHxDA)	03/05/2023	<0.50	0.5
Perfluorobutane sulfonic acid (PFBS)	03/05/2023	1.4	0.5
Perfluoropentane sulfonic acid (PFPeS)	03/05/2023	<0.50	0.5
Perfluorohexane sulfonic acid (PFHxS)	03/05/2023	<0.50	0.5
Perfluoroheptane sulfonic acid (PFHpS)	03/05/2023	<0.50	0.5
Perfluorooctane sulfonic acid (PFOS)	03/05/2023	3.3	0.5
Perfluorononane sulfonic acid (PFNS)	03/05/2023	<0.50	0.5
Perfluorodecane sulfonic acid (PFDS)	03/05/2023	<0.50	0.5
4:2 Fluorotelomersulfonic acid (4:2 FTS)	03/05/2023	<0.50	0.5
6:2 Fluorotelomersulfonic acid (6:2 FTS)	03/05/2023	1.1	0.5
8:2 Fluorotelomersulfonic acid (8:2 FTS)	03/05/2023	2.9	0.5
2,3,3,3-tetrafluor-2-(heptafluoropropoxy)propanoic acid (HPFO-DA)	03/05/2023	<0.50	0.5
4,8-Dioxa-3H-perfluorononanoic acid (DONA)	03/05/2023	<0.50	0.5
Perfluoro-4-ethylcyclohexanesulfonic acid (PFECHS)	03/05/2023	<0.50	0.5
Perfluorooctane sulfonamide (PFOSA)	03/05/2023	<0.50	0.5
N-methylperfluorooctanesulfonamide (N-MeFOSA)	03/05/2023	<0.50	0.5
N-ethylperfluorooctanesulfonamide (N-EtFOSA)	03/05/2023	<0.50	0.5
N-methylperfluorooctanesulfonamidoacetic acid (N-MeFOSAA)	03/05/2023	<0.50	0.5
N-ethylperfluorooctanesulfonamidoacetic acid (N-EtFOSAA)	03/05/2023	2.6	0.5
8:2 Fluorotelomerphosphate diester (8:2 DiPAP)	03/05/2023	2.7	0.5
Determination of per- and polyfluoroalkyl substances (PFAS) - indicative list			
Component	Date of analysis	Concentration (µg/kgdm)	Reporting Limit (µg/kgdm)
Perfluorooctadecanoic acid (PFOcDA)	03/05/2023	<0.50	0.5
Perfluorododecane sulfonic acid (PFDoDS)	03/05/2023	<0.50	0.5
10:2 Fluorotelomersulfonic acid (10:2 FTS)	03/05/2023	10	0.5
Perfluorobutanesulfonamide (PFBSA)	03/05/2023	<0.50	0.5
Perfluorohexaansulfonamide (PFHXSA)	03/05/2023	<0.50	0.5
N-methylperfluorobutanesulfonamide (N-MeFBSA)	03/05/2023	<0.50	0.5
N-Methyl-perfluorobutanesulfonylamidoacetate (N-MeFBSAA)	03/05/2023	0.99	0.5

ANALYTICAL REPORT : IAC23-03846

6:2 Fluorotelomerphosphate diester (6:2 DiPAP)	03/05/2023	1.4	0.5
6:2/8:2 Fluorotelomerphosphatediester (6:2/8:2 DiPAP)	03/05/2023	6.7	0.5

ANALYTICAL REPORT : IAC23-03846

Analytical results - organic parameters			
Sample identification : IAC23-03846.008		Date of sampling: <i>unknown</i>	
Your reference: A6		Sampled by: <i>Third party</i>	
Determination of per- and polyfluoroalkyl substances (PFAS)			
Component	Date of analysis	Concentration (µg/kgdm)	Reporting Limit (µg/kgdm)
Perfluorobutanoic acid (PFBA)	03/05/2023	1.8	0.5
Perfluoropentanoic acid (PFPeA)	03/05/2023	0.86	0.5
Perfluorohexanoic acid (PFHxA)	03/05/2023	2.5	0.5
Perfluoroheptanoic acid (PFHpA)	03/05/2023	2.5	0.5
Perfluorooctanoic acid (PFOA)	03/05/2023	12	0.5
Perfluorononanoic acid (PFNA)	03/05/2023	3.2	0.5
Perfluorodecanoic acid (PFDA)	03/05/2023	7.3	0.5
Perfluoroundecanoic acid (PFUnDA)	03/05/2023	1.9	0.5
Perfluorododecanoic acid (PFDoDA)	03/05/2023	3.1	0.5
Perfluorotridecanoic acid (PFTrDA)	03/05/2023	<0.50	0.5
Perfluorotetradecanoic acid (PFTeDA)	03/05/2023	1.7	0.5
Perfluorohexadecanoic acid (PFHxDA)	03/05/2023	0.57	0.5
Perfluorobutane sulfonic acid (PFBS)	03/05/2023	1.1	0.5
Perfluoropentane sulfonic acid (PFPeS)	03/05/2023	<0.50	0.5
Perfluorohexane sulfonic acid (PFHxS)	03/05/2023	<0.50	0.5
Perfluoroheptane sulfonic acid (PFHpS)	03/05/2023	<0.50	0.5
Perfluorooctane sulfonic acid (PFOS)	03/05/2023	1.6	0.5
Perfluorononane sulfonic acid (PFNS)	03/05/2023	<0.50	0.5
Perfluorodecane sulfonic acid (PFDS)	03/05/2023	<0.50	0.5
4:2 Fluorotelomersulfonic acid (4:2 FTS)	03/05/2023	<0.50	0.5
6:2 Fluorotelomersulfonic acid (6:2 FTS)	03/05/2023	<0.50	0.5
8:2 Fluorotelomersulfonic acid (8:2 FTS)	03/05/2023	<0.50	0.5
2,3,3,3-tetrafluor-2-(heptafluoropropoxy)propanoic acid (HPFO-DA)	03/05/2023	<0.50	0.5
4,8-Dioxa-3H-perfluorononanoic acid (DONA)	03/05/2023	<0.50	0.5
Perfluoro-4-ethylcyclohexanesulfonic acid (PFECHS)	03/05/2023	<0.50	0.5
Perfluorooctane sulfonamide (PFOSA)	03/05/2023	<0.50	0.5
N-methylperfluorooctanesulfonamide (N-MeFOSA)	03/05/2023	<0.50	0.5
N-ethylperfluorooctanesulfonamide (N-EtFOSA)	03/05/2023	<0.50	0.5
N-methylperfluorooctanesulfonamidoacetic acid (N-MeFOSAA)	03/05/2023	<0.50	0.5
N-ethylperfluorooctanesulfonamidoacetic acid (N-EtFOSAA)	03/05/2023	22	0.5
8:2 Fluorotelomerphosphate diester (8:2 DiPAP)	03/05/2023	2.0	0.5
Determination of per- and polyfluoroalkyl substances (PFAS) - indicative list			
Component	Date of analysis	Concentration (µg/kgdm)	Reporting Limit (µg/kgdm)
Perfluorooctadecanoic acid (PFOcDA)	03/05/2023	<0.50	0.5
Perfluorododecane sulfonic acid (PFDoDS)	03/05/2023	<0.50	0.5
10:2 Fluorotelomersulfonic acid (10:2 FTS)	03/05/2023	<0.50	0.5
Perfluorobutanesulfonamide (PFBSA)	03/05/2023	<0.50	0.5
Perfluorohexaansulfonamide (PFHXSA)	03/05/2023	<0.50	0.5
N-methylperfluorobutanesulfonamide (N-MeFBSA)	03/05/2023	<0.50	0.5
N-Methyl-perfluorobutanesulfonylamidoacetate (N-MeFBSAA)	03/05/2023	0.66	0.5

ANALYTICAL REPORT : IAC23-03846

6:2 Fluorotelomerphosphate diester (6:2 DiPAP)	03/05/2023	2.2	0.5
6:2/8:2 Fluorotelomerphosphatediester (6:2/8:2 DiPAP)	03/05/2023	7.5	0.5

ANALYTICAL REPORT : IAC23-03846

Analytical results - organic parameters			
Sample identification : IAC23-03846.009 Your reference: A7		Date of sampling: <i>unknown</i> Sampled by: <i>Third party</i>	
Determination of per- and polyfluoroalkyl substances (PFAS)			
Component	Date of analysis	Concentration (µg/kgdm)	Reporting Limit (µg/kgdm)
Perfluorobutanoic acid (PFBA)	03/05/2023	1.7	0.5
Perfluoropentanoic acid (PFPeA)	03/05/2023	0.90	0.5
Perfluorohexanoic acid (PFHxA)	03/05/2023	2.1	0.5
Perfluoroheptanoic acid (PFHpA)	03/05/2023	0.86	0.5
Perfluorooctanoic acid (PFOA)	03/05/2023	3.9	0.5
Perfluorononanoic acid (PFNA)	03/05/2023	1.0	0.5
Perfluorodecanoic acid (PFDA)	03/05/2023	1.3	0.5
Perfluoroundecanoic acid (PFUnDA)	03/05/2023	0.51	0.5
Perfluorododecanoic acid (PFDoDA)	03/05/2023	0.99	0.5
Perfluorotridecanoic acid (PFTrDA)	03/05/2023	<0.50	0.5
Perfluorotetradecanoic acid (PFTeDA)	03/05/2023	0.67	0.5
Perfluorohexadecanoic acid (PFHxDA)	03/05/2023	<0.50	0.5
Perfluorobutane sulfonic acid (PFBS)	03/05/2023	0.71	0.5
Perfluoropentane sulfonic acid (PFPeS)	03/05/2023	<0.50	0.5
Perfluorohexane sulfonic acid (PFHxS)	03/05/2023	<0.50	0.5
Perfluoroheptane sulfonic acid (PFHpS)	03/05/2023	<0.50	0.5
Perfluorooctane sulfonic acid (PFOS)	03/05/2023	5.7	0.5
Perfluorononane sulfonic acid (PFNS)	03/05/2023	<0.50	0.5
Perfluorodecane sulfonic acid (PFDS)	03/05/2023	<0.50	0.5
4:2 Fluorotelomersulfonic acid (4:2 FTS)	03/05/2023	<0.50	0.5
6:2 Fluorotelomersulfonic acid (6:2 FTS)	03/05/2023	0.67	0.5
8:2 Fluorotelomersulfonic acid (8:2 FTS)	03/05/2023	0.80	0.5
2,3,3,3-tetrafluor-2-(heptafluoropropoxy)propanoic acid (HPFO-DA)	03/05/2023	<0.50	0.5
4,8-Dioxa-3H-perfluorononanoic acid (DONA)	03/05/2023	<0.50	0.5
Perfluoro-4-ethylcyclohexanesulfonic acid (PFECHS)	03/05/2023	<0.50	0.5
Perfluorooctane sulfonamide (PFOSA)	03/05/2023	<0.50	0.5
N-methylperfluorooctanesulfonamide (N-MeFOSA)	03/05/2023	<0.50	0.5
N-ethylperfluorooctanesulfonamide (N-EtFOSA)	03/05/2023	<0.50	0.5
N-methylperfluorooctanesulfonamidoacetic acid (N-MeFOSAA)	03/05/2023	<0.50	0.5
N-ethylperfluorooctanesulfonamidoacetic acid (N-EtFOSAA)	03/05/2023	1.5	0.5
8:2 Fluorotelomerphosphate diester (8:2 DiPAP)	03/05/2023	0.97	0.5
Determination of per- and polyfluoroalkyl substances (PFAS) - indicative list			
Component	Date of analysis	Concentration (µg/kgdm)	Reporting Limit (µg/kgdm)
Perfluorooctadecanoic acid (PFOcDA)	03/05/2023	<0.50	0.5
Perfluorododecane sulfonic acid (PFDoDS)	03/05/2023	<0.50	0.5
10:2 Fluorotelomersulfonic acid (10:2 FTS)	03/05/2023	1.6	0.5
Perfluorobutanesulfonamide (PFBSA)	03/05/2023	<0.50	0.5
Perfluorohexaansulfonamide (PFHXSA)	03/05/2023	<0.50	0.5
N-methylperfluorobutanesulfonamide (N-MeFBSA)	03/05/2023	<0.50	0.5
N-Methyl-perfluorobutanesulfonylamidoacetate (N-MeFBSAA)	03/05/2023	0.61	0.5

ANALYTICAL REPORT : IAC23-03846

6:2 Fluorotelomerphosphate diester (6:2 DiPAP)	03/05/2023	0.91	0.5
6:2/8:2 Fluorotelomerphosphatediester (6:2/8:2 DiPAP)	03/05/2023	2.3	0.5

ANALYTICAL REPORT : IAC23-03846

Analytical results - organic parameters			
Sample identification : IAC23-03846.010		Date of sampling: <i>unknown</i>	
Your reference: <i>CT1</i>		Sampled by: <i>Third party</i>	
Determination of per- and polyfluoroalkyl substances (PFAS)			
Component	Date of analysis	Concentration (µg/kgdm)	Reporting Limit (µg/kgdm)
Perfluorobutanoic acid (PFBA)	03/05/2023	2.7	0.5
Perfluoropentanoic acid (PFPeA)	03/05/2023	<0.50	0.5
Perfluorohexanoic acid (PFHxA)	03/05/2023	3.5	0.5
Perfluoroheptanoic acid (PFHpA)	03/05/2023	2.0	0.5
Perfluorooctanoic acid (PFOA)	03/05/2023	5.4	0.5
Perfluorononoic acid (PFNA)	03/05/2023	1.8	0.5
Perfluorodecanoic acid (PFDA)	03/05/2023	2.5	0.5
Perfluoroundecanoic acid (PFUnDA)	03/05/2023	0.84	0.5
Perfluorododecanoic acid (PFDoDA)	03/05/2023	2.0	0.5
Perfluorotridecanoic acid (PFTrDA)	03/05/2023	<0.50	0.5
Perfluorotetradecanoic acid (PFTeDA)	03/05/2023	0.61	0.5
Perfluorohexadecanoic acid (PFHxDA)	03/05/2023	<0.50	0.5
Perfluorobutane sulfonic acid (PFBS)	03/05/2023	1.6	0.5
Perfluoropentane sulfonic acid (PFPeS)	03/05/2023	<0.50	0.5
Perfluorohexane sulfonic acid (PFHxS)	03/05/2023	<0.50	0.5
Perfluoroheptane sulfonic acid (PFHpS)	03/05/2023	<0.50	0.5
Perfluorooctane sulfonic acid (PFOS)	03/05/2023	1.8	0.5
Perfluorononane sulfonic acid (PFNS)	03/05/2023	<0.50	0.5
Perfluorodecane sulfonic acid (PFDS)	03/05/2023	<0.50	0.5
4:2 Fluorotelomersulfonic acid (4:2 FTS)	03/05/2023	0.50	0.5
6:2 Fluorotelomersulfonic acid (6:2 FTS)	03/05/2023	2.3	0.5
8:2 Fluorotelomersulfonic acid (8:2 FTS)	03/05/2023	0.57	0.5
2,3,3,3-tetrafluor-2-(heptafluoropropoxy)propanoic acid (HPFO-DA)	03/05/2023	<0.50	0.5
4,8-Dioxa-3H-perfluorononoic acid (DONA)	03/05/2023	<0.50	0.5
Perfluoro-4-ethylcyclohexanesulfonic acid (PFECHS)	03/05/2023	<0.50	0.5
Perfluorooctane sulfonamide (PFOSA)	03/05/2023	<0.50	0.5
N-methylperfluorooctanesulfonamide (N-MeFOSA)	03/05/2023	<0.50	0.5
N-ethylperfluorooctanesulfonamide (N-EtFOSA)	03/05/2023	<0.50	0.5
N-methylperfluorooctanesulfonamidoacetic acid (N-MeFOSAA)	03/05/2023	1.6	0.5
N-ethylperfluorooctanesulfonamidoacetic acid (N-EtFOSAA)	03/05/2023	1.3	0.5
8:2 Fluorotelomerphosphate diester (8:2 DiPAP)	03/05/2023	0.64	0.5
Determination of per- and polyfluoroalkyl substances (PFAS) - indicative list			
Component	Date of analysis	Concentration (µg/kgdm)	Reporting Limit (µg/kgdm)
Perfluorooctadecanoic acid (PFOcDA)	03/05/2023	<0.50	0.5
Perfluorododecane sulfonic acid (PFDoDS)	03/05/2023	<0.50	0.5
10:2 Fluorotelomersulfonic acid (10:2 FTS)	03/05/2023	<0.50	0.5
Perfluorobutanesulfonamide (PFBSA)	03/05/2023	<0.50	0.5
Perfluorohexaansulfonamide (PFHXSA)	03/05/2023	<0.50	0.5
N-methylperfluorobutanesulfonamide (N-MeFBSA)	03/05/2023	<0.50	0.5
N-Methyl-perfluorobutanesulfonylamidoacetate (N-MeFBSAA)	03/05/2023	6.1	0.5

ANALYTICAL REPORT : IAC23-03846

6:2 Fluorotelomerphosphate diester (6:2 DiPAP)	03/05/2023	2.1	0.5
6:2/8:2 Fluorotelomerphosphatediester (6:2/8:2 DiPAP)	03/05/2023	1.5	0.5

ANALYTICAL REPORT : IAC23-03846

Analytical results - organic parameters			
Sample identification : IAC23-03846.011 Your reference: C72		Date of sampling: <i>unknown</i> Sampled by: <i>Third party</i>	
Determination of per- and polyfluoroalkyl substances (PFAS)			
Component	Date of analysis	Concentration (µg/kgdm)	Reporting Limit (µg/kgdm)
Perfluorobutanoic acid (PFBA)	03/05/2023	2.9	0.5
Perfluoropentanoic acid (PFPeA)	03/05/2023	<0.50	0.5
Perfluorohexanoic acid (PFHxA)	03/05/2023	1.6	0.5
Perfluoroheptanoic acid (PFHpA)	03/05/2023	1.0	0.5
Perfluorooctanoic acid (PFOA)	03/05/2023	5.7	0.5
Perfluorononanoic acid (PFNA)	03/05/2023	1.2	0.5
Perfluorodecanoic acid (PFDA)	03/05/2023	2.0	0.5
Perfluoroundecanoic acid (PFUnDA)	03/05/2023	<0.50	0.5
Perfluorododecanoic acid (PFDoDA)	03/05/2023	1.3	0.5
Perfluorotridecanoic acid (PFTrDA)	03/05/2023	<0.50	0.5
Perfluorotetradecanoic acid (PFTeDA)	03/05/2023	<0.50	0.5
Perfluorohexadecanoic acid (PFHxDA)	03/05/2023	<0.50	0.5
Perfluorobutane sulfonic acid (PFBS)	03/05/2023	0.59	0.5
Perfluoropentane sulfonic acid (PFPeS)	03/05/2023	<0.50	0.5
Perfluorohexane sulfonic acid (PFHxS)	03/05/2023	<0.50	0.5
Perfluoroheptane sulfonic acid (PFHpS)	03/05/2023	<0.50	0.5
Perfluorooctane sulfonic acid (PFOS)	03/05/2023	1.6	0.5
Perfluorononane sulfonic acid (PFNS)	03/05/2023	<0.50	0.5
Perfluorodecane sulfonic acid (PFDS)	03/05/2023	<0.50	0.5
4:2 Fluorotelomersulfonic acid (4:2 FTS)	03/05/2023	<0.50	0.5
6:2 Fluorotelomersulfonic acid (6:2 FTS)	03/05/2023	1.9	0.5
8:2 Fluorotelomersulfonic acid (8:2 FTS)	03/05/2023	3.7	0.5
2,3,3,3-tetrafluor-2-(heptafluoropropoxy)propanoic acid (HPFO-DA)	03/05/2023	<0.50	0.5
4,8-Dioxa-3H-perfluorononanoic acid (DONA)	03/05/2023	<0.50	0.5
Perfluoro-4-ethylcyclohexanesulfonic acid (PFECHS)	03/05/2023	<0.50	0.5
Perfluorooctane sulfonamide (PFOSA)	03/05/2023	<0.50	0.5
N-methylperfluorooctanesulfonamide (N-MeFOSA)	03/05/2023	<0.50	0.5
N-ethylperfluorooctanesulfonamide (N-EtFOSA)	03/05/2023	<0.50	0.5
N-methylperfluorooctanesulfonamidoacetic acid (N-MeFOSAA)	03/05/2023	<0.50	0.5
N-ethylperfluorooctanesulfonamidoacetic acid (N-EtFOSAA)	03/05/2023	0.76	0.5
8:2 Fluorotelomerphosphate diester (8:2 DiPAP)	03/05/2023	2.2	0.5
Determination of per- and polyfluoroalkyl substances (PFAS) - indicative list			
Component	Date of analysis	Concentration (µg/kgdm)	Reporting Limit (µg/kgdm)
Perfluorooctadecanoic acid (PFOcDA)	03/05/2023	<0.50	0.5
Perfluorododecane sulfonic acid (PFDoDS)	03/05/2023	<0.50	0.5
10:2 Fluorotelomersulfonic acid (10:2 FTS)	03/05/2023	1.9	0.5
Perfluorobutanesulfonamide (PFBSA)	03/05/2023	<0.50	0.5
Perfluorohexaansulfonamide (PFHXSA)	03/05/2023	<0.50	0.5
N-methylperfluorobutanesulfonamide (N-MeFBSA)	03/05/2023	<0.50	0.5
N-Methyl-perfluorobutanesulfonylamidoacetate (N-MeFBSAA)	03/05/2023	0.77	0.5

ANALYTICAL REPORT : IAC23-03846

6:2 Fluorotelomerphosphate diester (6:2 DiPAP)	03/05/2023	3.7	0.5
6:2/8:2 Fluorotelomerphosphatediester (6:2/8:2 DiPAP)	03/05/2023	5.3	0.5

ANALYTICAL REPORT : IAC23-03846

Analytical results - organic parameters			
Sample identification : IAC23-03846.012		Date of sampling: <i>unknown</i>	
Your reference: C73		Sampled by: <i>Third party</i>	
Determination of per- and polyfluoroalkyl substances (PFAS)			
Component	Date of analysis	Concentration (µg/kgdm)	Reporting Limit (µg/kgdm)
Perfluorobutanoic acid (PFBA)	03/05/2023	1.3	0.5
Perfluoropentanoic acid (PFPeA)	03/05/2023	<0.50	0.5
Perfluorohexanoic acid (PFHxA)	03/05/2023	2.6	0.5
Perfluoroheptanoic acid (PFHpA)	03/05/2023	0.69	0.5
Perfluorooctanoic acid (PFOA)	03/05/2023	2.2	0.5
Perfluorononanoic acid (PFNA)	03/05/2023	0.60	0.5
Perfluorodecanoic acid (PFDA)	03/05/2023	1.4	0.5
Perfluoroundecanoic acid (PFUnDA)	03/05/2023	<0.50	0.5
Perfluorododecanoic acid (PFDoDA)	03/05/2023	0.59	0.5
Perfluorotridecanoic acid (PFTrDA)	03/05/2023	<0.50	0.5
Perfluorotetradecanoic acid (PFTeDA)	03/05/2023	<0.50	0.5
Perfluorohexadecanoic acid (PFHxDA)	03/05/2023	<0.50	0.5
Perfluorobutane sulfonic acid (PFBS)	03/05/2023	<0.50	0.5
Perfluoropentane sulfonic acid (PFPeS)	03/05/2023	<0.50	0.5
Perfluorohexane sulfonic acid (PFHxS)	03/05/2023	<0.50	0.5
Perfluoroheptane sulfonic acid (PFHpS)	03/05/2023	<0.50	0.5
Perfluorooctane sulfonic acid (PFOS)	03/05/2023	1.2	0.5
Perfluorononane sulfonic acid (PFNS)	03/05/2023	<0.50	0.5
Perfluorodecane sulfonic acid (PFDS)	03/05/2023	<0.50	0.5
4:2 Fluorotelomersulfonic acid (4:2 FTS)	03/05/2023	0.58	0.5
6:2 Fluorotelomersulfonic acid (6:2 FTS)	03/05/2023	<0.50	0.5
8:2 Fluorotelomersulfonic acid (8:2 FTS)	03/05/2023	<0.50	0.5
2,3,3,3-tetrafluor-2-(heptafluoropropoxy)propanoic acid (HPFO-DA)	03/05/2023	<0.50	0.5
4,8-Dioxa-3H-perfluorononanoic acid (DONA)	03/05/2023	<0.50	0.5
Perfluoro-4-ethylcyclohexanesulfonic acid (PFECHS)	03/05/2023	<0.50	0.5
Perfluorooctane sulfonamide (PFOSA)	03/05/2023	<0.50	0.5
N-methylperfluorooctanesulfonamide (N-MeFOSA)	03/05/2023	<0.50	0.5
N-ethylperfluorooctanesulfonamide (N-EtFOSA)	03/05/2023	<0.50	0.5
N-methylperfluorooctanesulfonamidoacetic acid (N-MeFOSAA)	03/05/2023	<0.50	0.5
N-ethylperfluorooctanesulfonamidoacetic acid (N-EtFOSAA)	03/05/2023	1.9	0.5
8:2 Fluorotelomerphosphate diester (8:2 DiPAP)	03/05/2023	<0.50	0.5
Determination of per- and polyfluoroalkyl substances (PFAS) - indicative list			
Component	Date of analysis	Concentration (µg/kgdm)	Reporting Limit (µg/kgdm)
Perfluorooctadecanoic acid (PFOcDA)	03/05/2023	<0.50	0.5
Perfluorododecane sulfonic acid (PFDoDS)	03/05/2023	<0.50	0.5
10:2 Fluorotelomersulfonic acid (10:2 FTS)	03/05/2023	<0.50	0.5
Perfluorobutanesulfonamide (PFBSA)	03/05/2023	<0.50	0.5
Perfluorohexaansulfonamide (PFHXSA)	03/05/2023	<0.50	0.5
N-methylperfluorobutanesulfonamide (N-MeFBSA)	03/05/2023	<0.50	0.5
N-Methyl-perfluorobutanesulfonylamidoacetate (N-MeFBSAA)	03/05/2023	0.86	0.5

ANALYTICAL REPORT : IAC23-03846

6:2 Fluorotelomerphosphate diester (6:2 DiPAP)	03/05/2023	0.90	0.5
6:2/8:2 Fluorotelomerphosphatediester (6:2/8:2 DiPAP)	03/05/2023	0.97	0.5

ANALYTICAL REPORT : IAC23-03846

Analytical results - organic parameters			
Sample identification : IAC23-03846.013		Date of sampling: <i>unknown</i>	
Your reference: C75		Sampled by: <i>Third party</i>	
Determination of per- and polyfluoroalkyl substances (PFAS)			
Component	Date of analysis	Concentration (µg/kgdm)	Reporting Limit (µg/kgdm)
Perfluorobutanoic acid (PFBA)	03/05/2023	1.2	0.5
Perfluoropentanoic acid (PFPeA)	03/05/2023	<0.50	0.5
Perfluorohexanoic acid (PFHxA)	03/05/2023	2.1	0.5
Perfluoroheptanoic acid (PFHpA)	03/05/2023	0.95	0.5
Perfluorooctanoic acid (PFOA)	03/05/2023	4.7	0.5
Perfluorononanoic acid (PFNA)	03/05/2023	0.60	0.5
Perfluorodecanoic acid (PFDA)	03/05/2023	1.4	0.5
Perfluoroundecanoic acid (PFUnDA)	03/05/2023	<0.50	0.5
Perfluorododecanoic acid (PFDoDA)	03/05/2023	0.63	0.5
Perfluorotridecanoic acid (PFTrDA)	03/05/2023	<0.50	0.5
Perfluorotetradecanoic acid (PFTeDA)	03/05/2023	<0.50	0.5
Perfluorohexadecanoic acid (PFHxDA)	03/05/2023	<0.50	0.5
Perfluorobutane sulfonic acid (PFBS)	03/05/2023	<0.50	0.5
Perfluoropentane sulfonic acid (PFPeS)	03/05/2023	<0.50	0.5
Perfluorohexane sulfonic acid (PFHxS)	03/05/2023	<0.50	0.5
Perfluoroheptane sulfonic acid (PFHpS)	03/05/2023	<0.50	0.5
Perfluorooctane sulfonic acid (PFOS)	03/05/2023	1.2	0.5
Perfluorononane sulfonic acid (PFNS)	03/05/2023	<0.50	0.5
Perfluorodecane sulfonic acid (PFDS)	03/05/2023	<0.50	0.5
4:2 Fluorotelomersulfonic acid (4:2 FTS)	03/05/2023	<0.50	0.5
6:2 Fluorotelomersulfonic acid (6:2 FTS)	03/05/2023	<0.50	0.5
8:2 Fluorotelomersulfonic acid (8:2 FTS)	03/05/2023	0.66	0.5
2,3,3,3-tetrafluor-2-(heptafluoropropoxy)propanoic acid (HPFO-DA)	03/05/2023	<0.50	0.5
4,8-Dioxa-3H-perfluorononanoic acid (DONA)	03/05/2023	<0.50	0.5
Perfluoro-4-ethylcyclohexanesulfonic acid (PFECHS)	03/05/2023	<0.50	0.5
Perfluorooctane sulfonamide (PFOSA)	03/05/2023	<0.50	0.5
N-methylperfluorooctanesulfonamide (N-MeFOSA)	03/05/2023	<0.50	0.5
N-ethylperfluorooctanesulfonamide (N-EtFOSA)	03/05/2023	<0.50	0.5
N-methylperfluorooctanesulfonamidoacetic acid (N-MeFOSAA)	03/05/2023	<0.50	0.5
N-ethylperfluorooctanesulfonamidoacetic acid (N-EtFOSAA)	03/05/2023	0.78	0.5
8:2 Fluorotelomerphosphate diester (8:2 DiPAP)	03/05/2023	<0.50	0.5
Determination of per- and polyfluoroalkyl substances (PFAS) - indicative list			
Component	Date of analysis	Concentration (µg/kgdm)	Reporting Limit (µg/kgdm)
Perfluorooctadecanoic acid (PFOcDA)	03/05/2023	<0.50	0.5
Perfluorododecane sulfonic acid (PFDoDS)	03/05/2023	<0.50	0.5
10:2 Fluorotelomersulfonic acid (10:2 FTS)	03/05/2023	0.62	0.5
Perfluorobutanesulfonamide (PFBSA)	03/05/2023	<0.50	0.5
Perfluorohexaansulfonamide (PFHXSA)	03/05/2023	<0.50	0.5
N-methylperfluorobutanesulfonamide (N-MeFBSA)	03/05/2023	<0.50	0.5
N-Methyl-perfluorobutanesulfonylamidoacetate (N-MeFBSAA)	03/05/2023	<0.50	0.5

ANALYTICAL REPORT : IAC23-03846

6:2 Fluorotelomerphosphate diester (6:2 DiPAP)	03/05/2023	1.6	0.5
6:2/8:2 Fluorotelomerphosphatediester (6:2/8:2 DiPAP)	03/05/2023	1.0	0.5

ANALYTICAL REPORT : IAC23-03846

Analytical results - organic parameters			
Sample identification : IAC23-03846.014 Your reference: C78		Date of sampling: <i>unknown</i> Sampled by: <i>Third party</i>	
Determination of per- and polyfluoroalkyl substances (PFAS)			
Component	Date of analysis	Concentration (µg/kgdm)	Reporting Limit (µg/kgdm)
Perfluorobutanoic acid (PFBA)	03/05/2023	1.6	0.5
Perfluoropentanoic acid (PFPeA)	03/05/2023	1.3	0.5
Perfluorohexanoic acid (PFHxA)	03/05/2023	3.2	0.5
Perfluoroheptanoic acid (PFHpA)	03/05/2023	1.1	0.5
Perfluorooctanoic acid (PFOA)	03/05/2023	2.4	0.5
Perfluorononanoic acid (PFNA)	03/05/2023	<0.50	0.5
Perfluorodecanoic acid (PFDA)	03/05/2023	0.52	0.5
Perfluoroundecanoic acid (PFUnDA)	03/05/2023	<0.50	0.5
Perfluorododecanoic acid (PFDoDA)	03/05/2023	<0.50	0.5
Perfluorotridecanoic acid (PFTrDA)	03/05/2023	<0.50	0.5
Perfluorotetradecanoic acid (PFTeDA)	03/05/2023	<0.50	0.5
Perfluorohexadecanoic acid (PFHxDA)	03/05/2023	<0.50	0.5
Perfluorobutane sulfonic acid (PFBS)	03/05/2023	0.54	0.5
Perfluoropentane sulfonic acid (PFPeS)	03/05/2023	<0.50	0.5
Perfluorohexane sulfonic acid (PFHxS)	03/05/2023	<0.50	0.5
Perfluoroheptane sulfonic acid (PFHpS)	03/05/2023	<0.50	0.5
Perfluorooctane sulfonic acid (PFOS)	03/05/2023	4.3	0.5
Perfluorononane sulfonic acid (PFNS)	03/05/2023	<0.50	0.5
Perfluorodecane sulfonic acid (PFDS)	03/05/2023	<0.50	0.5
4:2 Fluorotelomersulfonic acid (4:2 FTS)	03/05/2023	<0.50	0.5
6:2 Fluorotelomersulfonic acid (6:2 FTS)	03/05/2023	1.2	0.5
8:2 Fluorotelomersulfonic acid (8:2 FTS)	03/05/2023	0.66	0.5
2,3,3,3-tetrafluor-2-(heptafluoropropoxy)propanoic acid (HPFO-DA)	03/05/2023	<0.50	0.5
4,8-Dioxa-3H-perfluorononanoic acid (DONA)	03/05/2023	<0.50	0.5
Perfluoro-4-ethylcyclohexanesulfonic acid (PFECHS)	03/05/2023	<0.50	0.5
Perfluorooctane sulfonamide (PFOSA)	03/05/2023	<0.50	0.5
N-methylperfluorooctanesulfonamide (N-MeFOSA)	03/05/2023	<0.50	0.5
N-ethylperfluorooctanesulfonamide (N-EtFOSA)	03/05/2023	<0.50	0.5
N-methylperfluorooctanesulfonamidoacetic acid (N-MeFOSAA)	03/05/2023	<0.50	0.5
N-ethylperfluorooctanesulfonamidoacetic acid (N-EtFOSAA)	03/05/2023	9.9	0.5
8:2 Fluorotelomerphosphate diester (8:2 DiPAP)	03/05/2023	1.4	0.5
Determination of per- and polyfluoroalkyl substances (PFAS) - indicative list			
Component	Date of analysis	Concentration (µg/kgdm)	Reporting Limit (µg/kgdm)
Perfluorooctadecanoic acid (PFOcDA)	03/05/2023	<0.50	0.5
Perfluorododecane sulfonic acid (PFDoDS)	03/05/2023	<0.50	0.5
10:2 Fluorotelomersulfonic acid (10:2 FTS)	03/05/2023	0.54	0.5
Perfluorobutanesulfonamide (PFBSA)	03/05/2023	<0.50	0.5
Perfluorohexaansulfonamide (PFHXSA)	03/05/2023	<0.50	0.5
N-methylperfluorobutanesulfonamide (N-MeFBSA)	03/05/2023	<0.50	0.5
N-Methyl-perfluorobutanesulfonylamidoacetate (N-MeFBSAA)	03/05/2023	0.96	0.5

ANALYTICAL REPORT : IAC23-03846

6:2 Fluorotelomerphosphate diester (6:2 DiPAP)	03/05/2023	1.6	0.5
6:2/8:2 Fluorotelomerphosphatediester (6:2/8:2 DiPAP)	03/05/2023	3.0	0.5

ANALYTICAL REPORT : IAC23-03846

Analytical results - organic parameters			
Sample identification : IAC23-03846.015 Your reference: CT10		Date of sampling: <i>unknown</i> Sampled by: <i>Third party</i>	
Determination of per- and polyfluoroalkyl substances (PFAS)			
Component	Date of analysis	Concentration (µg/kgdm)	Reporting Limit (µg/kgdm)
Perfluorobutanoic acid (PFBA)	03/05/2023	1.0	0.5
Perfluoropentanoic acid (PFPeA)	03/05/2023	<0.50	0.5
Perfluorohexanoic acid (PFHxA)	03/05/2023	0.79	0.5
Perfluoroheptanoic acid (PFHpA)	03/05/2023	0.79	0.5
Perfluorooctanoic acid (PFOA)	03/05/2023	2.6	0.5
Perfluorononanoic acid (PFNA)	03/05/2023	<0.50	0.5
Perfluorodecanoic acid (PFDA)	03/05/2023	0.54	0.5
Perfluoroundecanoic acid (PFUnDA)	03/05/2023	<0.50	0.5
Perfluorododecanoic acid (PFDoDA)	03/05/2023	<0.50	0.5
Perfluorotridecanoic acid (PFTrDA)	03/05/2023	<0.50	0.5
Perfluorotetradecanoic acid (PFTeDA)	03/05/2023	<0.50	0.5
Perfluorohexadecanoic acid (PFHxDA)	03/05/2023	<0.50	0.5
Perfluorobutane sulfonic acid (PFBS)	03/05/2023	<0.50	0.5
Perfluoropentane sulfonic acid (PFPeS)	03/05/2023	<0.50	0.5
Perfluorohexane sulfonic acid (PFHxS)	03/05/2023	<0.50	0.5
Perfluoroheptane sulfonic acid (PFHpS)	03/05/2023	<0.50	0.5
Perfluorooctane sulfonic acid (PFOS)	03/05/2023	0.99	0.5
Perfluorononane sulfonic acid (PFNS)	03/05/2023	<0.50	0.5
Perfluorodecane sulfonic acid (PFDS)	03/05/2023	<0.50	0.5
4:2 Fluorotelomersulfonic acid (4:2 FTS)	03/05/2023	0.56	0.5
6:2 Fluorotelomersulfonic acid (6:2 FTS)	03/05/2023	<0.50	0.5
8:2 Fluorotelomersulfonic acid (8:2 FTS)	03/05/2023	<0.50	0.5
2,3,3,3-tetrafluor-2-(heptafluoropropoxy)propanoic acid (HPFO-DA)	03/05/2023	<0.50	0.5
4,8-Dioxa-3H-perfluorononanoic acid (DONA)	03/05/2023	<0.50	0.5
Perfluoro-4-ethylcyclohexanesulfonic acid (PFECHS)	03/05/2023	<0.50	0.5
Perfluorooctane sulfonamide (PFOSA)	03/05/2023	<0.50	0.5
N-methylperfluorooctanesulfonamide (N-MeFOSA)	03/05/2023	<0.50	0.5
N-ethylperfluorooctanesulfonamide (N-EtFOSA)	03/05/2023	<0.50	0.5
N-methylperfluorooctanesulfonamidoacetic acid (N-MeFOSAA)	03/05/2023	<0.50	0.5
N-ethylperfluorooctanesulfonamidoacetic acid (N-EtFOSAA)	03/05/2023	0.67	0.5
8:2 Fluorotelomerphosphate diester (8:2 DiPAP)	03/05/2023	<0.50	0.5
Determination of per- and polyfluoroalkyl substances (PFAS) - indicative list			
Component	Date of analysis	Concentration (µg/kgdm)	Reporting Limit (µg/kgdm)
Perfluorooctadecanoic acid (PFOcDA)	03/05/2023	<0.50	0.5
Perfluorododecane sulfonic acid (PFDoDS)	03/05/2023	<0.50	0.5
10:2 Fluorotelomersulfonic acid (10:2 FTS)	03/05/2023	<0.50	0.5
Perfluorobutanesulfonamide (PFBSA)	03/05/2023	<0.50	0.5
Perfluorohexaansulfonamide (PFHXSA)	03/05/2023	<0.50	0.5
N-methylperfluorobutanesulfonamide (N-MeFBSA)	03/05/2023	<0.50	0.5
N-Methyl-perfluorobutanesulfonylamidoacetate (N-MeFBSAA)	03/05/2023	<0.50	0.5

ANALYTICAL REPORT : IAC23-03846

6:2 Fluorotelomerphosphate diester (6:2 DiPAP)	03/05/2023	<0.50	0.5
6:2/8:2 Fluorotelomerphosphatediester (6:2/8:2 DiPAP)	03/05/2023	0.77	0.5

ANALYTICAL REPORT : IAC23-03846

Analytical results - organic parameters			
Sample identification : IAC23-03846.016		Date of sampling: <i>unknown</i>	
Your reference: C79-1		Sampled by: <i>Third party</i>	
Determination of per- and polyfluoroalkyl substances (PFAS)			
Component	Date of analysis	Concentration (µg/kgdm)	Reporting Limit (µg/kgdm)
Perfluorobutanoic acid (PFBA)	03/05/2023	2.6	0.5
Perfluoropentanoic acid (PFPeA)	03/05/2023	<0.50	0.5
Perfluorohexanoic acid (PFHxA)	03/05/2023	4.5	0.5
Perfluoroheptanoic acid (PFHpA)	03/05/2023	11	0.5
Perfluorooctanoic acid (PFOA)	03/05/2023	6.5	0.5
Perfluorononanoic acid (PFNA)	03/05/2023	6.2	0.5
Perfluorodecanoic acid (PFDA)	03/05/2023	2.3	0.5
Perfluoroundecanoic acid (PFUnDA)	03/05/2023	1.5	0.5
Perfluorododecanoic acid (PFDoDA)	03/05/2023	1.4	0.5
Perfluorotridecanoic acid (PFTrDA)	03/05/2023	<0.50	0.5
Perfluorotetradecanoic acid (PFTeDA)	03/05/2023	0.94	0.5
Perfluorohexadecanoic acid (PFHxDA)	03/05/2023	<0.50	0.5
Perfluorobutane sulfonic acid (PFBS)	03/05/2023	0.69	0.5
Perfluoropentane sulfonic acid (PFPeS)	03/05/2023	<0.50	0.5
Perfluorohexane sulfonic acid (PFHxS)	03/05/2023	<0.50	0.5
Perfluoroheptane sulfonic acid (PFHpS)	03/05/2023	<0.50	0.5
Perfluorooctane sulfonic acid (PFOS)	03/05/2023	1.4	0.5
Perfluorononane sulfonic acid (PFNS)	03/05/2023	<0.50	0.5
Perfluorodecane sulfonic acid (PFDS)	03/05/2023	<0.50	0.5
4:2 Fluorotelomersulfonic acid (4:2 FTS)	03/05/2023	<0.50	0.5
6:2 Fluorotelomersulfonic acid (6:2 FTS)	03/05/2023	<0.50	0.5
8:2 Fluorotelomersulfonic acid (8:2 FTS)	03/05/2023	<0.50	0.5
2,3,3,3-tetrafluor-2-(heptafluoropropoxy)propanoic acid (HPFO-DA)	03/05/2023	<0.50	0.5
4,8-Dioxa-3H-perfluorononanoic acid (DONA)	03/05/2023	<0.50	0.5
Perfluoro-4-ethylcyclohexanesulfonic acid (PFECHS)	03/05/2023	<0.50	0.5
Perfluorooctane sulfonamide (PFOSA)	03/05/2023	<0.50	0.5
N-methylperfluorooctanesulfonamide (N-MeFOSA)	03/05/2023	<0.50	0.5
N-ethylperfluorooctanesulfonamide (N-EtFOSA)	03/05/2023	<0.50	0.5
N-methylperfluorooctanesulfonamidoacetic acid (N-MeFOSAA)	03/05/2023	<0.50	0.5
N-ethylperfluorooctanesulfonamidoacetic acid (N-EtFOSAA)	03/05/2023	<0.50	0.5
8:2 Fluorotelomerphosphate diester (8:2 DiPAP)	03/05/2023	0.72	0.5
Determination of per- and polyfluoroalkyl substances (PFAS) - indicative list			
Component	Date of analysis	Concentration (µg/kgdm)	Reporting Limit (µg/kgdm)
Perfluorooctadecanoic acid (PFOcDA)	03/05/2023	<0.50	0.5
Perfluorododecane sulfonic acid (PFDoDS)	03/05/2023	<0.50	0.5
10:2 Fluorotelomersulfonic acid (10:2 FTS)	03/05/2023	<0.50	0.5
Perfluorobutanesulfonamide (PFBSA)	03/05/2023	<0.50	0.5
Perfluorohexaansulfonamide (PFHXSA)	03/05/2023	<0.50	0.5
N-methylperfluorobutanesulfonamide (N-MeFBSA)	03/05/2023	<0.50	0.5
N-Methyl-perfluorobutanesulfonylamidoacetate (N-MeFBSAA)	03/05/2023	<0.50	0.5

ANALYTICAL REPORT : IAC23-03846

6:2 Fluorotelomerphosphate diester (6:2 DiPAP)	03/05/2023	<0.50	0.5
6:2/8:2 Fluorotelomerphosphatediester (6:2/8:2 DiPAP)	03/05/2023	1.8	0.5

ANALYTICAL REPORT : IAC23-03846

Analytical results - organic parameters			
Sample identification : IAC23-03846.017 Your reference: C79-2		Date of sampling: <i>unknown</i> Sampled by: <i>Third party</i>	
Determination of per- and polyfluoroalkyl substances (PFAS)			
Component	Date of analysis	Concentration (µg/kgdm)	Reporting Limit (µg/kgdm)
Perfluorobutanoic acid (PFBA)	03/05/2023	3.0	0.5
Perfluoropentanoic acid (PFPeA)	03/05/2023	<0.50	0.5
Perfluorohexanoic acid (PFHxA)	03/05/2023	1.7	0.5
Perfluoroheptanoic acid (PFHpA)	03/05/2023	1.3	0.5
Perfluorooctanoic acid (PFOA)	03/05/2023	3.5	0.5
Perfluorononanoic acid (PFNA)	03/05/2023	<0.50	0.5
Perfluorodecanoic acid (PFDA)	03/05/2023	0.58	0.5
Perfluoroundecanoic acid (PFUnDA)	03/05/2023	<0.50	0.5
Perfluorododecanoic acid (PFDoDA)	03/05/2023	<0.50	0.5
Perfluorotridecanoic acid (PFTrDA)	03/05/2023	<0.50	0.5
Perfluorotetradecanoic acid (PFTeDA)	03/05/2023	<0.50	0.5
Perfluorohexadecanoic acid (PFHxDA)	03/05/2023	<0.50	0.5
Perfluorobutane sulfonic acid (PFBS)	03/05/2023	4.4	0.5
Perfluoropentane sulfonic acid (PFPeS)	03/05/2023	<0.50	0.5
Perfluorohexane sulfonic acid (PFHxS)	03/05/2023	<0.50	0.5
Perfluoroheptane sulfonic acid (PFHpS)	03/05/2023	<0.50	0.5
Perfluorooctane sulfonic acid (PFOS)	03/05/2023	<0.50	0.5
Perfluorononane sulfonic acid (PFNS)	03/05/2023	<0.50	0.5
Perfluorodecane sulfonic acid (PFDS)	03/05/2023	<0.50	0.5
4:2 Fluorotelomersulfonic acid (4:2 FTS)	03/05/2023	<0.50	0.5
6:2 Fluorotelomersulfonic acid (6:2 FTS)	03/05/2023	1.4	0.5
8:2 Fluorotelomersulfonic acid (8:2 FTS)	03/05/2023	1.9	0.5
2,3,3,3-tetrafluor-2-(heptafluoropropoxy)propanoic acid (HPFO-DA)	03/05/2023	<0.50	0.5
4,8-Dioxa-3H-perfluorononanoic acid (DONA)	03/05/2023	<0.50	0.5
Perfluoro-4-ethylcyclohexanesulfonic acid (PFECHS)	03/05/2023	<0.50	0.5
Perfluorooctane sulfonamide (PFOSA)	03/05/2023	<0.50	0.5
N-methylperfluorooctanesulfonamide (N-MeFOSA)	03/05/2023	<0.50	0.5
N-ethylperfluorooctanesulfonamide (N-EtFOSA)	03/05/2023	<0.50	0.5
N-methylperfluorooctanesulfonamidoacetic acid (N-MeFOSAA)	03/05/2023	<0.50	0.5
N-ethylperfluorooctanesulfonamidoacetic acid (N-EtFOSAA)	03/05/2023	<0.50	0.5
8:2 Fluorotelomerphosphate diester (8:2 DiPAP)	03/05/2023	<0.50	0.5
Determination of per- and polyfluoroalkyl substances (PFAS) - indicative list			
Component	Date of analysis	Concentration (µg/kgdm)	Reporting Limit (µg/kgdm)
Perfluorooctadecanoic acid (PFODa)	03/05/2023	<0.50	0.5
Perfluorododecane sulfonic acid (PFDoDS)	03/05/2023	<0.50	0.5
10:2 Fluorotelomersulfonic acid (10:2 FTS)	03/05/2023	0.98	0.5
Perfluorobutanesulfonamide (PFBSA)	03/05/2023	1.5	0.5
Perfluorohexaansulfonamide (PFHXSA)	03/05/2023	<0.50	0.5
N-methylperfluorobutanesulfonamide (N-MeFBSA)	03/05/2023	0.57	0.5
N-Methyl-perfluorobutanesulfonamidoacetate (N-MeFBSAA)	03/05/2023	9.6	0.5

ANALYTICAL REPORT : IAC23-03846

6:2 Fluorotelomerphosphate diester (6:2 DiPAP)	03/05/2023	4.5	0.5
6:2/8:2 Fluorotelomerphosphatediester (6:2/8:2 DiPAP)	03/05/2023	0.54	0.5

ANALYTICAL REPORT : IAC23-03846

Analytical results - organic parameters			
Sample identification : IAC23-03846.018		Date of sampling: <i>unknown</i>	
Your reference: C76		Sampled by: <i>Third party</i>	
Determination of per- and polyfluoroalkyl substances (PFAS)			
Component	Date of analysis	Concentration (µg/kgdm)	Reporting Limit (µg/kgdm)
Perfluorobutanoic acid (PFBA)	03/05/2023	2.3	0.5
Perfluoropentanoic acid (PFPeA)	03/05/2023	1.9	0.5
Perfluorohexanoic acid (PFHxA)	03/05/2023	2.7	0.5
Perfluoroheptanoic acid (PFHpA)	03/05/2023	1.3	0.5
Perfluorooctanoic acid (PFOA)	03/05/2023	5.3	0.5
Perfluorononanoic acid (PFNA)	03/05/2023	1.4	0.5
Perfluorodecanoic acid (PFDA)	03/05/2023	2.2	0.5
Perfluoroundecanoic acid (PFUnDA)	03/05/2023	1.5	0.5
Perfluorododecanoic acid (PFDoDA)	03/05/2023	2.0	0.5
Perfluorotridecanoic acid (PFTrDA)	03/05/2023	1.2	0.5
Perfluorotetradecanoic acid (PFTeDA)	03/05/2023	0.86	0.5
Perfluorohexadecanoic acid (PFHxDA)	03/05/2023	0.67	0.5
Perfluorobutane sulfonic acid (PFBS)	03/05/2023	<0.50	0.5
Perfluoropentane sulfonic acid (PFPeS)	03/05/2023	<0.50	0.5
Perfluorohexane sulfonic acid (PFHxS)	03/05/2023	<0.50	0.5
Perfluoroheptane sulfonic acid (PFHpS)	03/05/2023	<0.50	0.5
Perfluorooctane sulfonic acid (PFOS)	03/05/2023	3.8	0.5
Perfluorononane sulfonic acid (PFNS)	03/05/2023	<0.50	0.5
Perfluorodecane sulfonic acid (PFDS)	03/05/2023	<0.50	0.5
4:2 Fluorotelomersulfonic acid (4:2 FTS)	03/05/2023	<0.50	0.5
6:2 Fluorotelomersulfonic acid (6:2 FTS)	03/05/2023	1.5	0.5
8:2 Fluorotelomersulfonic acid (8:2 FTS)	03/05/2023	1.3	0.5
2,3,3,3-tetrafluor-2-(heptafluoropropoxy)propanoic acid (HPFO-DA)	03/05/2023	<0.50	0.5
4,8-Dioxa-3H-perfluorononanoic acid (DONA)	03/05/2023	<0.50	0.5
Perfluoro-4-ethylcyclohexanesulfonic acid (PFECHS)	03/05/2023	<0.50	0.5
Perfluorooctane sulfonamide (PFOSA)	03/05/2023	<0.50	0.5
N-methylperfluorooctanesulfonamide (N-MeFOSA)	03/05/2023	<0.50	0.5
N-ethylperfluorooctanesulfonamide (N-EtFOSA)	03/05/2023	<0.50	0.5
N-methylperfluorooctanesulfonamidoacetic acid (N-MeFOSAA)	03/05/2023	<0.50	0.5
N-ethylperfluorooctanesulfonamidoacetic acid (N-EtFOSAA)	03/05/2023	42	0.5
8:2 Fluorotelomerphosphate diester (8:2 DiPAP)	03/05/2023	1.3	0.5
Determination of per- and polyfluoroalkyl substances (PFAS) - indicative list			
Component	Date of analysis	Concentration (µg/kgdm)	Reporting Limit (µg/kgdm)
Perfluorooctadecanoic acid (PFOcDA)	03/05/2023	<0.50	0.5
Perfluorododecane sulfonic acid (PFDoDS)	03/05/2023	<0.50	0.5
10:2 Fluorotelomersulfonic acid (10:2 FTS)	03/05/2023	1.5	0.5
Perfluorobutanesulfonamide (PFBSA)	03/05/2023	<0.50	0.5
Perfluorohexaansulfonamide (PFHXSA)	03/05/2023	<0.50	0.5
N-methylperfluorobutanesulfonamide (N-MeFBSA)	03/05/2023	<0.50	0.5
N-Methyl-perfluorobutanesulfonylamidoacetate (N-MeFBSAA)	03/05/2023	0.84	0.5

ANALYTICAL REPORT : IAC23-03846

6:2 Fluorotelomerphosphate diester (6:2 DiPAP)	03/05/2023	2.5	0.5
6:2/8:2 Fluorotelomerphosphatediester (6:2/8:2 DiPAP)	03/05/2023	2.8	0.5

ANALYTICAL REPORT : IAC23-03846

Analytical results - organic parameters			
Sample identification : IAC23-03846.019		Date of sampling: <i>unknown</i>	
Your reference: N2		Sampled by: <i>Third party</i>	
Determination of per- and polyfluoroalkyl substances (PFAS)			
Component	Date of analysis	Concentration (µg/kgdm)	Reporting Limit (µg/kgdm)
Perfluorobutanoic acid (PFBA)	03/05/2023	2.5	0.5
Perfluoropentanoic acid (PFPeA)	03/05/2023	0.72	0.5
Perfluorohexanoic acid (PFHxA)	03/05/2023	3.9	0.5
Perfluoroheptanoic acid (PFHpA)	03/05/2023	1.6	0.5
Perfluorooctanoic acid (PFOA)	03/05/2023	5.7	0.5
Perfluorononanoic acid (PFNA)	03/05/2023	1.1	0.5
Perfluorodecanoic acid (PFDA)	03/05/2023	3.4	0.5
Perfluoroundecanoic acid (PFUnDA)	03/05/2023	0.60	0.5
Perfluorododecanoic acid (PFDoDA)	03/05/2023	2.1	0.5
Perfluorotridecanoic acid (PFTrDA)	03/05/2023	<0.50	0.5
Perfluorotetradecanoic acid (PFTeDA)	03/05/2023	1.8	0.5
Perfluorohexadecanoic acid (PFHxDA)	03/05/2023	0.60	0.5
Perfluorobutane sulfonic acid (PFBS)	03/05/2023	0.61	0.5
Perfluoropentane sulfonic acid (PFPeS)	03/05/2023	<0.50	0.5
Perfluorohexane sulfonic acid (PFHxS)	03/05/2023	<0.50	0.5
Perfluoroheptane sulfonic acid (PFHpS)	03/05/2023	<0.50	0.5
Perfluorooctane sulfonic acid (PFOS)	03/05/2023	2.4	0.5
Perfluorononane sulfonic acid (PFNS)	03/05/2023	<0.50	0.5
Perfluorodecane sulfonic acid (PFDS)	03/05/2023	<0.50	0.5
4:2 Fluorotelomersulfonic acid (4:2 FTS)	03/05/2023	<0.50	0.5
6:2 Fluorotelomersulfonic acid (6:2 FTS)	03/05/2023	3.0	0.5
8:2 Fluorotelomersulfonic acid (8:2 FTS)	03/05/2023	1.7	0.5
2,3,3,3-tetrafluor-2-(heptafluoropropoxy)propanoic acid (HPFO-DA)	03/05/2023	<0.50	0.5
4,8-Dioxa-3H-perfluorononanoic acid (DONA)	03/05/2023	<0.50	0.5
Perfluoro-4-ethylcyclohexanesulfonic acid (PFECHS)	03/05/2023	<0.50	0.5
Perfluorooctane sulfonamide (PFOSA)	03/05/2023	<0.50	0.5
N-methylperfluorooctanesulfonamide (N-MeFOSA)	03/05/2023	<0.50	0.5
N-ethylperfluorooctanesulfonamide (N-EtFOSA)	03/05/2023	<0.50	0.5
N-methylperfluorooctanesulfonamidoacetic acid (N-MeFOSAA)	03/05/2023	<0.50	0.5
N-ethylperfluorooctanesulfonamidoacetic acid (N-EtFOSAA)	03/05/2023	13	0.5
8:2 Fluorotelomerphosphate diester (8:2 DiPAP)	03/05/2023	4.9	0.5
Determination of per- and polyfluoroalkyl substances (PFAS) - indicative list			
Component	Date of analysis	Concentration (µg/kgdm)	Reporting Limit (µg/kgdm)
Perfluorooctadecanoic acid (PFOcDA)	03/05/2023	<0.50	0.5
Perfluorododecane sulfonic acid (PFDoDS)	03/05/2023	<0.50	0.5
10:2 Fluorotelomersulfonic acid (10:2 FTS)	03/05/2023	2.5	0.5
Perfluorobutanesulfonamide (PFBSA)	03/05/2023	<0.50	0.5
Perfluorohexaansulfonamide (PFHXSA)	03/05/2023	<0.50	0.5
N-methylperfluorobutanesulfonamide (N-MeFBSA)	03/05/2023	<0.50	0.5
N-Methyl-perfluorobutanesulfonylamidoacetate (N-MeFBSAA)	03/05/2023	0.78	0.5

ANALYTICAL REPORT : IAC23-03846

6:2 Fluorotelomerphosphate diester (6:2 DiPAP)	03/05/2023	1.6	0.5
6:2/8:2 Fluorotelomerphosphatediester (6:2/8:2 DiPAP)	03/05/2023	7.4	0.5

ANALYTICAL REPORT : IAC23-03846

Analytical results - organic parameters			
Sample identification : IAC23-03846.020		Date of sampling: <i>unknown</i>	
Your reference: <i>N4</i>		Sampled by: <i>Third party</i>	
Determination of per- and polyfluoroalkyl substances (PFAS)			
Component	Date of analysis	Concentration (µg/kgdm)	Reporting Limit (µg/kgdm)
Perfluorobutanoic acid (PFBA)	03/05/2023	0.89	0.5
Perfluoropentanoic acid (PFPeA)	03/05/2023	<0.50	0.5
Perfluorohexanoic acid (PFHxA)	03/05/2023	<0.50	0.5
Perfluoroheptanoic acid (PFHpA)	03/05/2023	<0.50	0.5
Perfluorooctanoic acid (PFOA)	03/05/2023	0.68	0.5
Perfluorononanoic acid (PFNA)	03/05/2023	<0.50	0.5
Perfluorodecanoic acid (PFDA)	03/05/2023	<0.50	0.5
Perfluoroundecanoic acid (PFUnDA)	03/05/2023	<0.50	0.5
Perfluorododecanoic acid (PFDoDA)	03/05/2023	<0.50	0.5
Perfluorotridecanoic acid (PFTrDA)	03/05/2023	<0.50	0.5
Perfluorotetradecanoic acid (PFTeDA)	03/05/2023	<0.50	0.5
Perfluorohexadecanoic acid (PFHxDA)	03/05/2023	<0.50	0.5
Perfluorobutane sulfonic acid (PFBS)	03/05/2023	<0.50	0.5
Perfluoropentane sulfonic acid (PFPeS)	03/05/2023	<0.50	0.5
Perfluorohexane sulfonic acid (PFHxS)	03/05/2023	<0.50	0.5
Perfluoroheptane sulfonic acid (PFHpS)	03/05/2023	<0.50	0.5
Perfluorooctane sulfonic acid (PFOS)	03/05/2023	0.72	0.5
Perfluorononane sulfonic acid (PFNS)	03/05/2023	<0.50	0.5
Perfluorodecane sulfonic acid (PFDS)	03/05/2023	<0.50	0.5
4:2 Fluorotelomersulfonic acid (4:2 FTS)	03/05/2023	<0.50	0.5
6:2 Fluorotelomersulfonic acid (6:2 FTS)	03/05/2023	0.59	0.5
8:2 Fluorotelomersulfonic acid (8:2 FTS)	03/05/2023	<0.50	0.5
2,3,3,3-tetrafluor-2-(heptafluoropropoxy)propanoic acid (HPFO-DA)	03/05/2023	<0.50	0.5
4,8-Dioxa-3H-perfluorononanoic acid (DONA)	03/05/2023	<0.50	0.5
Perfluoro-4-ethylcyclohexanesulfonic acid (PFECHS)	03/05/2023	<0.50	0.5
Perfluorooctane sulfonamide (PFOSA)	03/05/2023	<0.50	0.5
N-methylperfluorooctanesulfonamide (N-MeFOSA)	03/05/2023	<0.50	0.5
N-ethylperfluorooctanesulfonamide (N-EtFOSA)	03/05/2023	<0.50	0.5
N-methylperfluorooctanesulfonamidoacetic acid (N-MeFOSAA)	03/05/2023	<0.50	0.5
N-ethylperfluorooctanesulfonamidoacetic acid (N-EtFOSAA)	03/05/2023	0.62	0.5
8:2 Fluorotelomerphosphate diester (8:2 DiPAP)	03/05/2023	<0.50	0.5
Determination of per- and polyfluoroalkyl substances (PFAS) - indicative list			
Component	Date of analysis	Concentration (µg/kgdm)	Reporting Limit (µg/kgdm)
Perfluorooctadecanoic acid (PFOcDA)	03/05/2023	<0.50	0.5
Perfluorododecane sulfonic acid (PFDoDS)	03/05/2023	<0.50	0.5
10:2 Fluorotelomersulfonic acid (10:2 FTS)	03/05/2023	<0.50	0.5
Perfluorobutanesulfonamide (PFBSA)	03/05/2023	<0.50	0.5
Perfluorohexaansulfonamide (PFHXSA)	03/05/2023	<0.50	0.5
N-methylperfluorobutanesulfonamide (N-MeFBSA)	03/05/2023	<0.50	0.5
N-Methyl-perfluorobutanesulfonylamidoacetate (N-MeFBSAA)	03/05/2023	0.62	0.5

ANALYTICAL REPORT : IAC23-03846

6:2 Fluorotelomerphosphate diester (6:2 DiPAP)	03/05/2023	0.92	0.5
6:2/8:2 Fluorotelomerphosphatediester (6:2/8:2 DiPAP)	03/05/2023	<0.50	0.5

ANALYTICAL REPORT : IAC23-03846

Analytical results - organic parameters			
Sample identification : IAC23-03846.021 Your reference: N6		Date of sampling: <i>unknown</i> Sampled by: <i>Third party</i>	
Determination of per- and polyfluoroalkyl substances (PFAS)			
Component	Date of analysis	Concentration (µg/kgdm)	Reporting Limit (µg/kgdm)
Perfluorobutanoic acid (PFBA)	03/05/2023	3.4	0.5
Perfluoropentanoic acid (PFPeA)	03/05/2023	5.2	0.5
Perfluorohexanoic acid (PFHxA)	03/05/2023	18	0.5
Perfluoroheptanoic acid (PFHpA)	03/05/2023	13	0.5
Perfluorooctanoic acid (PFOA)	03/05/2023	20	0.5
Perfluorononanoic acid (PFNA)	03/05/2023	6.6	0.5
Perfluorodecanoic acid (PFDA)	03/05/2023	12	0.5
Perfluoroundecanoic acid (PFUnDA)	03/05/2023	2.7	0.5
Perfluorododecanoic acid (PFDoDA)	03/05/2023	6.4	0.5
Perfluorotridecanoic acid (PFTrDA)	03/05/2023	1.5	0.5
Perfluorotetradecanoic acid (PFTeDA)	03/05/2023	3.4	0.5
Perfluorohexadecanoic acid (PFHxDA)	03/05/2023	1.7	0.5
Perfluorobutane sulfonic acid (PFBS)	03/05/2023	<0.50	0.5
Perfluoropentane sulfonic acid (PFPeS)	03/05/2023	<0.50	0.5
Perfluorohexane sulfonic acid (PFHxS)	03/05/2023	<0.50	0.5
Perfluoroheptane sulfonic acid (PFHpS)	03/05/2023	<0.50	0.5
Perfluorooctane sulfonic acid (PFOS)	03/05/2023	2.5	0.5
Perfluorononane sulfonic acid (PFNS)	03/05/2023	<0.50	0.5
Perfluorodecane sulfonic acid (PFDS)	03/05/2023	<0.50	0.5
4:2 Fluorotelomersulfonic acid (4:2 FTS)	03/05/2023	<0.50	0.5
6:2 Fluorotelomersulfonic acid (6:2 FTS)	03/05/2023	0.87	0.5
8:2 Fluorotelomersulfonic acid (8:2 FTS)	03/05/2023	0.53	0.5
2,3,3,3-tetrafluor-2-(heptafluoropropoxy)propanoic acid (HPFO-DA)	03/05/2023	<0.50	0.5
4,8-Dioxa-3H-perfluorononanoic acid (DONA)	03/05/2023	<0.50	0.5
Perfluoro-4-ethylcyclohexanesulfonic acid (PFECHS)	03/05/2023	<0.50	0.5
Perfluorooctane sulfonamide (PFOSA)	03/05/2023	<0.50	0.5
N-methylperfluorooctanesulfonamide (N-MeFOSA)	03/05/2023	<0.50	0.5
N-ethylperfluorooctanesulfonamide (N-EtFOSA)	03/05/2023	<0.50	0.5
N-methylperfluorooctanesulfonamidoacetic acid (N-MeFOSAA)	03/05/2023	<0.50	0.5
N-ethylperfluorooctanesulfonamidoacetic acid (N-EtFOSAA)	03/05/2023	7.1	0.5
8:2 Fluorotelomerphosphate diester (8:2 DiPAP)	03/05/2023	1.2	0.5
Determination of per- and polyfluoroalkyl substances (PFAS) - indicative list			
Component	Date of analysis	Concentration (µg/kgdm)	Reporting Limit (µg/kgdm)
Perfluorooctadecanoic acid (PFOcDA)	03/05/2023	<0.50	0.5
Perfluorododecane sulfonic acid (PFDoDS)	03/05/2023	<0.50	0.5
10:2 Fluorotelomersulfonic acid (10:2 FTS)	03/05/2023	0.94	0.5
Perfluorobutanesulfonamide (PFBSA)	03/05/2023	<0.50	0.5
Perfluorohexaansulfonamide (PFHXSA)	03/05/2023	<0.50	0.5
N-methylperfluorobutanesulfonamide (N-MeFBSA)	03/05/2023	<0.50	0.5
N-Methyl-perfluorobutanesulfonylamidoacetate (N-MeFBSAA)	03/05/2023	1.2	0.5

ANALYTICAL REPORT : IAC23-03846

6:2 Fluorotelomerphosphate diester (6:2 DiPAP)	03/05/2023	1.4	0.5
6:2/8:2 Fluorotelomerphosphatediester (6:2/8:2 DiPAP)	03/05/2023	3.1	0.5

ANALYTICAL REPORT : IAC23-03846

Analytical results - organic parameters			
Sample identification : IAC23-03846.022		Date of sampling: <i>unknown</i>	
Your reference: <i>N8</i>		Sampled by: <i>Third party</i>	
Determination of per- and polyfluoroalkyl substances (PFAS)			
Component	Date of analysis	Concentration (µg/kgdm)	Reporting Limit (µg/kgdm)
Perfluorobutanoic acid (PFBA)	03/05/2023	1.1	0.5
Perfluoropentanoic acid (PFPeA)	03/05/2023	0.55	0.5
Perfluorohexanoic acid (PFHxA)	03/05/2023	1.1	0.5
Perfluoroheptanoic acid (PFHpA)	03/05/2023	0.55	0.5
Perfluorooctanoic acid (PFOA)	03/05/2023	2.4	0.5
Perfluorononanoic acid (PFNA)	03/05/2023	<0.50	0.5
Perfluorodecanoic acid (PFDA)	03/05/2023	0.96	0.5
Perfluoroundecanoic acid (PFUnDA)	03/05/2023	<0.50	0.5
Perfluorododecanoic acid (PFDoDA)	03/05/2023	<0.50	0.5
Perfluorotridecanoic acid (PFTrDA)	03/05/2023	<0.50	0.5
Perfluorotetradecanoic acid (PFTeDA)	03/05/2023	<0.50	0.5
Perfluorohexadecanoic acid (PFHxDA)	03/05/2023	<0.50	0.5
Perfluorobutane sulfonic acid (PFBS)	03/05/2023	<0.50	0.5
Perfluoropentane sulfonic acid (PFPeS)	03/05/2023	<0.50	0.5
Perfluorohexane sulfonic acid (PFHxS)	03/05/2023	<0.50	0.5
Perfluoroheptane sulfonic acid (PFHpS)	03/05/2023	<0.50	0.5
Perfluorooctane sulfonic acid (PFOS)	03/05/2023	1.6	0.5
Perfluorononane sulfonic acid (PFNS)	03/05/2023	<0.50	0.5
Perfluorodecane sulfonic acid (PFDS)	03/05/2023	<0.50	0.5
4:2 Fluorotelomersulfonic acid (4:2 FTS)	03/05/2023	0.53	0.5
6:2 Fluorotelomersulfonic acid (6:2 FTS)	03/05/2023	1.2	0.5
8:2 Fluorotelomersulfonic acid (8:2 FTS)	03/05/2023	<0.50	0.5
2,3,3,3-tetrafluor-2-(heptafluoropropoxy)propanoic acid (HPFO-DA)	03/05/2023	<0.50	0.5
4,8-Dioxa-3H-perfluorononanoic acid (DONA)	03/05/2023	<0.50	0.5
Perfluoro-4-ethylcyclohexanesulfonic acid (PFECHS)	03/05/2023	<0.50	0.5
Perfluorooctane sulfonamide (PFOSA)	03/05/2023	<0.50	0.5
N-methylperfluorooctanesulfonamide (N-MeFOSA)	03/05/2023	<0.50	0.5
N-ethylperfluorooctanesulfonamide (N-EtFOSA)	03/05/2023	<0.50	0.5
N-methylperfluorooctanesulfonamidoacetic acid (N-MeFOSAA)	03/05/2023	<0.50	0.5
N-ethylperfluorooctanesulfonamidoacetic acid (N-EtFOSAA)	03/05/2023	<0.50	0.5
8:2 Fluorotelomerphosphate diester (8:2 DiPAP)	03/05/2023	<0.50	0.5
Determination of per- and polyfluoroalkyl substances (PFAS) - indicative list			
Component	Date of analysis	Concentration (µg/kgdm)	Reporting Limit (µg/kgdm)
Perfluorooctadecanoic acid (PFOcDA)	03/05/2023	<0.50	0.5
Perfluorododecane sulfonic acid (PFDoDS)	03/05/2023	<0.50	0.5
10:2 Fluorotelomersulfonic acid (10:2 FTS)	03/05/2023	<0.50	0.5
Perfluorobutanesulfonamide (PFBSA)	03/05/2023	<0.50	0.5
Perfluorohexaansulfonamide (PFHXSA)	03/05/2023	<0.50	0.5
N-methylperfluorobutanesulfonamide (N-MeFBSA)	03/05/2023	<0.50	0.5
N-Methyl-perfluorobutanesulfonylamidoacetate (N-MeFBSAA)	03/05/2023	<0.50	0.5

ANALYTICAL REPORT : IAC23-03846

6:2 Fluorotelomerphosphate diester (6:2 DiPAP)	03/05/2023	<0.50	0.5
6:2/8:2 Fluorotelomerphosphatediester (6:2/8:2 DiPAP)	03/05/2023	<0.50	0.5

ANALYTICAL REPORT : IAC23-03846

Analytical results - organic parameters			
Sample identification : IAC23-03846.023 Your reference: N10		Date of sampling: <i>unknown</i> Sampled by: <i>Third party</i>	
Determination of per- and polyfluoroalkyl substances (PFAS)			
Component	Date of analysis	Concentration (µg/kgdm)	Reporting Limit (µg/kgdm)
Perfluorobutanoic acid (PFBA)	03/05/2023	1.1	0.5
Perfluoropentanoic acid (PFPeA)	03/05/2023	0.95	0.5
Perfluorohexanoic acid (PFHxA)	03/05/2023	2.0	0.5
Perfluoroheptanoic acid (PFHpA)	03/05/2023	1.1	0.5
Perfluorooctanoic acid (PFOA)	03/05/2023	3.2	0.5
Perfluorononanoic acid (PFNA)	03/05/2023	0.62	0.5
Perfluorodecanoic acid (PFDA)	03/05/2023	1.2	0.5
Perfluoroundecanoic acid (PFUnDA)	03/05/2023	<0.50	0.5
Perfluorododecanoic acid (PFDoDA)	03/05/2023	0.53	0.5
Perfluorotridecanoic acid (PFTrDA)	03/05/2023	<0.50	0.5
Perfluorotetradecanoic acid (PFTeDA)	03/05/2023	<0.50	0.5
Perfluorohexadecanoic acid (PFHxDA)	03/05/2023	<0.50	0.5
Perfluorobutane sulfonic acid (PFBS)	03/05/2023	<0.50	0.5
Perfluoropentane sulfonic acid (PFPeS)	03/05/2023	<0.50	0.5
Perfluorohexane sulfonic acid (PFHxS)	03/05/2023	<0.50	0.5
Perfluoroheptane sulfonic acid (PFHpS)	03/05/2023	<0.50	0.5
Perfluorooctane sulfonic acid (PFOS)	03/05/2023	1.6	0.5
Perfluorononane sulfonic acid (PFNS)	03/05/2023	<0.50	0.5
Perfluorodecane sulfonic acid (PFDS)	03/05/2023	<0.50	0.5
4:2 Fluorotelomersulfonic acid (4:2 FTS)	03/05/2023	<0.50	0.5
6:2 Fluorotelomersulfonic acid (6:2 FTS)	03/05/2023	<0.50	0.5
8:2 Fluorotelomersulfonic acid (8:2 FTS)	03/05/2023	<0.50	0.5
2,3,3,3-tetrafluor-2-(heptafluoropropoxy)propanoic acid (HPFO-DA)	03/05/2023	<0.50	0.5
4,8-Dioxa-3H-perfluorononanoic acid (DONA)	03/05/2023	<0.50	0.5
Perfluoro-4-ethylcyclohexanesulfonic acid (PFECHS)	03/05/2023	<0.50	0.5
Perfluorooctane sulfonamide (PFOSA)	03/05/2023	<0.50	0.5
N-methylperfluorooctanesulfonamide (N-MeFOSA)	03/05/2023	<0.50	0.5
N-ethylperfluorooctanesulfonamide (N-EtFOSA)	03/05/2023	<0.50	0.5
N-methylperfluorooctanesulfonamidoacetic acid (N-MeFOSAA)	03/05/2023	0.75	0.5
N-ethylperfluorooctanesulfonamidoacetic acid (N-EtFOSAA)	03/05/2023	0.55	0.5
8:2 Fluorotelomerphosphate diester (8:2 DiPAP)	03/05/2023	<0.50	0.5
Determination of per- and polyfluoroalkyl substances (PFAS) - indicative list			
Component	Date of analysis	Concentration (µg/kgdm)	Reporting Limit (µg/kgdm)
Perfluorooctadecanoic acid (PFOcDA)	03/05/2023	<0.50	0.5
Perfluorododecane sulfonic acid (PFDoDS)	03/05/2023	<0.50	0.5
10:2 Fluorotelomersulfonic acid (10:2 FTS)	03/05/2023	<0.50	0.5
Perfluorobutanesulfonamide (PFBSA)	03/05/2023	<0.50	0.5
Perfluorohexaansulfonamide (PFHXSA)	03/05/2023	<0.50	0.5
N-methylperfluorobutanesulfonamide (N-MeFBSA)	03/05/2023	<0.50	0.5
N-Methyl-perfluorobutanesulfonylamidoacetate (N-MeFBSAA)	03/05/2023	7.4	0.5

ANALYTICAL REPORT : IAC23-03846

6:2 Fluorotelomerphosphate diester (6:2 DiPAP)	03/05/2023	<0.50	0.5
6:2/8:2 Fluorotelomerphosphatediester (6:2/8:2 DiPAP)	03/05/2023	0.62	0.5

ANALYTICAL REPORT : IAC23-03846

Analytical results - organic parameters			
Sample identification : IAC23-03846.024 Your reference: CR2		Date of sampling: <i>unknown</i> Sampled by: <i>Third party</i>	
Determination of per- and polyfluoroalkyl substances (PFAS)			
Component	Date of analysis	Concentration (µg/kgdm)	Reporting Limit (µg/kgdm)
Perfluorobutanoic acid (PFBA)	03/05/2023	2.1	0.5
Perfluoropentanoic acid (PFPeA)	03/05/2023	1.1	0.5
Perfluorohexanoic acid (PFHxA)	03/05/2023	4.9	0.5
Perfluoroheptanoic acid (PFHpA)	03/05/2023	1.6	0.5
Perfluorooctanoic acid (PFOA)	03/05/2023	7.0	0.5
Perfluorononanoic acid (PFNA)	03/05/2023	1.2	0.5
Perfluorodecanoic acid (PFDA)	03/05/2023	5.4	0.5
Perfluoroundecanoic acid (PFUnDA)	03/05/2023	0.68	0.5
Perfluorododecanoic acid (PFDoDA)	03/05/2023	2.1	0.5
Perfluorotridecanoic acid (PFTrDA)	03/05/2023	<0.50	0.5
Perfluorotetradecanoic acid (PFTeDA)	03/05/2023	0.66	0.5
Perfluorohexadecanoic acid (PFHxDA)	03/05/2023	<0.50	0.5
Perfluorobutane sulfonic acid (PFBS)	03/05/2023	0.88	0.5
Perfluoropentane sulfonic acid (PFPeS)	03/05/2023	<0.50	0.5
Perfluorohexane sulfonic acid (PFHxS)	03/05/2023	0.52	0.5
Perfluoroheptane sulfonic acid (PFHpS)	03/05/2023	<0.50	0.5
Perfluorooctane sulfonic acid (PFOS)	03/05/2023	2.8	0.5
Perfluorononane sulfonic acid (PFNS)	03/05/2023	<0.50	0.5
Perfluorodecane sulfonic acid (PFDS)	03/05/2023	<0.50	0.5
4:2 Fluorotelomersulfonic acid (4:2 FTS)	03/05/2023	<0.50	0.5
6:2 Fluorotelomersulfonic acid (6:2 FTS)	03/05/2023	1.3	0.5
8:2 Fluorotelomersulfonic acid (8:2 FTS)	03/05/2023	11	0.5
2,3,3,3-tetrafluor-2-(heptafluoropropoxy)propanoic acid (HPFO-DA)	03/05/2023	<0.50	0.5
4,8-Dioxa-3H-perfluorononanoic acid (DONA)	03/05/2023	<0.50	0.5
Perfluoro-4-ethylcyclohexanesulfonic acid (PFECHS)	03/05/2023	<0.50	0.5
Perfluorooctane sulfonamide (PFOSA)	03/05/2023	<0.50	0.5
N-methylperfluorooctanesulfonamide (N-MeFOSA)	03/05/2023	<0.50	0.5
N-ethylperfluorooctanesulfonamide (N-EtFOSA)	03/05/2023	<0.50	0.5
N-methylperfluorooctanesulfonamidoacetic acid (N-MeFOSAA)	03/05/2023	<0.50	0.5
N-ethylperfluorooctanesulfonamidoacetic acid (N-EtFOSAA)	03/05/2023	2.0	0.5
8:2 Fluorotelomerphosphate diester (8:2 DiPAP)	03/05/2023	0.51	0.5
Determination of per- and polyfluoroalkyl substances (PFAS) - indicative list			
Component	Date of analysis	Concentration (µg/kgdm)	Reporting Limit (µg/kgdm)
Perfluorooctadecanoic acid (PFOcDA)	03/05/2023	<0.50	0.5
Perfluorododecane sulfonic acid (PFDoDS)	03/05/2023	<0.50	0.5
10:2 Fluorotelomersulfonic acid (10:2 FTS)	03/05/2023	11	0.5
Perfluorobutanesulfonamide (PFBSA)	03/05/2023	<0.50	0.5
Perfluorohexaansulfonamide (PFHXSA)	03/05/2023	<0.50	0.5
N-methylperfluorobutanesulfonamide (N-MeFBSA)	03/05/2023	<0.50	0.5
N-Methyl-perfluorobutanesulfonylamidoacetate (N-MeFBSAA)	03/05/2023	0.70	0.5

ANALYTICAL REPORT : IAC23-03846

6:2 Fluorotelomerphosphate diester (6:2 DiPAP)	03/05/2023	1.9	0.5
6:2/8:2 Fluorotelomerphosphatediester (6:2/8:2 DiPAP)	03/05/2023	1.3	0.5

ANALYTICAL REPORT : IAC23-03846

Analytical results - organic parameters			
Sample identification : IAC23-03846.025 Your reference: CR8		Date of sampling: <i>unknown</i> Sampled by: <i>Third party</i>	
Determination of per- and polyfluoroalkyl substances (PFAS)			
Component	Date of analysis	Concentration (µg/kgdm)	Reporting Limit (µg/kgdm)
Perfluorobutanoic acid (PFBA)	03/05/2023	2.1	0.5
Perfluoropentanoic acid (PFPeA)	03/05/2023	0.65	0.5
Perfluorohexanoic acid (PFHxA)	03/05/2023	0.89	0.5
Perfluoroheptanoic acid (PFHpA)	03/05/2023	0.53	0.5
Perfluorooctanoic acid (PFOA)	03/05/2023	2.5	0.5
Perfluorononanoic acid (PFNA)	03/05/2023	<0.50	0.5
Perfluorodecanoic acid (PFDA)	03/05/2023	1.3	0.5
Perfluoroundecanoic acid (PFUnDA)	03/05/2023	<0.50	0.5
Perfluorododecanoic acid (PFDoDA)	03/05/2023	1.3	0.5
Perfluorotridecanoic acid (PFTrDA)	03/05/2023	<0.50	0.5
Perfluorotetradecanoic acid (PFTeDA)	03/05/2023	1.1	0.5
Perfluorohexadecanoic acid (PFHxDA)	03/05/2023	<0.50	0.5
Perfluorobutane sulfonic acid (PFBS)	03/05/2023	2.0	0.5
Perfluoropentane sulfonic acid (PFPeS)	03/05/2023	<0.50	0.5
Perfluorohexane sulfonic acid (PFHxS)	03/05/2023	<0.50	0.5
Perfluoroheptane sulfonic acid (PFHpS)	03/05/2023	<0.50	0.5
Perfluorooctane sulfonic acid (PFOS)	03/05/2023	1.6	0.5
Perfluorononane sulfonic acid (PFNS)	03/05/2023	<0.50	0.5
Perfluorodecane sulfonic acid (PFDS)	03/05/2023	<0.50	0.5
4:2 Fluorotelomersulfonic acid (4:2 FTS)	03/05/2023	<0.50	0.5
6:2 Fluorotelomersulfonic acid (6:2 FTS)	03/05/2023	0.67	0.5
8:2 Fluorotelomersulfonic acid (8:2 FTS)	03/05/2023	<0.50	0.5
2,3,3,3-tetrafluor-2-(heptafluoropropoxy)propanoic acid (HPFO-DA)	03/05/2023	<0.50	0.5
4,8-Dioxa-3H-perfluorononanoic acid (DONA)	03/05/2023	<0.50	0.5
Perfluoro-4-ethylcyclohexanesulfonic acid (PFECHS)	03/05/2023	<0.50	0.5
Perfluorooctane sulfonamide (PFOSA)	03/05/2023	<0.50	0.5
N-methylperfluorooctanesulfonamide (N-MeFOSA)	03/05/2023	<0.50	0.5
N-ethylperfluorooctanesulfonamide (N-EtFOSA)	03/05/2023	<0.50	0.5
N-methylperfluorooctanesulfonamidoacetic acid (N-MeFOSAA)	03/05/2023	<0.50	0.5
N-ethylperfluorooctanesulfonamidoacetic acid (N-EtFOSAA)	03/05/2023	<0.50	0.5
8:2 Fluorotelomerphosphate diester (8:2 DiPAP)	03/05/2023	<0.50	0.5
Determination of per- and polyfluoroalkyl substances (PFAS) - indicative list			
Component	Date of analysis	Concentration (µg/kgdm)	Reporting Limit (µg/kgdm)
Perfluorooctadecanoic acid (PFOcDA)	03/05/2023	<0.50	0.5
Perfluorododecane sulfonic acid (PFDoDS)	03/05/2023	<0.50	0.5
10:2 Fluorotelomersulfonic acid (10:2 FTS)	03/05/2023	<0.50	0.5
Perfluorobutanesulfonamide (PFBSA)	03/05/2023	0.72	0.5
Perfluorohexaansulfonamide (PFHXSA)	03/05/2023	<0.50	0.5
N-methylperfluorobutanesulfonamide (N-MeFBSA)	03/05/2023	<0.50	0.5
N-Methyl-perfluorobutanesulfonylamidoacetate (N-MeFBSAA)	03/05/2023	6.2	0.5

ANALYTICAL REPORT : IAC23-03846

6:2 Fluorotelomerphosphate diester (6:2 DiPAP)	03/05/2023	2.1	0.5
6:2/8:2 Fluorotelomerphosphatediester (6:2/8:2 DiPAP)	03/05/2023	<0.50	0.5

ANALYTICAL REPORT : IAC23-03846

Analytical results - organic parameters			
Sample identification : IAC23-03846.026		Date of sampling: <i>unknown</i>	
Your reference: CR3		Sampled by: <i>Third party</i>	
Determination of per- and polyfluoroalkyl substances (PFAS)			
Component	Date of analysis	Concentration (µg/kgdm)	Reporting Limit (µg/kgdm)
Perfluorobutanoic acid (PFBA)	03/05/2023	2.6	0.5
Perfluoropentanoic acid (PFPeA)	03/05/2023	1.3	0.5
Perfluorohexanoic acid (PFHxA)	03/05/2023	4.9	0.5
Perfluoroheptanoic acid (PFHpA)	03/05/2023	5.2	0.5
Perfluorooctanoic acid (PFOA)	03/05/2023	33	0.5
Perfluorononanoic acid (PFNA)	03/05/2023	0.88	0.5
Perfluorodecanoic acid (PFDA)	03/05/2023	1.6	0.5
Perfluoroundecanoic acid (PFUnDA)	03/05/2023	<0.50	0.5
Perfluorododecanoic acid (PFDoDA)	03/05/2023	0.84	0.5
Perfluorotridecanoic acid (PFTrDA)	03/05/2023	<0.50	0.5
Perfluorotetradecanoic acid (PFTeDA)	03/05/2023	<0.50	0.5
Perfluorohexadecanoic acid (PFHxDA)	03/05/2023	<0.50	0.5
Perfluorobutane sulfonic acid (PFBS)	03/05/2023	0.78	0.5
Perfluoropentane sulfonic acid (PFPeS)	03/05/2023	<0.50	0.5
Perfluorohexane sulfonic acid (PFHxS)	03/05/2023	<0.50	0.5
Perfluoroheptane sulfonic acid (PFHpS)	03/05/2023	<0.50	0.5
Perfluorooctane sulfonic acid (PFOS)	03/05/2023	7.5	0.5
Perfluorononane sulfonic acid (PFNS)	03/05/2023	<0.50	0.5
Perfluorodecane sulfonic acid (PFDS)	03/05/2023	<0.50	0.5
4:2 Fluorotelomersulfonic acid (4:2 FTS)	03/05/2023	<0.50	0.5
6:2 Fluorotelomersulfonic acid (6:2 FTS)	03/05/2023	<0.50	0.5
8:2 Fluorotelomersulfonic acid (8:2 FTS)	03/05/2023	1.1	0.5
2,3,3,3-tetrafluor-2-(heptafluoropropoxy)propanoic acid (HPFO-DA)	03/05/2023	<0.50	0.5
4,8-Dioxa-3H-perfluorononanoic acid (DONA)	03/05/2023	<0.50	0.5
Perfluoro-4-ethylcyclohexanesulfonic acid (PFECHS)	03/05/2023	<0.50	0.5
Perfluorooctane sulfonamide (PFOSA)	03/05/2023	<0.50	0.5
N-methylperfluorooctanesulfonamide (N-MeFOSA)	03/05/2023	<0.50	0.5
N-ethylperfluorooctanesulfonamide (N-EtFOSA)	03/05/2023	<0.50	0.5
N-methylperfluorooctanesulfonamidoacetic acid (N-MeFOSAA)	03/05/2023	0.74	0.5
N-ethylperfluorooctanesulfonamidoacetic acid (N-EtFOSAA)	03/05/2023	7.2	0.5
8:2 Fluorotelomerphosphate diester (8:2 DiPAP)	03/05/2023	<0.50	0.5
Determination of per- and polyfluoroalkyl substances (PFAS) - indicative list			
Component	Date of analysis	Concentration (µg/kgdm)	Reporting Limit (µg/kgdm)
Perfluorooctadecanoic acid (PFOcDA)	03/05/2023	<0.50	0.5
Perfluorododecane sulfonic acid (PFDoDS)	03/05/2023	<0.50	0.5
10:2 Fluorotelomersulfonic acid (10:2 FTS)	03/05/2023	1.4	0.5
Perfluorobutanesulfonamide (PFBSA)	03/05/2023	<0.50	0.5
Perfluorohexaansulfonamide (PFHXSA)	03/05/2023	<0.50	0.5
N-methylperfluorobutanesulfonamide (N-MeFBSA)	03/05/2023	<0.50	0.5
N-Methyl-perfluorobutanesulfonylamidoacetate (N-MeFBSAA)	03/05/2023	2.5	0.5

ANALYTICAL REPORT : IAC23-03846

6:2 Fluorotelomerphosphate diester (6:2 DiPAP)	03/05/2023	0.71	0.5
6:2/8:2 Fluorotelomerphosphatediester (6:2/8:2 DiPAP)	03/05/2023	1.3	0.5

ANALYTICAL REPORT : IAC23-03846

Analytical results - organic parameters			
Sample identification : IAC23-03846.027		Date of sampling: <i>unknown</i>	
Your reference: CR4		Sampled by: <i>Third party</i>	
Determination of per- and polyfluoroalkyl substances (PFAS)			
Component	Date of analysis	Concentration (µg/kgdm)	Reporting Limit (µg/kgdm)
Perfluorobutanoic acid (PFBA)	03/05/2023	0.90	0.5
Perfluoropentanoic acid (PFPeA)	03/05/2023	<0.50	0.5
Perfluorohexanoic acid (PFHxA)	03/05/2023	<0.50	0.5
Perfluoroheptanoic acid (PFHpA)	03/05/2023	<0.50	0.5
Perfluorooctanoic acid (PFOA)	03/05/2023	0.90	0.5
Perfluorononanoic acid (PFNA)	03/05/2023	<0.50	0.5
Perfluorodecanoic acid (PFDA)	03/05/2023	<0.50	0.5
Perfluoroundecanoic acid (PFUnDA)	03/05/2023	<0.50	0.5
Perfluorododecanoic acid (PFDoDA)	03/05/2023	<0.50	0.5
Perfluorotridecanoic acid (PFTrDA)	03/05/2023	<0.50	0.5
Perfluorotetradecanoic acid (PFTeDA)	03/05/2023	<0.50	0.5
Perfluorohexadecanoic acid (PFHxDA)	03/05/2023	<0.50	0.5
Perfluorobutane sulfonic acid (PFBS)	03/05/2023	<0.50	0.5
Perfluoropentane sulfonic acid (PFPeS)	03/05/2023	<0.50	0.5
Perfluorohexane sulfonic acid (PFHxS)	03/05/2023	<0.50	0.5
Perfluoroheptane sulfonic acid (PFHpS)	03/05/2023	<0.50	0.5
Perfluorooctane sulfonic acid (PFOS)	03/05/2023	0.53	0.5
Perfluorononane sulfonic acid (PFNS)	03/05/2023	<0.50	0.5
Perfluorodecane sulfonic acid (PFDS)	03/05/2023	<0.50	0.5
4:2 Fluorotelomersulfonic acid (4:2 FTS)	03/05/2023	0.65	0.5
6:2 Fluorotelomersulfonic acid (6:2 FTS)	03/05/2023	<0.50	0.5
8:2 Fluorotelomersulfonic acid (8:2 FTS)	03/05/2023	<0.50	0.5
2,3,3,3-tetrafluor-2-(heptafluoropropoxy)propanoic acid (HPFO-DA)	03/05/2023	<0.50	0.5
4,8-Dioxa-3H-perfluorononanoic acid (DONA)	03/05/2023	<0.50	0.5
Perfluoro-4-ethylcyclohexanesulfonic acid (PFECHS)	03/05/2023	<0.50	0.5
Perfluorooctane sulfonamide (PFOSA)	03/05/2023	<0.50	0.5
N-methylperfluorooctanesulfonamide (N-MeFOSA)	03/05/2023	<0.50	0.5
N-ethylperfluorooctanesulfonamide (N-EtFOSA)	03/05/2023	<0.50	0.5
N-methylperfluorooctanesulfonamidoacetic acid (N-MeFOSAA)	03/05/2023	<0.50	0.5
N-ethylperfluorooctanesulfonamidoacetic acid (N-EtFOSAA)	03/05/2023	2.6	0.5
8:2 Fluorotelomerphosphate diester (8:2 DiPAP)	03/05/2023	0.58	0.5
Determination of per- and polyfluoroalkyl substances (PFAS) - indicative list			
Component	Date of analysis	Concentration (µg/kgdm)	Reporting Limit (µg/kgdm)
Perfluorooctadecanoic acid (PFOcDA)	03/05/2023	<0.50	0.5
Perfluorododecane sulfonic acid (PFDoDS)	03/05/2023	<0.50	0.5
10:2 Fluorotelomersulfonic acid (10:2 FTS)	03/05/2023	<0.50	0.5
Perfluorobutanesulfonamide (PFBSA)	03/05/2023	<0.50	0.5
Perfluorohexaansulfonamide (PFHXSA)	03/05/2023	<0.50	0.5
N-methylperfluorobutanesulfonamide (N-MeFBSA)	03/05/2023	<0.50	0.5
N-Methyl-perfluorobutanesulfonylamidoacetate (N-MeFBSAA)	03/05/2023	3.9	0.5

ANALYTICAL REPORT : IAC23-03846

6:2 Fluorotelomerphosphate diester (6:2 DiPAP)	03/05/2023	1.1	0.5
6:2/8:2 Fluorotelomerphosphatediester (6:2/8:2 DiPAP)	03/05/2023	0.71	0.5

ANALYTICAL REPORT : IAC23-03846

Analytical results - organic parameters			
Sample identification : IAC23-03846.028 Your reference: CR7		Date of sampling: <i>unknown</i> Sampled by: <i>Third party</i>	
Determination of per- and polyfluoroalkyl substances (PFAS)			
Component	Date of analysis	Concentration (µg/kgdm)	Reporting Limit (µg/kgdm)
Perfluorobutanoic acid (PFBA)	03/05/2023	4.8	0.5
Perfluoropentanoic acid (PFPeA)	03/05/2023	<0.50	0.5
Perfluorohexanoic acid (PFHxA)	03/05/2023	0.74	0.5
Perfluoroheptanoic acid (PFHpA)	03/05/2023	1.4	0.5
Perfluorooctanoic acid (PFOA)	03/05/2023	2.5	0.5
Perfluorononanoic acid (PFNA)	03/05/2023	1.5	0.5
Perfluorodecanoic acid (PFDA)	03/05/2023	0.60	0.5
Perfluoroundecanoic acid (PFUnDA)	03/05/2023	0.62	0.5
Perfluorododecanoic acid (PFDoDA)	03/05/2023	<0.50	0.5
Perfluorotridecanoic acid (PFTrDA)	03/05/2023	<0.50	0.5
Perfluorotetradecanoic acid (PFTeDA)	03/05/2023	<0.50	0.5
Perfluorohexadecanoic acid (PFHxDA)	03/05/2023	<0.50	0.5
Perfluorobutane sulfonic acid (PFBS)	03/05/2023	0.86	0.5
Perfluoropentane sulfonic acid (PFPeS)	03/05/2023	<0.50	0.5
Perfluorohexane sulfonic acid (PFHxS)	03/05/2023	<0.50	0.5
Perfluoroheptane sulfonic acid (PFHpS)	03/05/2023	<0.50	0.5
Perfluorooctane sulfonic acid (PFOS)	03/05/2023	4.0	0.5
Perfluorononane sulfonic acid (PFNS)	03/05/2023	<0.50	0.5
Perfluorodecane sulfonic acid (PFDS)	03/05/2023	<0.50	0.5
4:2 Fluorotelomersulfonic acid (4:2 FTS)	03/05/2023	<0.50	0.5
6:2 Fluorotelomersulfonic acid (6:2 FTS)	03/05/2023	<0.50	0.5
8:2 Fluorotelomersulfonic acid (8:2 FTS)	03/05/2023	<0.50	0.5
2,3,3,3-tetrafluor-2-(heptafluoropropoxy)propanoic acid (HPFO-DA)	03/05/2023	<0.50	0.5
4,8-Dioxa-3H-perfluorononanoic acid (DONA)	03/05/2023	<0.50	0.5
Perfluoro-4-ethylcyclohexanesulfonic acid (PFECHS)	03/05/2023	<0.50	0.5
Perfluorooctane sulfonamide (PFOSA)	03/05/2023	<0.50	0.5
N-methylperfluorooctanesulfonamide (N-MeFOSA)	03/05/2023	<0.50	0.5
N-ethylperfluorooctanesulfonamide (N-EtFOSA)	03/05/2023	<0.50	0.5
N-methylperfluorooctanesulfonamidoacetic acid (N-MeFOSAA)	03/05/2023	<0.50	0.5
N-ethylperfluorooctanesulfonamidoacetic acid (N-EtFOSAA)	03/05/2023	3.3	0.5
8:2 Fluorotelomerphosphate diester (8:2 DiPAP)	03/05/2023	<0.50	0.5
Determination of per- and polyfluoroalkyl substances (PFAS) - indicative list			
Component	Date of analysis	Concentration (µg/kgdm)	Reporting Limit (µg/kgdm)
Perfluorooctadecanoic acid (PFOcDA)	03/05/2023	<0.50	0.5
Perfluorododecane sulfonic acid (PFDoDS)	03/05/2023	<0.50	0.5
10:2 Fluorotelomersulfonic acid (10:2 FTS)	03/05/2023	<0.50	0.5
Perfluorobutanesulfonamide (PFBSA)	03/05/2023	<0.50	0.5
Perfluorohexaansulfonamide (PFHXSA)	03/05/2023	<0.50	0.5
N-methylperfluorobutanesulfonamide (N-MeFBSA)	03/05/2023	<0.50	0.5
N-Methyl-perfluorobutanesulfonylamidoacetate (N-MeFBSAA)	03/05/2023	<0.50	0.5

ANALYTICAL REPORT : IAC23-03846

6:2 Fluorotelomerphosphate diester (6:2 DiPAP)	03/05/2023	2.7	0.5
6:2/8:2 Fluorotelomerphosphatediester (6:2/8:2 DiPAP)	03/05/2023	2.3	0.5

ANALYTICAL REPORT : IAC23-03846

Analytical results - organic parameters			
Sample identification : IAC23-03846.029 Your reference: CR10		Date of sampling: <i>unknown</i> Sampled by: <i>Third party</i>	
Determination of per- and polyfluoroalkyl substances (PFAS)			
Component	Date of analysis	Concentration (µg/kgdm)	Reporting Limit (µg/kgdm)
Perfluorobutanoic acid (PFBA)	03/05/2023	1.7	0.5
Perfluoropentanoic acid (PFPeA)	03/05/2023	<0.50	0.5
Perfluorohexanoic acid (PFHxA)	03/05/2023	0.53	0.5
Perfluoroheptanoic acid (PFHpA)	03/05/2023	<0.50	0.5
Perfluorooctanoic acid (PFOA)	03/05/2023	1.0	0.5
Perfluorononanoic acid (PFNA)	03/05/2023	<0.50	0.5
Perfluorodecanoic acid (PFDA)	03/05/2023	0.59	0.5
Perfluoroundecanoic acid (PFUnDA)	03/05/2023	<0.50	0.5
Perfluorododecanoic acid (PFDoDA)	03/05/2023	0.52	0.5
Perfluorotridecanoic acid (PFTrDA)	03/05/2023	<0.50	0.5
Perfluorotetradecanoic acid (PFTeDA)	03/05/2023	<0.50	0.5
Perfluorohexadecanoic acid (PFHxDA)	03/05/2023	<0.50	0.5
Perfluorobutane sulfonic acid (PFBS)	03/05/2023	0.55	0.5
Perfluoropentane sulfonic acid (PFPeS)	03/05/2023	<0.50	0.5
Perfluorohexane sulfonic acid (PFHxS)	03/05/2023	<0.50	0.5
Perfluoroheptane sulfonic acid (PFHpS)	03/05/2023	<0.50	0.5
Perfluorooctane sulfonic acid (PFOS)	03/05/2023	1.1	0.5
Perfluorononane sulfonic acid (PFNS)	03/05/2023	<0.50	0.5
Perfluorodecane sulfonic acid (PFDS)	03/05/2023	<0.50	0.5
4:2 Fluorotelomersulfonic acid (4:2 FTS)	03/05/2023	<0.50	0.5
6:2 Fluorotelomersulfonic acid (6:2 FTS)	03/05/2023	<0.50	0.5
8:2 Fluorotelomersulfonic acid (8:2 FTS)	03/05/2023	<0.50	0.5
2,3,3,3-tetrafluor-2-(heptafluoropropoxy)propanoic acid (HPFO-DA)	03/05/2023	<0.50	0.5
4,8-Dioxa-3H-perfluorononanoic acid (DONA)	03/05/2023	<0.50	0.5
Perfluoro-4-ethylcyclohexanesulfonic acid (PFECHS)	03/05/2023	<0.50	0.5
Perfluorooctane sulfonamide (PFOSA)	03/05/2023	<0.50	0.5
N-methylperfluorooctanesulfonamide (N-MeFOSA)	03/05/2023	<0.50	0.5
N-ethylperfluorooctanesulfonamide (N-EtFOSA)	03/05/2023	<0.50	0.5
N-methylperfluorooctanesulfonamidoacetic acid (N-MeFOSAA)	03/05/2023	<0.50	0.5
N-ethylperfluorooctanesulfonamidoacetic acid (N-EtFOSAA)	03/05/2023	0.62	0.5
8:2 Fluorotelomerphosphate diester (8:2 DiPAP)	03/05/2023	0.72	0.5
Determination of per- and polyfluoroalkyl substances (PFAS) - indicative list			
Component	Date of analysis	Concentration (µg/kgdm)	Reporting Limit (µg/kgdm)
Perfluorooctadecanoic acid (PFOcDA)	03/05/2023	<0.50	0.5
Perfluorododecane sulfonic acid (PFDoDS)	03/05/2023	<0.50	0.5
10:2 Fluorotelomersulfonic acid (10:2 FTS)	03/05/2023	<0.50	0.5
Perfluorobutanesulfonamide (PFBSA)	03/05/2023	<0.50	0.5
Perfluorohexaansulfonamide (PFHXSA)	03/05/2023	<0.50	0.5
N-methylperfluorobutanesulfonamide (N-MeFBSA)	03/05/2023	<0.50	0.5
N-Methyl-perfluorobutanesulfonylamidoacetate (N-MeFBSAA)	03/05/2023	7.2	0.5

ANALYTICAL REPORT : IAC23-03846

6:2 Fluorotelomerphosphate diester (6:2 DiPAP)	03/05/2023	<0.50	0.5
6:2/8:2 Fluorotelomerphosphatediester (6:2/8:2 DiPAP)	03/05/2023	1.3	0.5

ANALYTICAL REPORT : IAC23-03846

Analytical results - organic parameters			
Sample identification : IAC23-03846.030 Your reference: E3		Date of sampling: <i>unknown</i> Sampled by: <i>Third party</i>	
Determination of per- and polyfluoroalkyl substances (PFAS)			
Component	Date of analysis	Concentration (µg/kgdm)	Reporting Limit (µg/kgdm)
Perfluorobutanoic acid (PFBA)	03/05/2023	3.3	0.5
Perfluoropentanoic acid (PFPeA)	03/05/2023	0.70	0.5
Perfluorohexanoic acid (PFHxA)	03/05/2023	3.0	0.5
Perfluoroheptanoic acid (PFHpA)	03/05/2023	0.56	0.5
Perfluorooctanoic acid (PFOA)	03/05/2023	2.4	0.5
Perfluorononanoic acid (PFNA)	03/05/2023	0.68	0.5
Perfluorodecanoic acid (PFDA)	03/05/2023	1.0	0.5
Perfluoroundecanoic acid (PFUnDA)	03/05/2023	<0.50	0.5
Perfluorododecanoic acid (PFDoDA)	03/05/2023	0.62	0.5
Perfluorotridecanoic acid (PFTrDA)	03/05/2023	<0.50	0.5
Perfluorotetradecanoic acid (PFTeDA)	03/05/2023	<0.50	0.5
Perfluorohexadecanoic acid (PFHxDA)	03/05/2023	<0.50	0.5
Perfluorobutane sulfonic acid (PFBS)	03/05/2023	0.90	0.5
Perfluoropentane sulfonic acid (PFPeS)	03/05/2023	<0.50	0.5
Perfluorohexane sulfonic acid (PFHxS)	03/05/2023	<0.50	0.5
Perfluoroheptane sulfonic acid (PFHpS)	03/05/2023	<0.50	0.5
Perfluorooctane sulfonic acid (PFOS)	03/05/2023	0.81	0.5
Perfluorononane sulfonic acid (PFNS)	03/05/2023	<0.50	0.5
Perfluorodecane sulfonic acid (PFDS)	03/05/2023	<0.50	0.5
4:2 Fluorotelomersulfonic acid (4:2 FTS)	03/05/2023	0.63	0.5
6:2 Fluorotelomersulfonic acid (6:2 FTS)	03/05/2023	2.6	0.5
8:2 Fluorotelomersulfonic acid (8:2 FTS)	03/05/2023	0.93	0.5
2,3,3,3-tetrafluor-2-(heptafluoropropoxy)propanoic acid (HPFO-DA)	03/05/2023	<0.50	0.5
4,8-Dioxa-3H-perfluorononanoic acid (DONA)	03/05/2023	<0.50	0.5
Perfluoro-4-ethylcyclohexanesulfonic acid (PFECHS)	03/05/2023	<0.50	0.5
Perfluorooctane sulfonamide (PFOSA)	03/05/2023	<0.50	0.5
N-methylperfluorooctanesulfonamide (N-MeFOSA)	03/05/2023	<0.50	0.5
N-ethylperfluorooctanesulfonamide (N-EtFOSA)	03/05/2023	<0.50	0.5
N-methylperfluorooctanesulfonamidoacetic acid (N-MeFOSAA)	03/05/2023	<0.50	0.5
N-ethylperfluorooctanesulfonamidoacetic acid (N-EtFOSAA)	03/05/2023	<0.50	0.5
8:2 Fluorotelomerphosphate diester (8:2 DiPAP)	03/05/2023	1.3	0.5
Determination of per- and polyfluoroalkyl substances (PFAS) - indicative list			
Component	Date of analysis	Concentration (µg/kgdm)	Reporting Limit (µg/kgdm)
Perfluorooctadecanoic acid (PFOcDA)	03/05/2023	<0.50	0.5
Perfluorododecane sulfonic acid (PFDoDS)	03/05/2023	<0.50	0.5
10:2 Fluorotelomersulfonic acid (10:2 FTS)	03/05/2023	1.3	0.5
Perfluorobutanesulfonamide (PFBSA)	03/05/2023	<0.50	0.5
Perfluorohexaansulfonamide (PFHXSA)	03/05/2023	<0.50	0.5
N-methylperfluorobutanesulfonamide (N-MeFBSA)	03/05/2023	<0.50	0.5
N-Methyl-perfluorobutanesulfonylamidoacetate (N-MeFBSAA)	03/05/2023	2.7	0.5

ANALYTICAL REPORT : IAC23-03846

6:2 Fluorotelomerphosphate diester (6:2 DiPAP)	03/05/2023	2.5	0.5
6:2/8:2 Fluorotelomerphosphatediester (6:2/8:2 DiPAP)	03/05/2023	3.6	0.5

ANALYTICAL REPORT : IAC23-03846

Analytical results - organic parameters			
Sample identification : IAC23-03846.031 Your reference: E5		Date of sampling: <i>unknown</i> Sampled by: <i>Third party</i>	
Determination of per- and polyfluoroalkyl substances (PFAS)			
Component	Date of analysis	Concentration (µg/kgdm)	Reporting Limit (µg/kgdm)
Perfluorobutanoic acid (PFBA)	03/05/2023	1.8	0.5
Perfluoropentanoic acid (PFPeA)	03/05/2023	1.1	0.5
Perfluorohexanoic acid (PFHxA)	03/05/2023	7.4	0.5
Perfluoroheptanoic acid (PFHpA)	03/05/2023	0.79	0.5
Perfluorooctanoic acid (PFOA)	03/05/2023	3.7	0.5
Perfluorononanoic acid (PFNA)	03/05/2023	1.0	0.5
Perfluorodecanoic acid (PFDA)	03/05/2023	1.8	0.5
Perfluoroundecanoic acid (PFUnDA)	03/05/2023	<0.50	0.5
Perfluorododecanoic acid (PFDoDA)	03/05/2023	1.7	0.5
Perfluorotridecanoic acid (PFTrDA)	03/05/2023	<0.50	0.5
Perfluorotetradecanoic acid (PFTeDA)	03/05/2023	1.0	0.5
Perfluorohexadecanoic acid (PFHxDA)	03/05/2023	0.71	0.5
Perfluorobutane sulfonic acid (PFBS)	03/05/2023	0.55	0.5
Perfluoropentane sulfonic acid (PFPeS)	03/05/2023	<0.50	0.5
Perfluorohexane sulfonic acid (PFHxS)	03/05/2023	<0.50	0.5
Perfluoroheptane sulfonic acid (PFHpS)	03/05/2023	<0.50	0.5
Perfluorooctane sulfonic acid (PFOS)	03/05/2023	1.1	0.5
Perfluorononane sulfonic acid (PFNS)	03/05/2023	<0.50	0.5
Perfluorodecane sulfonic acid (PFDS)	03/05/2023	<0.50	0.5
4:2 Fluorotelomersulfonic acid (4:2 FTS)	03/05/2023	<0.50	0.5
6:2 Fluorotelomersulfonic acid (6:2 FTS)	03/05/2023	<0.50	0.5
8:2 Fluorotelomersulfonic acid (8:2 FTS)	03/05/2023	0.81	0.5
2,3,3,3-tetrafluor-2-(heptafluoropropoxy)propanoic acid (HPFO-DA)	03/05/2023	<0.50	0.5
4,8-Dioxa-3H-perfluorononanoic acid (DONA)	03/05/2023	<0.50	0.5
Perfluoro-4-ethylcyclohexanesulfonic acid (PFECHS)	03/05/2023	<0.50	0.5
Perfluorooctane sulfonamide (PFOSA)	03/05/2023	<0.50	0.5
N-methylperfluorooctanesulfonamide (N-MeFOSA)	03/05/2023	<0.50	0.5
N-ethylperfluorooctanesulfonamide (N-EtFOSA)	03/05/2023	<0.50	0.5
N-methylperfluorooctanesulfonamidoacetic acid (N-MeFOSAA)	03/05/2023	<0.50	0.5
N-ethylperfluorooctanesulfonamidoacetic acid (N-EtFOSAA)	03/05/2023	1.4	0.5
8:2 Fluorotelomerphosphate diester (8:2 DiPAP)	03/05/2023	0.70	0.5
Determination of per- and polyfluoroalkyl substances (PFAS) - indicative list			
Component	Date of analysis	Concentration (µg/kgdm)	Reporting Limit (µg/kgdm)
Perfluorooctadecanoic acid (PFOcDA)	03/05/2023	<0.50	0.5
Perfluorododecane sulfonic acid (PFDoDS)	03/05/2023	<0.50	0.5
10:2 Fluorotelomersulfonic acid (10:2 FTS)	03/05/2023	0.52	0.5
Perfluorobutanesulfonamide (PFBSA)	03/05/2023	<0.50	0.5
Perfluorohexaansulfonamide (PFHXSA)	03/05/2023	<0.50	0.5
N-methylperfluorobutanesulfonamide (N-MeFBSA)	03/05/2023	<0.50	0.5
N-Methyl-perfluorobutanesulfonylamidoacetate (N-MeFBSAA)	03/05/2023	1.7	0.5

ANALYTICAL REPORT : IAC23-03846

6:2 Fluorotelomerphosphate diester (6:2 DiPAP)	03/05/2023	0.99	0.5
6:2/8:2 Fluorotelomerphosphatediester (6:2/8:2 DiPAP)	03/05/2023	1.2	0.5

ANALYTICAL REPORT : IAC23-03846

Analytical results - organic parameters			
Sample identification : IAC23-03846.032		Date of sampling: <i>unknown</i>	
Your reference: E6		Sampled by: <i>Third party</i>	
Determination of per- and polyfluoroalkyl substances (PFAS)			
Component	Date of analysis	Concentration (µg/kgdm)	Reporting Limit (µg/kgdm)
Perfluorobutanoic acid (PFBA)	03/05/2023	1.2	0.5
Perfluoropentanoic acid (PFPeA)	03/05/2023	<0.50	0.5
Perfluorohexanoic acid (PFHxA)	03/05/2023	0.65	0.5
Perfluoroheptanoic acid (PFHpA)	03/05/2023	<0.50	0.5
Perfluorooctanoic acid (PFOA)	03/05/2023	2.4	0.5
Perfluorononanoic acid (PFNA)	03/05/2023	<0.50	0.5
Perfluorodecanoic acid (PFDA)	03/05/2023	0.75	0.5
Perfluoroundecanoic acid (PFUnDA)	03/05/2023	<0.50	0.5
Perfluorododecanoic acid (PFDoDA)	03/05/2023	0.50	0.5
Perfluorotridecanoic acid (PFTrDA)	03/05/2023	<0.50	0.5
Perfluorotetradecanoic acid (PFTeDA)	03/05/2023	<0.50	0.5
Perfluorohexadecanoic acid (PFHxDA)	03/05/2023	<0.50	0.5
Perfluorobutane sulfonic acid (PFBS)	03/05/2023	0.60	0.5
Perfluoropentane sulfonic acid (PFPeS)	03/05/2023	<0.50	0.5
Perfluorohexane sulfonic acid (PFHxS)	03/05/2023	<0.50	0.5
Perfluoroheptane sulfonic acid (PFHpS)	03/05/2023	<0.50	0.5
Perfluorooctane sulfonic acid (PFOS)	03/05/2023	<0.50	0.5
Perfluorononane sulfonic acid (PFNS)	03/05/2023	<0.50	0.5
Perfluorodecane sulfonic acid (PFDS)	03/05/2023	<0.50	0.5
4:2 Fluorotelomersulfonic acid (4:2 FTS)	03/05/2023	<0.50	0.5
6:2 Fluorotelomersulfonic acid (6:2 FTS)	03/05/2023	<0.50	0.5
8:2 Fluorotelomersulfonic acid (8:2 FTS)	03/05/2023	1.5	0.5
2,3,3,3-tetrafluor-2-(heptafluoropropoxy)propanoic acid (HPFO-DA)	03/05/2023	<0.50	0.5
4,8-Dioxa-3H-perfluorononanoic acid (DONA)	03/05/2023	<0.50	0.5
Perfluoro-4-ethylcyclohexanesulfonic acid (PFECHS)	03/05/2023	<0.50	0.5
Perfluorooctane sulfonamide (PFOSA)	03/05/2023	<0.50	0.5
N-methylperfluorooctanesulfonamide (N-MeFOSA)	03/05/2023	<0.50	0.5
N-ethylperfluorooctanesulfonamide (N-EtFOSA)	03/05/2023	<0.50	0.5
N-methylperfluorooctanesulfonamidoacetic acid (N-MeFOSAA)	03/05/2023	<0.50	0.5
N-ethylperfluorooctanesulfonamidoacetic acid (N-EtFOSAA)	03/05/2023	<0.50	0.5
8:2 Fluorotelomerphosphate diester (8:2 DiPAP)	03/05/2023	<0.50	0.5
Determination of per- and polyfluoroalkyl substances (PFAS) - indicative list			
Component	Date of analysis	Concentration (µg/kgdm)	Reporting Limit (µg/kgdm)
Perfluorooctadecanoic acid (PFOcDA)	03/05/2023	<0.50	0.5
Perfluorododecane sulfonic acid (PFDoDS)	03/05/2023	<0.50	0.5
10:2 Fluorotelomersulfonic acid (10:2 FTS)	03/05/2023	0.98	0.5
Perfluorobutanesulfonamide (PFBSA)	03/05/2023	<0.50	0.5
Perfluorohexaansulfonamide (PFHXSA)	03/05/2023	<0.50	0.5
N-methylperfluorobutanesulfonamide (N-MeFBSA)	03/05/2023	<0.50	0.5
N-Methyl-perfluorobutanesulfonylamidoacetate (N-MeFBSAA)	03/05/2023	0.60	0.5

ANALYTICAL REPORT : IAC23-03846

6:2 Fluorotelomerphosphate diester (6:2 DiPAP)	03/05/2023	21	0.5
6:2/8:2 Fluorotelomerphosphatediester (6:2/8:2 DiPAP)	03/05/2023	0.68	0.5

ANALYTICAL REPORT : IAC23-03846

Analytical results - organic parameters			
Sample identification : IAC23-03846.033 Your reference: E7		Date of sampling: <i>unknown</i> Sampled by: <i>Third party</i>	
Determination of per- and polyfluoroalkyl substances (PFAS)			
Component	Date of analysis	Concentration (µg/kgdm)	Reporting Limit (µg/kgdm)
Perfluorobutanoic acid (PFBA)	03/05/2023	1.8	0.5
Perfluoropentanoic acid (PFPeA)	03/05/2023	<0.50	0.5
Perfluorohexanoic acid (PFHxA)	03/05/2023	2.4	0.5
Perfluoroheptanoic acid (PFHpA)	03/05/2023	0.74	0.5
Perfluorooctanoic acid (PFOA)	03/05/2023	6.1	0.5
Perfluorononanoic acid (PFNA)	03/05/2023	<0.50	0.5
Perfluorodecanoic acid (PFDA)	03/05/2023	<0.50	0.5
Perfluoroundecanoic acid (PFUnDA)	03/05/2023	<0.50	0.5
Perfluorododecanoic acid (PFDoDA)	03/05/2023	0.95	0.5
Perfluorotridecanoic acid (PFTrDA)	03/05/2023	<0.50	0.5
Perfluorotetradecanoic acid (PFTeDA)	03/05/2023	0.60	0.5
Perfluorohexadecanoic acid (PFHxDA)	03/05/2023	<0.50	0.5
Perfluorobutane sulfonic acid (PFBS)	03/05/2023	2.2	0.5
Perfluoropentane sulfonic acid (PFPeS)	03/05/2023	<0.50	0.5
Perfluorohexane sulfonic acid (PFHxS)	03/05/2023	<0.50	0.5
Perfluoroheptane sulfonic acid (PFHpS)	03/05/2023	<0.50	0.5
Perfluorooctane sulfonic acid (PFOS)	03/05/2023	4.8	0.5
Perfluorononane sulfonic acid (PFNS)	03/05/2023	<0.50	0.5
Perfluorodecane sulfonic acid (PFDS)	03/05/2023	<0.50	0.5
4:2 Fluorotelomersulfonic acid (4:2 FTS)	03/05/2023	<0.50	0.5
6:2 Fluorotelomersulfonic acid (6:2 FTS)	03/05/2023	0.62	0.5
8:2 Fluorotelomersulfonic acid (8:2 FTS)	03/05/2023	0.63	0.5
2,3,3,3-tetrafluor-2-(heptafluoropropoxy)propanoic acid (HPFO-DA)	03/05/2023	<0.50	0.5
4,8-Dioxa-3H-perfluorononanoic acid (DONA)	03/05/2023	<0.50	0.5
Perfluoro-4-ethylcyclohexanesulfonic acid (PFECHS)	03/05/2023	<0.50	0.5
Perfluorooctane sulfonamide (PFOSA)	03/05/2023	<0.50	0.5
N-methylperfluorooctanesulfonamide (N-MeFOSA)	03/05/2023	<0.50	0.5
N-ethylperfluorooctanesulfonamide (N-EtFOSA)	03/05/2023	<0.50	0.5
N-methylperfluorooctanesulfonamidoacetic acid (N-MeFOSAA)	03/05/2023	<0.50	0.5
N-ethylperfluorooctanesulfonamidoacetic acid (N-EtFOSAA)	03/05/2023	1.4	0.5
8:2 Fluorotelomerphosphate diester (8:2 DiPAP)	03/05/2023	<0.50	0.5
Determination of per- and polyfluoroalkyl substances (PFAS) - indicative list			
Component	Date of analysis	Concentration (µg/kgdm)	Reporting Limit (µg/kgdm)
Perfluorooctadecanoic acid (PFOcDA)	03/05/2023	<0.50	0.5
Perfluorododecane sulfonic acid (PFDoDS)	03/05/2023	<0.50	0.5
10:2 Fluorotelomersulfonic acid (10:2 FTS)	03/05/2023	<0.50	0.5
Perfluorobutanesulfonamide (PFBSA)	03/05/2023	<0.50	0.5
Perfluorohexaansulfonamide (PFHXSA)	03/05/2023	<0.50	0.5
N-methylperfluorobutanesulfonamide (N-MeFBSA)	03/05/2023	<0.50	0.5
N-Methyl-perfluorobutanesulfonylamidoacetate (N-MeFBSAA)	03/05/2023	<0.50	0.5

ANALYTICAL REPORT : IAC23-03846

6:2 Fluorotelomerphosphate diester (6:2 DiPAP)	03/05/2023	0.91	0.5
6:2/8:2 Fluorotelomerphosphatediester (6:2/8:2 DiPAP)	03/05/2023	1.1	0.5

ANALYTICAL REPORT : IAC23-03846

Analytical results - organic parameters			
Sample identification : IAC23-03846.034 Your reference: E9-1		Date of sampling: <i>unknown</i> Sampled by: <i>Third party</i>	
Determination of per- and polyfluoroalkyl substances (PFAS)			
Component	Date of analysis	Concentration (µg/kgdm)	Reporting Limit (µg/kgdm)
Perfluorobutanoic acid (PFBA)	03/05/2023	1.4	0.5
Perfluoropentanoic acid (PFPeA)	03/05/2023	<0.50	0.5
Perfluorohexanoic acid (PFHxA)	03/05/2023	2.1	0.5
Perfluoroheptanoic acid (PFHpA)	03/05/2023	0.71	0.5
Perfluorooctanoic acid (PFOA)	03/05/2023	1.9	0.5
Perfluorononanoic acid (PFNA)	03/05/2023	0.50	0.5
Perfluorodecanoic acid (PFDA)	03/05/2023	0.84	0.5
Perfluoroundecanoic acid (PFUnDA)	03/05/2023	<0.50	0.5
Perfluorododecanoic acid (PFDoDA)	03/05/2023	<0.50	0.5
Perfluorotridecanoic acid (PFTrDA)	03/05/2023	<0.50	0.5
Perfluorotetradecanoic acid (PFTeDA)	03/05/2023	<0.50	0.5
Perfluorohexadecanoic acid (PFHxDA)	03/05/2023	<0.50	0.5
Perfluorobutane sulfonic acid (PFBS)	03/05/2023	1.1	0.5
Perfluoropentane sulfonic acid (PFPeS)	03/05/2023	<0.50	0.5
Perfluorohexane sulfonic acid (PFHxS)	03/05/2023	<0.50	0.5
Perfluoroheptane sulfonic acid (PFHpS)	03/05/2023	<0.50	0.5
Perfluorooctane sulfonic acid (PFOS)	03/05/2023	0.84	0.5
Perfluorononane sulfonic acid (PFNS)	03/05/2023	<0.50	0.5
Perfluorodecane sulfonic acid (PFDS)	03/05/2023	<0.50	0.5
4:2 Fluorotelomersulfonic acid (4:2 FTS)	03/05/2023	<0.50	0.5
6:2 Fluorotelomersulfonic acid (6:2 FTS)	03/05/2023	0.53	0.5
8:2 Fluorotelomersulfonic acid (8:2 FTS)	03/05/2023	2.5	0.5
2,3,3,3-tetrafluor-2-(heptafluoropropoxy)propanoic acid (HPFO-DA)	03/05/2023	<0.50	0.5
4,8-Dioxa-3H-perfluorononanoic acid (DONA)	03/05/2023	<0.50	0.5
Perfluoro-4-ethylcyclohexanesulfonic acid (PFECHS)	03/05/2023	<0.50	0.5
Perfluorooctane sulfonamide (PFOSA)	03/05/2023	<0.50	0.5
N-methylperfluorooctanesulfonamide (N-MeFOSA)	03/05/2023	<0.50	0.5
N-ethylperfluorooctanesulfonamide (N-EtFOSA)	03/05/2023	<0.50	0.5
N-methylperfluorooctanesulfonamidoacetic acid (N-MeFOSAA)	03/05/2023	<0.50	0.5
N-ethylperfluorooctanesulfonamidoacetic acid (N-EtFOSAA)	03/05/2023	<0.50	0.5
8:2 Fluorotelomerphosphate diester (8:2 DiPAP)	03/05/2023	1.1	0.5
Determination of per- and polyfluoroalkyl substances (PFAS) - indicative list			
Component	Date of analysis	Concentration (µg/kgdm)	Reporting Limit (µg/kgdm)
Perfluorooctadecanoic acid (PFOcDA)	03/05/2023	<0.50	0.5
Perfluorododecane sulfonic acid (PFDoDS)	03/05/2023	<0.50	0.5
10:2 Fluorotelomersulfonic acid (10:2 FTS)	03/05/2023	2.3	0.5
Perfluorobutanesulfonamide (PFBSA)	03/05/2023	<0.50	0.5
Perfluorohexaansulfonamide (PFHXSA)	03/05/2023	<0.50	0.5
N-methylperfluorobutanesulfonamide (N-MeFBSA)	03/05/2023	<0.50	0.5
N-Methyl-perfluorobutanesulfonylamidoacetate (N-MeFBSAA)	03/05/2023	<0.50	0.5

ANALYTICAL REPORT : IAC23-03846

6:2 Fluorotelomerphosphate diester (6:2 DiPAP)	03/05/2023	3.4	0.5
6:2/8:2 Fluorotelomerphosphatediester (6:2/8:2 DiPAP)	03/05/2023	2.4	0.5

ANALYTICAL REPORT : IAC23-03846

Analytical results - organic parameters			
Sample identification : IAC23-03846.035		Date of sampling: <i>unknown</i>	
Your reference: E9-2		Sampled by: <i>Third party</i>	
Determination of per- and polyfluoroalkyl substances (PFAS)			
Component	Date of analysis	Concentration (µg/kgdm)	Reporting Limit (µg/kgdm)
Perfluorobutanoic acid (PFBA)	03/05/2023	<0.50	0.5
Perfluoropentanoic acid (PFPeA)	03/05/2023	<0.50	0.5
Perfluorohexanoic acid (PFHxA)	03/05/2023	<0.50	0.5
Perfluoroheptanoic acid (PFHpA)	03/05/2023	<0.50	0.5
Perfluorooctanoic acid (PFOA)	03/05/2023	<0.50	0.5
Perfluorononanoic acid (PFNA)	03/05/2023	<0.50	0.5
Perfluorodecanoic acid (PFDA)	03/05/2023	<0.50	0.5
Perfluoroundecanoic acid (PFUnDA)	03/05/2023	<0.50	0.5
Perfluorododecanoic acid (PFDoDA)	03/05/2023	<0.50	0.5
Perfluorotridecanoic acid (PFTrDA)	03/05/2023	<0.50	0.5
Perfluorotetradecanoic acid (PFTeDA)	03/05/2023	<0.50	0.5
Perfluorohexadecanoic acid (PFHxDA)	03/05/2023	<0.50	0.5
Perfluorobutane sulfonic acid (PFBS)	03/05/2023	<0.50	0.5
Perfluoropentane sulfonic acid (PFPeS)	03/05/2023	<0.50	0.5
Perfluorohexane sulfonic acid (PFHxS)	03/05/2023	<0.50	0.5
Perfluoroheptane sulfonic acid (PFHpS)	03/05/2023	<0.50	0.5
Perfluorooctane sulfonic acid (PFOS)	03/05/2023	<0.50	0.5
Perfluorononane sulfonic acid (PFNS)	03/05/2023	<0.50	0.5
Perfluorodecane sulfonic acid (PFDS)	03/05/2023	<0.50	0.5
4:2 Fluorotelomersulfonic acid (4:2 FTS)	03/05/2023	<0.50	0.5
6:2 Fluorotelomersulfonic acid (6:2 FTS)	03/05/2023	<0.50	0.5
8:2 Fluorotelomersulfonic acid (8:2 FTS)	03/05/2023	<0.50	0.5
2,3,3,3-tetrafluor-2-(heptafluoropropoxy)propanoic acid (HPFO-DA)	03/05/2023	<0.50	0.5
4,8-Dioxa-3H-perfluorononanoic acid (DONA)	03/05/2023	<0.50	0.5
Perfluoro-4-ethylcyclohexanesulfonic acid (PFECHS)	03/05/2023	<0.50	0.5
Perfluorooctane sulfonamide (PFOSA)	03/05/2023	<0.50	0.5
N-methylperfluorooctanesulfonamide (N-MeFOSA)	03/05/2023	<0.50	0.5
N-ethylperfluorooctanesulfonamide (N-EtFOSA)	03/05/2023	<0.50	0.5
N-methylperfluorooctanesulfonamidoacetic acid (N-MeFOSAA)	03/05/2023	<0.50	0.5
N-ethylperfluorooctanesulfonamidoacetic acid (N-EtFOSAA)	03/05/2023	<0.50	0.5
8:2 Fluorotelomerphosphate diester (8:2 DiPAP)	03/05/2023	1.6	0.5
Determination of per- and polyfluoroalkyl substances (PFAS) - indicative list			
Component	Date of analysis	Concentration (µg/kgdm)	Reporting Limit (µg/kgdm)
Perfluorooctadecanoic acid (PFOcDA)	03/05/2023	<0.50	0.5
Perfluorododecane sulfonic acid (PFDoDS)	03/05/2023	<0.50	0.5
10:2 Fluorotelomersulfonic acid (10:2 FTS)	03/05/2023	<0.50	0.5
Perfluorobutanesulfonamide (PFBSA)	03/05/2023	<0.50	0.5
Perfluorohexaansulfonamide (PFHXSA)	03/05/2023	<0.50	0.5
N-methylperfluorobutanesulfonamide (N-MeFBSA)	03/05/2023	<0.50	0.5
N-Methyl-perfluorobutanesulfonylamidoacetate (N-MeFBSAA)	03/05/2023	<0.50	0.5

ANALYTICAL REPORT : IAC23-03846

6:2 Fluorotelomerphosphate diester (6:2 DiPAP)	03/05/2023	2.6	0.5
6:2/8:2 Fluorotelomerphosphatediester (6:2/8:2 DiPAP)	03/05/2023	2.5	0.5

ANALYTICAL REPORT : IAC23-03846

Analytical results - organic parameters			
Sample identification : IAC23-03846.036		Date of sampling: <i>unknown</i>	
Your reference: <i>M2</i>		Sampled by: <i>Third party</i>	
Determination of per- and polyfluoroalkyl substances (PFAS)			
Component	Date of analysis	Concentration (µg/kgdm)	Reporting Limit (µg/kgdm)
Perfluorobutanoic acid (PFBA)	03/05/2023	2.5	0.5
Perfluoropentanoic acid (PFPeA)	03/05/2023	<0.50	0.5
Perfluorohexanoic acid (PFHxA)	03/05/2023	2.1	0.5
Perfluoroheptanoic acid (PFHpA)	03/05/2023	<0.50	0.5
Perfluorooctanoic acid (PFOA)	03/05/2023	0.84	0.5
Perfluorononanoic acid (PFNA)	03/05/2023	<0.50	0.5
Perfluorodecanoic acid (PFDA)	03/05/2023	<0.50	0.5
Perfluoroundecanoic acid (PFUnDA)	03/05/2023	<0.50	0.5
Perfluorododecanoic acid (PFDoDA)	03/05/2023	<0.50	0.5
Perfluorotridecanoic acid (PFTrDA)	03/05/2023	<0.50	0.5
Perfluorotetradecanoic acid (PFTeDA)	03/05/2023	<0.50	0.5
Perfluorohexadecanoic acid (PFHxDA)	03/05/2023	<0.50	0.5
Perfluorobutane sulfonic acid (PFBS)	03/05/2023	1.1	0.5
Perfluoropentane sulfonic acid (PFPeS)	03/05/2023	<0.50	0.5
Perfluorohexane sulfonic acid (PFHxS)	03/05/2023	<0.50	0.5
Perfluoroheptane sulfonic acid (PFHpS)	03/05/2023	<0.50	0.5
Perfluorooctane sulfonic acid (PFOS)	03/05/2023	0.79	0.5
Perfluorononane sulfonic acid (PFNS)	03/05/2023	<0.50	0.5
Perfluorodecane sulfonic acid (PFDS)	03/05/2023	<0.50	0.5
4:2 Fluorotelomersulfonic acid (4:2 FTS)	03/05/2023	<0.50	0.5
6:2 Fluorotelomersulfonic acid (6:2 FTS)	03/05/2023	0.76	0.5
8:2 Fluorotelomersulfonic acid (8:2 FTS)	03/05/2023	<0.50	0.5
2,3,3,3-tetrafluor-2-(heptafluoropropoxy)propanoic acid (HPFO-DA)	03/05/2023	<0.50	0.5
4,8-Dioxa-3H-perfluorononanoic acid (DONA)	03/05/2023	<0.50	0.5
Perfluoro-4-ethylcyclohexanesulfonic acid (PFECHS)	03/05/2023	<0.50	0.5
Perfluorooctane sulfonamide (PFOSA)	03/05/2023	<0.50	0.5
N-methylperfluorooctanesulfonamide (N-MeFOSA)	03/05/2023	<0.50	0.5
N-ethylperfluorooctanesulfonamide (N-EtFOSA)	03/05/2023	<0.50	0.5
N-methylperfluorooctanesulfonamidoacetic acid (N-MeFOSAA)	03/05/2023	<0.50	0.5
N-ethylperfluorooctanesulfonamidoacetic acid (N-EtFOSAA)	03/05/2023	0.59	0.5
8:2 Fluorotelomerphosphate diester (8:2 DiPAP)	03/05/2023	<0.50	0.5
Determination of per- and polyfluoroalkyl substances (PFAS) - indicative list			
Component	Date of analysis	Concentration (µg/kgdm)	Reporting Limit (µg/kgdm)
Perfluorooctadecanoic acid (PFOCDA)	03/05/2023	<0.50	0.5
Perfluorododecane sulfonic acid (PFDoDS)	03/05/2023	<0.50	0.5
10:2 Fluorotelomersulfonic acid (10:2 FTS)	03/05/2023	<0.50	0.5
Perfluorobutanesulfonamide (PFBSA)	03/05/2023	<0.50	0.5
Perfluorohexaansulfonamide (PFHXSA)	03/05/2023	<0.50	0.5
N-methylperfluorobutanesulfonamide (N-MeFBSA)	03/05/2023	<0.50	0.5
N-Methyl-perfluorobutanesulfonylamidoacetate (N-MeFBSAA)	03/05/2023	1.5	0.5

ANALYTICAL REPORT : IAC23-03846

6:2 Fluorotelomerphosphate diester (6:2 DiPAP)	03/05/2023	1.1	0.5
6:2/8:2 Fluorotelomerphosphatediester (6:2/8:2 DiPAP)	03/05/2023	0.55	0.5

ANALYTICAL REPORT : IAC23-03846

Analytical results - organic parameters			
Sample identification : IAC23-03846.037 Your reference: M3		Date of sampling: <i>unknown</i> Sampled by: <i>Third party</i>	
Determination of per- and polyfluoroalkyl substances (PFAS)			
Component	Date of analysis	Concentration (µg/kgdm)	Reporting Limit (µg/kgdm)
Perfluorobutanoic acid (PFBA)	03/05/2023	1.9	0.5
Perfluoropentanoic acid (PFPeA)	03/05/2023	0.84	0.5
Perfluorohexanoic acid (PFHxA)	03/05/2023	3.7	0.5
Perfluoroheptanoic acid (PFHpA)	03/05/2023	3.9	0.5
Perfluorooctanoic acid (PFOA)	03/05/2023	8.1	0.5
Perfluorononanoic acid (PFNA)	03/05/2023	1.3	0.5
Perfluorodecanoic acid (PFDA)	03/05/2023	1.3	0.5
Perfluoroundecanoic acid (PFUnDA)	03/05/2023	<0.50	0.5
Perfluorododecanoic acid (PFDoDA)	03/05/2023	0.86	0.5
Perfluorotridecanoic acid (PFTrDA)	03/05/2023	<0.50	0.5
Perfluorotetradecanoic acid (PFTeDA)	03/05/2023	<0.50	0.5
Perfluorohexadecanoic acid (PFHxDA)	03/05/2023	<0.50	0.5
Perfluorobutane sulfonic acid (PFBS)	03/05/2023	4.5	0.5
Perfluoropentane sulfonic acid (PFPeS)	03/05/2023	<0.50	0.5
Perfluorohexane sulfonic acid (PFHxS)	03/05/2023	0.91	0.5
Perfluoroheptane sulfonic acid (PFHpS)	03/05/2023	<0.50	0.5
Perfluorooctane sulfonic acid (PFOS)	03/05/2023	8.0	0.5
Perfluorononane sulfonic acid (PFNS)	03/05/2023	<0.50	0.5
Perfluorodecane sulfonic acid (PFDS)	03/05/2023	<0.50	0.5
4:2 Fluorotelomersulfonic acid (4:2 FTS)	03/05/2023	<0.50	0.5
6:2 Fluorotelomersulfonic acid (6:2 FTS)	03/05/2023	64	0.5
8:2 Fluorotelomersulfonic acid (8:2 FTS)	03/05/2023	13	0.5
2,3,3,3-tetrafluor-2-(heptafluoropropoxy)propanoic acid (HPFO-DA)	03/05/2023	<0.50	0.5
4,8-Dioxa-3H-perfluorononanoic acid (DONA)	03/05/2023	<0.50	0.5
Perfluoro-4-ethylcyclohexanesulfonic acid (PFECHS)	03/05/2023	<0.50	0.5
Perfluorooctane sulfonamide (PFOSA)	03/05/2023	<0.50	0.5
N-methylperfluorooctanesulfonamide (N-MeFOSA)	03/05/2023	<0.50	0.5
N-ethylperfluorooctanesulfonamide (N-EtFOSA)	03/05/2023	<0.50	0.5
N-methylperfluorooctanesulfonamidoacetic acid (N-MeFOSAA)	03/05/2023	1.3	0.5
N-ethylperfluorooctanesulfonamidoacetic acid (N-EtFOSAA)	03/05/2023	4.8	0.5
8:2 Fluorotelomerphosphate diester (8:2 DiPAP)	03/05/2023	3.8	0.5
Determination of per- and polyfluoroalkyl substances (PFAS) - indicative list			
Component	Date of analysis	Concentration (µg/kgdm)	Reporting Limit (µg/kgdm)
Perfluorooctadecanoic acid (PFOcDA)	03/05/2023	<0.50	0.5
Perfluorododecane sulfonic acid (PFDoDS)	03/05/2023	<0.50	0.5
10:2 Fluorotelomersulfonic acid (10:2 FTS)	03/05/2023	6.5	0.5
Perfluorobutanesulfonamide (PFBSA)	03/05/2023	<0.50	0.5
Perfluorohexaansulfonamide (PFHXSA)	03/05/2023	<0.50	0.5
N-methylperfluorobutanesulfonamide (N-MeFBSA)	03/05/2023	<0.50	0.5
N-Methyl-perfluorobutanesulfonylamidoacetate (N-MeFBSAA)	03/05/2023	0.75	0.5

ANALYTICAL REPORT : IAC23-03846

6:2 Fluorotelomerphosphate diester (6:2 DiPAP)	03/05/2023	2.2	0.5
6:2/8:2 Fluorotelomerphosphatediester (6:2/8:2 DiPAP)	03/05/2023	7.9	0.5

ANALYTICAL REPORT : IAC23-03846

Analytical results - organic parameters			
Sample identification : IAC23-03846.038 Your reference: <i>M4</i>		Date of sampling: <i>unknown</i> Sampled by: <i>Third party</i>	
Determination of per- and polyfluoroalkyl substances (PFAS)			
Component	Date of analysis	Concentration (µg/kgdm)	Reporting Limit (µg/kgdm)
Perfluorobutanoic acid (PFBA)	03/05/2023	2.4	0.5
Perfluoropentanoic acid (PFPeA)	03/05/2023	0.69	0.5
Perfluorohexanoic acid (PFHxA)	03/05/2023	3.9	0.5
Perfluoroheptanoic acid (PFHpA)	03/05/2023	2.2	0.5
Perfluorooctanoic acid (PFOA)	03/05/2023	6.1	0.5
Perfluorononanoic acid (PFNA)	03/05/2023	1.6	0.5
Perfluorodecanoic acid (PFDA)	03/05/2023	1.8	0.5
Perfluoroundecanoic acid (PFUnDA)	03/05/2023	0.72	0.5
Perfluorododecanoic acid (PFDoDA)	03/05/2023	1.2	0.5
Perfluorotridecanoic acid (PFTrDA)	03/05/2023	<0.50	0.5
Perfluorotetradecanoic acid (PFTeDA)	03/05/2023	0.55	0.5
Perfluorohexadecanoic acid (PFHxDA)	03/05/2023	<0.50	0.5
Perfluorobutane sulfonic acid (PFBS)	03/05/2023	2.2	0.5
Perfluoropentane sulfonic acid (PFPeS)	03/05/2023	<0.50	0.5
Perfluorohexane sulfonic acid (PFHxS)	03/05/2023	<0.50	0.5
Perfluoroheptane sulfonic acid (PFHpS)	03/05/2023	<0.50	0.5
Perfluorooctane sulfonic acid (PFOS)	03/05/2023	4.8	0.5
Perfluorononane sulfonic acid (PFNS)	03/05/2023	<0.50	0.5
Perfluorodecane sulfonic acid (PFDS)	03/05/2023	<0.50	0.5
4:2 Fluorotelomersulfonic acid (4:2 FTS)	03/05/2023	<0.50	0.5
6:2 Fluorotelomersulfonic acid (6:2 FTS)	03/05/2023	12	0.5
8:2 Fluorotelomersulfonic acid (8:2 FTS)	03/05/2023	7.0	0.5
2,3,3,3-tetrafluor-2-(heptafluoropropoxy)propanoic acid (HPFO-DA)	03/05/2023	<0.50	0.5
4,8-Dioxa-3H-perfluorononanoic acid (DONA)	03/05/2023	<0.50	0.5
Perfluoro-4-ethylcyclohexanesulfonic acid (PFECHS)	03/05/2023	<0.50	0.5
Perfluorooctane sulfonamide (PFOSA)	03/05/2023	<0.50	0.5
N-methylperfluorooctanesulfonamide (N-MeFOSA)	03/05/2023	<0.50	0.5
N-ethylperfluorooctanesulfonamide (N-EtFOSA)	03/05/2023	<0.50	0.5
N-methylperfluorooctanesulfonamidoacetic acid (N-MeFOSAA)	03/05/2023	<0.50	0.5
N-ethylperfluorooctanesulfonamidoacetic acid (N-EtFOSAA)	03/05/2023	6.4	0.5
8:2 Fluorotelomerphosphate diester (8:2 DiPAP)	03/05/2023	10	0.5
Determination of per- and polyfluoroalkyl substances (PFAS) - indicative list			
Component	Date of analysis	Concentration (µg/kgdm)	Reporting Limit (µg/kgdm)
Perfluorooctadecanoic acid (PFOcDA)	03/05/2023	<0.50	0.5
Perfluorododecane sulfonic acid (PFDoDS)	03/05/2023	<0.50	0.5
10:2 Fluorotelomersulfonic acid (10:2 FTS)	03/05/2023	2.6	0.5
Perfluorobutanesulfonamide (PFBSA)	03/05/2023	<0.50	0.5
Perfluorohexaansulfonamide (PFHXSA)	03/05/2023	<0.50	0.5
N-methylperfluorobutanesulfonamide (N-MeFBSA)	03/05/2023	<0.50	0.5
N-Methyl-perfluorobutanesulfonylamidoacetate (N-MeFBSAA)	03/05/2023	3.2	0.5

ANALYTICAL REPORT : IAC23-03846

6:2 Fluorotelomerphosphate diester (6:2 DiPAP)	03/05/2023	2.4	0.5
6:2/8:2 Fluorotelomerphosphatediester (6:2/8:2 DiPAP)	03/05/2023	26	0.5

ANALYTICAL REPORT : IAC23-03846

Analytical results - organic parameters			
Sample identification : IAC23-03846.039 Your reference: M1		Date of sampling: <i>unknown</i> Sampled by: <i>Third party</i>	
Determination of per- and polyfluoroalkyl substances (PFAS)			
Component	Date of analysis	Concentration (µg/kgdm)	Reporting Limit (µg/kgdm)
Perfluorobutanoic acid (PFBA)	03/05/2023	1.6	0.5
Perfluoropentanoic acid (PFPeA)	03/05/2023	2.0	0.5
Perfluorohexanoic acid (PFHxA)	03/05/2023	4.9	0.5
Perfluoroheptanoic acid (PFHpA)	03/05/2023	1.5	0.5
Perfluorooctanoic acid (PFOA)	03/05/2023	16	0.5
Perfluorononanoic acid (PFNA)	03/05/2023	0.97	0.5
Perfluorodecanoic acid (PFDA)	03/05/2023	6.4	0.5
Perfluoroundecanoic acid (PFUnDA)	03/05/2023	0.67	0.5
Perfluorododecanoic acid (PFDoDA)	03/05/2023	1.2	0.5
Perfluorotridecanoic acid (PFTrDA)	03/05/2023	<0.50	0.5
Perfluorotetradecanoic acid (PFTeDA)	03/05/2023	0.72	0.5
Perfluorohexadecanoic acid (PFHxDA)	03/05/2023	<0.50	0.5
Perfluorobutane sulfonic acid (PFBS)	03/05/2023	0.76	0.5
Perfluoropentane sulfonic acid (PFPeS)	03/05/2023	<0.50	0.5
Perfluorohexane sulfonic acid (PFHxS)	03/05/2023	<0.50	0.5
Perfluoroheptane sulfonic acid (PFHpS)	03/05/2023	<0.50	0.5
Perfluorooctane sulfonic acid (PFOS)	03/05/2023	2.2	0.5
Perfluorononane sulfonic acid (PFNS)	03/05/2023	<0.50	0.5
Perfluorodecane sulfonic acid (PFDS)	03/05/2023	<0.50	0.5
4:2 Fluorotelomersulfonic acid (4:2 FTS)	03/05/2023	<0.50	0.5
6:2 Fluorotelomersulfonic acid (6:2 FTS)	03/05/2023	27	0.5
8:2 Fluorotelomersulfonic acid (8:2 FTS)	03/05/2023	14	0.5
2,3,3,3-tetrafluor-2-(heptafluoropropoxy)propanoic acid (HPFO-DA)	03/05/2023	<0.50	0.5
4,8-Dioxa-3H-perfluorononanoic acid (DONA)	03/05/2023	<0.50	0.5
Perfluoro-4-ethylcyclohexanesulfonic acid (PFECHS)	03/05/2023	<0.50	0.5
Perfluorooctane sulfonamide (PFOSA)	03/05/2023	<0.50	0.5
N-methylperfluorooctanesulfonamide (N-MeFOSA)	03/05/2023	<0.50	0.5
N-ethylperfluorooctanesulfonamide (N-EtFOSA)	03/05/2023	<0.50	0.5
N-methylperfluorooctanesulfonamidoacetic acid (N-MeFOSAA)	03/05/2023	<0.50	0.5
N-ethylperfluorooctanesulfonamidoacetic acid (N-EtFOSAA)	03/05/2023	24	0.5
8:2 Fluorotelomerphosphate diester (8:2 DiPAP)	03/05/2023	<0.50	0.5
Determination of per- and polyfluoroalkyl substances (PFAS) - indicative list			
Component	Date of analysis	Concentration (µg/kgdm)	Reporting Limit (µg/kgdm)
Perfluorooctadecanoic acid (PFOcDA)	03/05/2023	<0.50	0.5
Perfluorododecane sulfonic acid (PFDoDS)	03/05/2023	<0.50	0.5
10:2 Fluorotelomersulfonic acid (10:2 FTS)	03/05/2023	6.8	0.5
Perfluorobutanesulfonamide (PFBSA)	03/05/2023	<0.50	0.5
Perfluorohexaansulfonamide (PFHXSA)	03/05/2023	<0.50	0.5
N-methylperfluorobutanesulfonamide (N-MeFBSA)	03/05/2023	<0.50	0.5
N-Methyl-perfluorobutanesulfonylamidoacetate (N-MeFBSAA)	03/05/2023	<0.50	0.5

ANALYTICAL REPORT : IAC23-03846

6:2 Fluorotelomerphosphate diester (6:2 DiPAP)	03/05/2023	<0.50	0.5
6:2/8:2 Fluorotelomerphosphatediester (6:2/8:2 DiPAP)	03/05/2023	0.59	0.5

ANALYTICAL REPORT : IAC23-03846

Analytical results - organic parameters			
Sample identification : IAC23-03846.040 Your reference: M6		Date of sampling: <i>unknown</i> Sampled by: <i>Third party</i>	
Determination of per- and polyfluoroalkyl substances (PFAS)			
Component	Date of analysis	Concentration (µg/kgdm)	Reporting Limit (µg/kgdm)
Perfluorobutanoic acid (PFBA)	03/05/2023	3.0	0.5
Perfluoropentanoic acid (PFPeA)	03/05/2023	1.3	0.5
Perfluorohexanoic acid (PFHxA)	03/05/2023	2.7	0.5
Perfluoroheptanoic acid (PFHpA)	03/05/2023	2.3	0.5
Perfluorooctanoic acid (PFOA)	03/05/2023	5.2	0.5
Perfluorononanoic acid (PFNA)	03/05/2023	1.5	0.5
Perfluorodecanoic acid (PFDA)	03/05/2023	1.5	0.5
Perfluoroundecanoic acid (PFUnDA)	03/05/2023	0.56	0.5
Perfluorododecanoic acid (PFDoDA)	03/05/2023	0.74	0.5
Perfluorotridecanoic acid (PFTrDA)	03/05/2023	<0.50	0.5
Perfluorotetradecanoic acid (PFTeDA)	03/05/2023	<0.50	0.5
Perfluorohexadecanoic acid (PFHxDA)	03/05/2023	<0.50	0.5
Perfluorobutane sulfonic acid (PFBS)	03/05/2023	1.7	0.5
Perfluoropentane sulfonic acid (PFPeS)	03/05/2023	<0.50	0.5
Perfluorohexane sulfonic acid (PFHxS)	03/05/2023	<0.50	0.5
Perfluoroheptane sulfonic acid (PFHpS)	03/05/2023	<0.50	0.5
Perfluorooctane sulfonic acid (PFOS)	03/05/2023	2.8	0.5
Perfluorononane sulfonic acid (PFNS)	03/05/2023	<0.50	0.5
Perfluorodecane sulfonic acid (PFDS)	03/05/2023	<0.50	0.5
4:2 Fluorotelomersulfonic acid (4:2 FTS)	03/05/2023	<0.50	0.5
6:2 Fluorotelomersulfonic acid (6:2 FTS)	03/05/2023	2.3	0.5
8:2 Fluorotelomersulfonic acid (8:2 FTS)	03/05/2023	1.4	0.5
2,3,3,3-tetrafluor-2-(heptafluoropropoxy)propanoic acid (HPFO-DA)	03/05/2023	<0.50	0.5
4,8-Dioxa-3H-perfluorononoic acid (DONA)	03/05/2023	<0.50	0.5
Perfluoro-4-ethylcyclohexanesulfonic acid (PFECHS)	03/05/2023	<0.50	0.5
Perfluorooctane sulfonamide (PFOSA)	03/05/2023	<0.50	0.5
N-methylperfluorooctanesulfonamide (N-MeFOSA)	03/05/2023	<0.50	0.5
N-ethylperfluorooctanesulfonamide (N-EtFOSA)	03/05/2023	<0.50	0.5
N-methylperfluorooctanesulfonamidoacetic acid (N-MeFOSAA)	03/05/2023	<0.50	0.5
N-ethylperfluorooctanesulfonamidoacetic acid (N-EtFOSAA)	03/05/2023	6.4	0.5
8:2 Fluorotelomerphosphate diester (8:2 DiPAP)	03/05/2023	2.7	0.5
Determination of per- and polyfluoroalkyl substances (PFAS) - indicative list			
Component	Date of analysis	Concentration (µg/kgdm)	Reporting Limit (µg/kgdm)
Perfluorooctadecanoic acid (PFOcDA)	03/05/2023	<0.50	0.5
Perfluorododecane sulfonic acid (PFDoDS)	03/05/2023	<0.50	0.5
10:2 Fluorotelomersulfonic acid (10:2 FTS)	03/05/2023	0.92	0.5
Perfluorobutanesulfonamide (PFBSA)	03/05/2023	<0.50	0.5
Perfluorohexaansulfonamide (PFHXSA)	03/05/2023	<0.50	0.5
N-methylperfluorobutanesulfonamide (N-MeFBSA)	03/05/2023	<0.50	0.5
N-Methyl-perfluorobutanesulfonylamidoacetate (N-MeFBSAA)	03/05/2023	1.8	0.5

ANALYTICAL REPORT : IAC23-03846

6:2 Fluorotelomerphosphate diester (6:2 DiPAP)	03/05/2023	4.8	0.5
6:2/8:2 Fluorotelomerphosphatediester (6:2/8:2 DiPAP)	03/05/2023	4.9	0.5

ANALYTICAL REPORT : IAC23-03846

Analytical results - organic parameters			
Sample identification : IAC23-03846.041 Your reference: M7		Date of sampling: <i>unknown</i> Sampled by: <i>Third party</i>	
Determination of per- and polyfluoroalkyl substances (PFAS)			
Component	Date of analysis	Concentration (µg/kgdm)	Reporting Limit (µg/kgdm)
Perfluorobutanoic acid (PFBA)	03/05/2023	2.3	0.5
Perfluoropentanoic acid (PFPeA)	03/05/2023	1.7	0.5
Perfluorohexanoic acid (PFHxA)	03/05/2023	12	0.5
Perfluoroheptanoic acid (PFHpA)	03/05/2023	2.2	0.5
Perfluorooctanoic acid (PFOA)	03/05/2023	3.7	0.5
Perfluorononoic acid (PFNA)	03/05/2023	1.2	0.5
Perfluorodecanoic acid (PFDA)	03/05/2023	1.2	0.5
Perfluoroundecanoic acid (PFUnDA)	03/05/2023	0.69	0.5
Perfluorododecanoic acid (PFDoDA)	03/05/2023	0.82	0.5
Perfluorotridecanoic acid (PFTrDA)	03/05/2023	<0.50	0.5
Perfluorotetradecanoic acid (PFTeDA)	03/05/2023	0.68	0.5
Perfluorohexadecanoic acid (PFHxDA)	03/05/2023	<0.50	0.5
Perfluorobutane sulfonic acid (PFBS)	03/05/2023	2.0	0.5
Perfluoropentane sulfonic acid (PFPeS)	03/05/2023	<0.50	0.5
Perfluorohexane sulfonic acid (PFHxS)	03/05/2023	<0.50	0.5
Perfluoroheptane sulfonic acid (PFHpS)	03/05/2023	<0.50	0.5
Perfluorooctane sulfonic acid (PFOS)	03/05/2023	1.2	0.5
Perfluorononane sulfonic acid (PFNS)	03/05/2023	<0.50	0.5
Perfluorodecane sulfonic acid (PFDS)	03/05/2023	<0.50	0.5
4:2 Fluorotelomersulfonic acid (4:2 FTS)	03/05/2023	<0.50	0.5
6:2 Fluorotelomersulfonic acid (6:2 FTS)	03/05/2023	2.0	0.5
8:2 Fluorotelomersulfonic acid (8:2 FTS)	03/05/2023	1.0	0.5
2,3,3,3-tetrafluor-2-(heptafluoropropoxy)propanoic acid (HPFO-DA)	03/05/2023	<0.50	0.5
4,8-Dioxa-3H-perfluorononoic acid (DONA)	03/05/2023	<0.50	0.5
Perfluoro-4-ethylcyclohexanesulfonic acid (PFECHS)	03/05/2023	<0.50	0.5
Perfluorooctane sulfonamide (PFOSA)	03/05/2023	<0.50	0.5
N-methylperfluorooctanesulfonamide (N-MeFOSA)	03/05/2023	<0.50	0.5
N-ethylperfluorooctanesulfonamide (N-EtFOSA)	03/05/2023	<0.50	0.5
N-methylperfluorooctanesulfonamidoacetic acid (N-MeFOSAA)	03/05/2023	<0.50	0.5
N-ethylperfluorooctanesulfonamidoacetic acid (N-EtFOSAA)	03/05/2023	4.6	0.5
8:2 Fluorotelomerphosphate diester (8:2 DiPAP)	03/05/2023	2.2	0.5
Determination of per- and polyfluoroalkyl substances (PFAS) - indicative list			
Component	Date of analysis	Concentration (µg/kgdm)	Reporting Limit (µg/kgdm)
Perfluorooctadecanoic acid (PFOcDA)	03/05/2023	<0.50	0.5
Perfluorododecane sulfonic acid (PFDoDS)	03/05/2023	<0.50	0.5
10:2 Fluorotelomersulfonic acid (10:2 FTS)	03/05/2023	0.93	0.5
Perfluorobutanesulfonamide (PFBSA)	03/05/2023	<0.50	0.5
Perfluorohexaansulfonamide (PFHXSA)	03/05/2023	<0.50	0.5
N-methylperfluorobutanesulfonamide (N-MeFBSA)	03/05/2023	<0.50	0.5
N-Methyl-perfluorobutanesulfonylamidoacetate (N-MeFBSAA)	03/05/2023	1.6	0.5

ANALYTICAL REPORT : IAC23-03846

6:2 Fluorotelomerphosphate diester (6:2 DiPAP)	03/05/2023	<0.50	0.5
6:2/8:2 Fluorotelomerphosphatediester (6:2/8:2 DiPAP)	03/05/2023	5.1	0.5

ANALYTICAL REPORT : IAC23-03846

Analytical results - organic parameters			
Sample identification : IAC23-03846.042		Date of sampling: <i>unknown</i>	
Your reference: <i>M8</i>		Sampled by: <i>Third party</i>	
Determination of per- and polyfluoroalkyl substances (PFAS)			
Component	Date of analysis	Concentration (µg/kgdm)	Reporting Limit (µg/kgdm)
Perfluorobutanoic acid (PFBA)	03/05/2023	1.3	0.5
Perfluoropentanoic acid (PFPeA)	03/05/2023	0.95	0.5
Perfluorohexanoic acid (PFHxA)	03/05/2023	3.0	0.5
Perfluoroheptanoic acid (PFHpA)	03/05/2023	0.90	0.5
Perfluorooctanoic acid (PFOA)	03/05/2023	2.5	0.5
Perfluorononanoic acid (PFNA)	03/05/2023	<0.50	0.5
Perfluorodecanoic acid (PFDA)	03/05/2023	0.70	0.5
Perfluoroundecanoic acid (PFUnDA)	03/05/2023	<0.50	0.5
Perfluorododecanoic acid (PFDoDA)	03/05/2023	<0.50	0.5
Perfluorotridecanoic acid (PFTrDA)	03/05/2023	<0.50	0.5
Perfluorotetradecanoic acid (PFTeDA)	03/05/2023	<0.50	0.5
Perfluorohexadecanoic acid (PFHxDA)	03/05/2023	<0.50	0.5
Perfluorobutane sulfonic acid (PFBS)	03/05/2023	0.83	0.5
Perfluoropentane sulfonic acid (PFPeS)	03/05/2023	<0.50	0.5
Perfluorohexane sulfonic acid (PFHxS)	03/05/2023	<0.50	0.5
Perfluoroheptane sulfonic acid (PFHpS)	03/05/2023	<0.50	0.5
Perfluorooctane sulfonic acid (PFOS)	03/05/2023	1.6	0.5
Perfluorononane sulfonic acid (PFNS)	03/05/2023	<0.50	0.5
Perfluorodecane sulfonic acid (PFDS)	03/05/2023	<0.50	0.5
4:2 Fluorotelomersulfonic acid (4:2 FTS)	03/05/2023	<0.50	0.5
6:2 Fluorotelomersulfonic acid (6:2 FTS)	03/05/2023	1.8	0.5
8:2 Fluorotelomersulfonic acid (8:2 FTS)	03/05/2023	1.1	0.5
2,3,3,3-tetrafluor-2-(heptafluoropropoxy)propanoic acid (HPFO-DA)	03/05/2023	<0.50	0.5
4,8-Dioxa-3H-perfluorononanoic acid (DONA)	03/05/2023	<0.50	0.5
Perfluoro-4-ethylcyclohexanesulfonic acid (PFECHS)	03/05/2023	<0.50	0.5
Perfluorooctane sulfonamide (PFOSA)	03/05/2023	<0.50	0.5
N-methylperfluorooctanesulfonamide (N-MeFOSA)	03/05/2023	<0.50	0.5
N-ethylperfluorooctanesulfonamide (N-EtFOSA)	03/05/2023	<0.50	0.5
N-methylperfluorooctanesulfonamidoacetic acid (N-MeFOSAA)	03/05/2023	<0.50	0.5
N-ethylperfluorooctanesulfonamidoacetic acid (N-EtFOSAA)	03/05/2023	2.1	0.5
8:2 Fluorotelomerphosphate diester (8:2 DiPAP)	03/05/2023	2.0	0.5
Determination of per- and polyfluoroalkyl substances (PFAS) - indicative list			
Component	Date of analysis	Concentration (µg/kgdm)	Reporting Limit (µg/kgdm)
Perfluorooctadecanoic acid (PFOcDA)	03/05/2023	<0.50	0.5
Perfluorododecane sulfonic acid (PFDoDS)	03/05/2023	<0.50	0.5
10:2 Fluorotelomersulfonic acid (10:2 FTS)	03/05/2023	2.0	0.5
Perfluorobutanesulfonamide (PFBSA)	03/05/2023	<0.50	0.5
Perfluorohexaansulfonamide (PFHXSA)	03/05/2023	<0.50	0.5
N-methylperfluorobutanesulfonamide (N-MeFBSA)	03/05/2023	<0.50	0.5
N-Methyl-perfluorobutanesulfonylamidoacetate (N-MeFBSAA)	03/05/2023	<0.50	0.5

ANALYTICAL REPORT : IAC23-03846

6:2 Fluorotelomerphosphate diester (6:2 DiPAP)	03/05/2023	1.2	0.5
6:2/8:2 Fluorotelomerphosphatediester (6:2/8:2 DiPAP)	03/05/2023	4.5	0.5

ANALYTICAL REPORT : IAC23-03846

Analytical results - organic parameters			
Sample identification : IAC23-03846.043 Your reference: M5		Date of sampling: <i>unknown</i> Sampled by: <i>Third party</i>	
Determination of per- and polyfluoroalkyl substances (PFAS)			
Component	Date of analysis	Concentration (µg/kgdm)	Reporting Limit (µg/kgdm)
Perfluorobutanoic acid (PFBA)	03/05/2023	0.90	0.5
Perfluoropentanoic acid (PFPeA)	03/05/2023	<0.50	0.5
Perfluorohexanoic acid (PFHxA)	03/05/2023	0.83	0.5
Perfluoroheptanoic acid (PFHpA)	03/05/2023	0.55	0.5
Perfluorooctanoic acid (PFOA)	03/05/2023	2.2	0.5
Perfluorononanoic acid (PFNA)	03/05/2023	0.58	0.5
Perfluorodecanoic acid (PFDA)	03/05/2023	0.78	0.5
Perfluoroundecanoic acid (PFUnDA)	03/05/2023	0.54	0.5
Perfluorododecanoic acid (PFDoDA)	03/05/2023	0.56	0.5
Perfluorotridecanoic acid (PFTrDA)	03/05/2023	<0.50	0.5
Perfluorotetradecanoic acid (PFTeDA)	03/05/2023	<0.50	0.5
Perfluorohexadecanoic acid (PFHxDA)	03/05/2023	<0.50	0.5
Perfluorobutane sulfonic acid (PFBS)	03/05/2023	0.71	0.5
Perfluoropentane sulfonic acid (PFPeS)	03/05/2023	<0.50	0.5
Perfluorohexane sulfonic acid (PFHxS)	03/05/2023	<0.50	0.5
Perfluoroheptane sulfonic acid (PFHpS)	03/05/2023	<0.50	0.5
Perfluorooctane sulfonic acid (PFOS)	03/05/2023	4.3	0.5
Perfluorononane sulfonic acid (PFNS)	03/05/2023	<0.50	0.5
Perfluorodecane sulfonic acid (PFDS)	03/05/2023	<0.50	0.5
4:2 Fluorotelomersulfonic acid (4:2 FTS)	03/05/2023	<0.50	0.5
6:2 Fluorotelomersulfonic acid (6:2 FTS)	03/05/2023	<0.50	0.5
8:2 Fluorotelomersulfonic acid (8:2 FTS)	03/05/2023	1.4	0.5
2,3,3,3-tetrafluor-2-(heptafluoropropoxy)propanoic acid (HPFO-DA)	03/05/2023	<0.50	0.5
4,8-Dioxa-3H-perfluorononanoic acid (DONA)	03/05/2023	<0.50	0.5
Perfluoro-4-ethylcyclohexanesulfonic acid (PFECHS)	03/05/2023	<0.50	0.5
Perfluorooctane sulfonamide (PFOSA)	03/05/2023	<0.50	0.5
N-methylperfluorooctanesulfonamide (N-MeFOSA)	03/05/2023	<0.50	0.5
N-ethylperfluorooctanesulfonamide (N-EtFOSA)	03/05/2023	<0.50	0.5
N-methylperfluorooctanesulfonamidoacetic acid (N-MeFOSAA)	03/05/2023	2.0	0.5
N-ethylperfluorooctanesulfonamidoacetic acid (N-EtFOSAA)	03/05/2023	<0.50	0.5
8:2 Fluorotelomerphosphate diester (8:2 DiPAP)	03/05/2023	<0.50	0.5
Determination of per- and polyfluoroalkyl substances (PFAS) - indicative list			
Component	Date of analysis	Concentration (µg/kgdm)	Reporting Limit (µg/kgdm)
Perfluorooctadecanoic acid (PFOcDA)	03/05/2023	<0.50	0.5
Perfluorododecane sulfonic acid (PFDoDS)	03/05/2023	<0.50	0.5
10:2 Fluorotelomersulfonic acid (10:2 FTS)	03/05/2023	0.63	0.5
Perfluorobutanesulfonamide (PFBSA)	03/05/2023	<0.50	0.5
Perfluorohexaansulfonamide (PFHXSA)	03/05/2023	<0.50	0.5
N-methylperfluorobutanesulfonamide (N-MeFBSA)	03/05/2023	<0.50	0.5
N-Methyl-perfluorobutanesulfonylamidoacetate (N-MeFBSAA)	03/05/2023	1.1	0.5

ANALYTICAL REPORT : IAC23-03846

6:2 Fluorotelomerphosphate diester (6:2 DiPAP)	03/05/2023	0.87	0.5
6:2/8:2 Fluorotelomerphosphatediester (6:2/8:2 DiPAP)	03/05/2023	0.64	0.5

ANALYTICAL REPORT : IAC23-03846

Analytical results - organic parameters			
Sample identification : IAC23-03846.044 Your reference: M10		Date of sampling: <i>unknown</i> Sampled by: <i>Third party</i>	
Determination of per- and polyfluoroalkyl substances (PFAS)			
Component	Date of analysis	Concentration (µg/kgdm)	Reporting Limit (µg/kgdm)
Perfluorobutanoic acid (PFBA)	03/05/2023	<0.50	0.5
Perfluoropentanoic acid (PFPeA)	03/05/2023	<0.50	0.5
Perfluorohexanoic acid (PFHxA)	03/05/2023	<0.50	0.5
Perfluoroheptanoic acid (PFHpA)	03/05/2023	<0.50	0.5
Perfluorooctanoic acid (PFOA)	03/05/2023	<0.50	0.5
Perfluorononanoic acid (PFNA)	03/05/2023	<0.50	0.5
Perfluorodecanoic acid (PFDA)	03/05/2023	<0.50	0.5
Perfluoroundecanoic acid (PFUnDA)	03/05/2023	<0.50	0.5
Perfluorododecanoic acid (PFDoDA)	03/05/2023	<0.50	0.5
Perfluorotridecanoic acid (PFTrDA)	03/05/2023	<0.50	0.5
Perfluorotetradecanoic acid (PFTeDA)	03/05/2023	<0.50	0.5
Perfluorohexadecanoic acid (PFHxDA)	03/05/2023	<0.50	0.5
Perfluorobutane sulfonic acid (PFBS)	03/05/2023	<0.50	0.5
Perfluoropentane sulfonic acid (PFPeS)	03/05/2023	<0.50	0.5
Perfluorohexane sulfonic acid (PFHxS)	03/05/2023	<0.50	0.5
Perfluoroheptane sulfonic acid (PFHpS)	03/05/2023	<0.50	0.5
Perfluorooctane sulfonic acid (PFOS)	03/05/2023	<0.50	0.5
Perfluorononane sulfonic acid (PFNS)	03/05/2023	<0.50	0.5
Perfluorodecane sulfonic acid (PFDS)	03/05/2023	<0.50	0.5
4:2 Fluorotelomersulfonic acid (4:2 FTS)	03/05/2023	<0.50	0.5
6:2 Fluorotelomersulfonic acid (6:2 FTS)	03/05/2023	<0.50	0.5
8:2 Fluorotelomersulfonic acid (8:2 FTS)	03/05/2023	<0.50	0.5
2,3,3,3-tetrafluor-2-(heptafluoropropoxy)propanoic acid (HPFO-DA)	03/05/2023	<0.50	0.5
4,8-Dioxa-3H-perfluorononanoic acid (DONA)	03/05/2023	<0.50	0.5
Perfluoro-4-ethylcyclohexanesulfonic acid (PFECHS)	03/05/2023	<0.50	0.5
Perfluorooctane sulfonamide (PFOSA)	03/05/2023	<0.50	0.5
N-methylperfluorooctanesulfonamide (N-MeFOSA)	03/05/2023	<0.50	0.5
N-ethylperfluorooctanesulfonamide (N-EtFOSA)	03/05/2023	<0.50	0.5
N-methylperfluorooctanesulfonamidoacetic acid (N-MeFOSAA)	03/05/2023	<0.50	0.5
N-ethylperfluorooctanesulfonamidoacetic acid (N-EtFOSAA)	03/05/2023	<0.50	0.5
8:2 Fluorotelomerphosphate diester (8:2 DiPAP)	03/05/2023	<0.50	0.5
Determination of per- and polyfluoroalkyl substances (PFAS) - indicative list			
Component	Date of analysis	Concentration (µg/kgdm)	Reporting Limit (µg/kgdm)
Perfluorooctadecanoic acid (PFOcDA)	03/05/2023	<0.50	0.5
Perfluorododecane sulfonic acid (PFDoDS)	03/05/2023	<0.50	0.5
10:2 Fluorotelomersulfonic acid (10:2 FTS)	03/05/2023	<0.50	0.5
Perfluorobutanesulfonamide (PFBSA)	03/05/2023	<0.50	0.5
Perfluorohexaansulfonamide (PFHXSA)	03/05/2023	<0.50	0.5
N-methylperfluorobutanesulfonamide (N-MeFBSA)	03/05/2023	<0.50	0.5
N-Methyl-perfluorobutanesulfonylamidoacetate (N-MeFBSAA)	03/05/2023	<0.50	0.5

ANALYTICAL REPORT : IAC23-03846

6:2 Fluorotelomerphosphate diester (6:2 DiPAP)	03/05/2023	0.75	0.5
6:2/8:2 Fluorotelomerphosphatediester (6:2/8:2 DiPAP)	03/05/2023	<0.50	0.5

ANALYTICAL REPORT : IAC23-03846

Analytical results - organic parameters			
Sample identification : IAC23-03846.045 Your reference: M11		Date of sampling: <i>unknown</i> Sampled by: <i>Third party</i>	
Determination of per- and polyfluoroalkyl substances (PFAS)			
Component	Date of analysis	Concentration (µg/kgdm)	Reporting Limit (µg/kgdm)
Perfluorobutanoic acid (PFBA)	03/05/2023	1.2	0.5
Perfluoropentanoic acid (PFPeA)	03/05/2023	0.81	0.5
Perfluorohexanoic acid (PFHxA)	03/05/2023	3.1	0.5
Perfluoroheptanoic acid (PFHpA)	03/05/2023	2.3	0.5
Perfluorooctanoic acid (PFOA)	03/05/2023	7.0	0.5
Perfluorononanoic acid (PFNA)	03/05/2023	0.99	0.5
Perfluorodecanoic acid (PFDA)	03/05/2023	0.80	0.5
Perfluoroundecanoic acid (PFUnDA)	03/05/2023	<0.50	0.5
Perfluorododecanoic acid (PFDoDA)	03/05/2023	<0.50	0.5
Perfluorotridecanoic acid (PFTrDA)	03/05/2023	<0.50	0.5
Perfluorotetradecanoic acid (PFTeDA)	03/05/2023	<0.50	0.5
Perfluorohexadecanoic acid (PFHxDA)	03/05/2023	<0.50	0.5
Perfluorobutane sulfonic acid (PFBS)	03/05/2023	0.57	0.5
Perfluoropentane sulfonic acid (PFPeS)	03/05/2023	<0.50	0.5
Perfluorohexane sulfonic acid (PFHxS)	03/05/2023	<0.50	0.5
Perfluoroheptane sulfonic acid (PFHpS)	03/05/2023	<0.50	0.5
Perfluorooctane sulfonic acid (PFOS)	03/05/2023	5.8	0.5
Perfluorononane sulfonic acid (PFNS)	03/05/2023	<0.50	0.5
Perfluorodecane sulfonic acid (PFDS)	03/05/2023	<0.50	0.5
4:2 Fluorotelomersulfonic acid (4:2 FTS)	03/05/2023	<0.50	0.5
6:2 Fluorotelomersulfonic acid (6:2 FTS)	03/05/2023	0.86	0.5
8:2 Fluorotelomersulfonic acid (8:2 FTS)	03/05/2023	0.72	0.5
2,3,3,3-tetrafluor-2-(heptafluoropropoxy)propanoic acid (HPFO-DA)	03/05/2023	<0.50	0.5
4,8-Dioxa-3H-perfluorononanoic acid (DONA)	03/05/2023	<0.50	0.5
Perfluoro-4-ethylcyclohexanesulfonic acid (PFECHS)	03/05/2023	<0.50	0.5
Perfluorooctane sulfonamide (PFOSA)	03/05/2023	<0.50	0.5
N-methylperfluorooctanesulfonamide (N-MeFOSA)	03/05/2023	<0.50	0.5
N-ethylperfluorooctanesulfonamide (N-EtFOSA)	03/05/2023	<0.50	0.5
N-methylperfluorooctanesulfonamidoacetic acid (N-MeFOSAA)	03/05/2023	<0.50	0.5
N-ethylperfluorooctanesulfonamidoacetic acid (N-EtFOSAA)	03/05/2023	6.7	0.5
8:2 Fluorotelomerphosphate diester (8:2 DiPAP)	03/05/2023	2.4	0.5
Determination of per- and polyfluoroalkyl substances (PFAS) - indicative list			
Component	Date of analysis	Concentration (µg/kgdm)	Reporting Limit (µg/kgdm)
Perfluorooctadecanoic acid (PFOcDA)	03/05/2023	<0.50	0.5
Perfluorododecane sulfonic acid (PFDoDS)	03/05/2023	<0.50	0.5
10:2 Fluorotelomersulfonic acid (10:2 FTS)	03/05/2023	0.83	0.5
Perfluorobutanesulfonamide (PFBSA)	03/05/2023	<0.50	0.5
Perfluorohexaansulfonamide (PFHXSA)	03/05/2023	<0.50	0.5
N-methylperfluorobutanesulfonamide (N-MeFBSA)	03/05/2023	<0.50	0.5
N-Methyl-perfluorobutanesulfonylamidoacetate (N-MeFBSAA)	03/05/2023	0.54	0.5

ANALYTICAL REPORT : IAC23-03846

6:2 Fluorotelomerphosphate diester (6:2 DiPAP)	03/05/2023	19	0.5
6:2/8:2 Fluorotelomerphosphatediester (6:2/8:2 DiPAP)	03/05/2023	4.9	0.5

ANALYTICAL REPORT : IAC23-03846

Analytical results - organic parameters			
Sample identification : IAC23-03846.046 Your reference: M12		Date of sampling: <i>unknown</i> Sampled by: <i>Third party</i>	
Determination of per- and polyfluoroalkyl substances (PFAS)			
Component	Date of analysis	Concentration (µg/kgdm)	Reporting Limit (µg/kgdm)
Perfluorobutanoic acid (PFBA)	03/05/2023	1.8	0.5
Perfluoropentanoic acid (PFPeA)	03/05/2023	1.1	0.5
Perfluorohexanoic acid (PFHxA)	03/05/2023	2.6	0.5
Perfluoroheptanoic acid (PFHpA)	03/05/2023	0.88	0.5
Perfluorooctanoic acid (PFOA)	03/05/2023	2.1	0.5
Perfluorononanoic acid (PFNA)	03/05/2023	<0.50	0.5
Perfluorodecanoic acid (PFDA)	03/05/2023	0.55	0.5
Perfluoroundecanoic acid (PFUnDA)	03/05/2023	<0.50	0.5
Perfluorododecanoic acid (PFDoDA)	03/05/2023	<0.50	0.5
Perfluorotridecanoic acid (PFTrDA)	03/05/2023	<0.50	0.5
Perfluorotetradecanoic acid (PFTeDA)	03/05/2023	<0.50	0.5
Perfluorohexadecanoic acid (PFHxDA)	03/05/2023	<0.50	0.5
Perfluorobutane sulfonic acid (PFBS)	03/05/2023	0.95	0.5
Perfluoropentane sulfonic acid (PFPeS)	03/05/2023	<0.50	0.5
Perfluorohexane sulfonic acid (PFHxS)	03/05/2023	<0.50	0.5
Perfluoroheptane sulfonic acid (PFHpS)	03/05/2023	<0.50	0.5
Perfluorooctane sulfonic acid (PFOS)	03/05/2023	1.0	0.5
Perfluorononane sulfonic acid (PFNS)	03/05/2023	<0.50	0.5
Perfluorodecane sulfonic acid (PFDS)	03/05/2023	<0.50	0.5
4:2 Fluorotelomersulfonic acid (4:2 FTS)	03/05/2023	<0.50	0.5
6:2 Fluorotelomersulfonic acid (6:2 FTS)	03/05/2023	18	0.5
8:2 Fluorotelomersulfonic acid (8:2 FTS)	03/05/2023	0.55	0.5
2,3,3,3-tetrafluor-2-(heptafluoropropoxy)propanoic acid (HPFO-DA)	03/05/2023	<0.50	0.5
4,8-Dioxa-3H-perfluorononanoic acid (DONA)	03/05/2023	<0.50	0.5
Perfluoro-4-ethylcyclohexanesulfonic acid (PFECHS)	03/05/2023	<0.50	0.5
Perfluorooctane sulfonamide (PFOSA)	03/05/2023	<0.50	0.5
N-methylperfluorooctanesulfonamide (N-MeFOSA)	03/05/2023	<0.50	0.5
N-ethylperfluorooctanesulfonamide (N-EtFOSA)	03/05/2023	<0.50	0.5
N-methylperfluorooctanesulfonamidoacetic acid (N-MeFOSAA)	03/05/2023	<0.50	0.5
N-ethylperfluorooctanesulfonamidoacetic acid (N-EtFOSAA)	03/05/2023	1.0	0.5
8:2 Fluorotelomerphosphate diester (8:2 DiPAP)	03/05/2023	1.5	0.5
Determination of per- and polyfluoroalkyl substances (PFAS) - indicative list			
Component	Date of analysis	Concentration (µg/kgdm)	Reporting Limit (µg/kgdm)
Perfluorooctadecanoic acid (PFOcDA)	03/05/2023	<0.50	0.5
Perfluorododecane sulfonic acid (PFDoDS)	03/05/2023	<0.50	0.5
10:2 Fluorotelomersulfonic acid (10:2 FTS)	03/05/2023	0.60	0.5
Perfluorobutanesulfonamide (PFBSA)	03/05/2023	<0.50	0.5
Perfluorohexaansulfonamide (PFHXSA)	03/05/2023	<0.50	0.5
N-methylperfluorobutanesulfonamide (N-MeFBSA)	03/05/2023	<0.50	0.5
N-Methyl-perfluorobutanesulfonylamidoacetate (N-MeFBSAA)	03/05/2023	0.59	0.5

ANALYTICAL REPORT : IAC23-03846

6:2 Fluorotelomerphosphate diester (6:2 DiPAP)	03/05/2023	2.5	0.5
6:2/8:2 Fluorotelomerphosphatediester (6:2/8:2 DiPAP)	03/05/2023	3.3	0.5

ANALYTICAL REPORT : IAC23-03846

Remarks

IAC23-03846.001 - C5:

Determination of per- and polyfluoroalkyl substances (PFAS) - indicative list, 10:2 Fluorotelomersulfonic acid (10:2 FTS): The recovery of the isotope labeled internal standard is <30%.

Determination of per- and polyfluoroalkyl substances (PFAS) - indicative list, 6:2/8:2 Fluorotelomerphosphatediester (6:2/8:2 DiPAP): Due to a deviation in the drift control, the result may be an overestimate (indicative result).

Determination of per- and polyfluoroalkyl substances (PFAS) - indicative list, 6:2 Fluorotelomerphosphate diester (6:2 DiPAP): Due to a deviation in the drift control, the result may be an overestimate (indicative result).

Determination of per- and polyfluoroalkyl substances (PFAS) - indicative list, N-Methyl-perfluorobutanesulfonylamidoacetate (N-MeFBSAA): The recovery of the isotope labeled internal standard is <30%.

Determination of per- and polyfluoroalkyl substances (PFAS), 4:2 Fluorotelomersulfonic acid (4:2 FTS): The recovery of the isotope labeled internal standard is <30%.

Determination of per- and polyfluoroalkyl substances (PFAS), 6:2 Fluorotelomersulfonic acid (6:2 FTS): The recovery of the isotope labeled internal standard is <30%.

Determination of per- and polyfluoroalkyl substances (PFAS), N-ethylperfluorooctanesulfonamidoacetic acid (N-EtFOSAA): The recovery of the isotope labeled internal standard is <30%.

Determination of per- and polyfluoroalkyl substances (PFAS), N-methylperfluorooctanesulfonamidoacetic acid (N-MeFOSAA): The recovery of the isotope labeled internal standard is <30%.

Determination of per- and polyfluoroalkyl substances (PFAS), Perfluorobutane sulfonic acid (PFBS): The recovery of the isotope labeled internal standard is <30%.

Determination of per- and polyfluoroalkyl substances (PFAS), Perfluorodecanoic acid (PFDA): The recovery of the isotope labeled internal standard is <30%.

Determination of per- and polyfluoroalkyl substances (PFAS), Perfluorododecanoic acid (PFDoDA): The recovery of the isotope labeled internal standard is <30%.

Determination of per- and polyfluoroalkyl substances (PFAS), Perfluoroheptanoic acid (PFHpA): The recovery of the isotope labeled internal standard is <30%.

Determination of per- and polyfluoroalkyl substances (PFAS), Perfluorohexanoic acid (PFHxA): The recovery of the isotope labeled internal standard is <30%.

Determination of per- and polyfluoroalkyl substances (PFAS), Perfluorononanoic acid (PFNA): The recovery of the isotope labeled internal standard is <30%.

Determination of per- and polyfluoroalkyl substances (PFAS), Perfluorooctanoic acid (PFOA): The recovery of the isotope labeled internal standard is <30%.

Determination of per- and polyfluoroalkyl substances (PFAS), Perfluorotetradecanoic acid (PFTeDA): The recovery of the isotope labeled internal standard is <30%.

Determination of per- and polyfluoroalkyl substances (PFAS), Perfluorotridecanoic acid (PFTrDA): The recovery of the isotope labeled internal standard is <30%.

Determination of per- and polyfluoroalkyl substances (PFAS), Perfluoroundecanoic acid (PFUnDA): The recovery of the isotope labeled internal standard is <30%.

IAC23-03846.002 - C3:

Determination of per- and polyfluoroalkyl substances (PFAS) - indicative list, 6:2/8:2 Fluorotelomerphosphatediester (6:2/8:2 DiPAP): Due to a deviation in the drift control, the result may be an overestimate (indicative result).

Determination of per- and polyfluoroalkyl substances (PFAS) - indicative list, 6:2 Fluorotelomerphosphate diester (6:2 DiPAP): Due to a deviation in the drift control, the result may be an overestimate (indicative result).

Determination of per- and polyfluoroalkyl substances (PFAS) - indicative list, N-Methyl-perfluorobutanesulfonylamidoacetate (N-MeFBSAA): The recovery of the isotope labeled internal standard is <30%.

Determination of per- and polyfluoroalkyl substances (PFAS), Perfluorobutane sulfonic acid (PFBS): The recovery of the isotope labeled internal standard is <30%.

Determination of per- and polyfluoroalkyl substances (PFAS), Perfluorohexanoic acid (PFHxA): The recovery of the isotope labeled internal standard is <30%.

Determination of per- and polyfluoroalkyl substances (PFAS), Perfluorooctanoic acid (PFOA): The recovery of the isotope labeled internal standard is <30%.

Determination of per- and polyfluoroalkyl substances (PFAS), Perfluoropentanoic acid (PFPeA): The recovery of the isotope labeled internal standard is <30%.

Determination of per- and polyfluoroalkyl substances (PFAS), Perfluoroundecanoic acid (PFUnDA): The recovery of the isotope labeled internal standard is <30%.

IAC23-03846.003 - C6:

Determination of per- and polyfluoroalkyl substances (PFAS) - indicative list, 6:2 Fluorotelomerphosphate diester (6:2 DiPAP): Due to a deviation in the drift control, the result may be an overestimate (indicative result).

Determination of per- and polyfluoroalkyl substances (PFAS) - indicative list, N-Methyl-perfluorobutanesulfonylamidoacetate (N-MeFBSAA): The recovery of the isotope labeled internal standard is <30%.

IAC23-03846.004 - C8:

Determination of per- and polyfluoroalkyl substances (PFAS) - indicative list, 6:2 Fluorotelomerphosphate diester (6:2 DiPAP): Due to a deviation in the drift control, the result may be an overestimate (indicative result).

Determination of per- and polyfluoroalkyl substances (PFAS) - indicative list, N-Methyl-perfluorobutanesulfonylamidoacetate (N-MeFBSAA): The recovery of the isotope labeled internal standard is <30%.

Determination of per- and polyfluoroalkyl substances (PFAS), Perfluorobutane sulfonic acid (PFBS): The recovery of the isotope labeled internal standard is <30%.

Determination of per- and polyfluoroalkyl substances (PFAS), Perfluorododecanoic acid (PFDoDA): The recovery of the isotope labeled internal standard is <30%.

Determination of per- and polyfluoroalkyl substances (PFAS), Perfluorooctanoic acid (PFOA): The recovery of the isotope labeled internal standard is <30%.

ANALYTICAL REPORT : IAC23-03846

Determination of per- and polyfluoroalkyl substances (PFAS), Perfluorotetradecanoic acid (PFTeDA): The recovery of the isotope labeled internal standard is <30%.

Determination of per- and polyfluoroalkyl substances (PFAS), Perfluoroundecanoic acid (PFUnDA): The recovery of the isotope labeled internal standard is <30%.

IAC23-03846.005 - C11:

Determination of per- and polyfluoroalkyl substances (PFAS) - indicative list, N-Methyl-perfluorobutanesulfonylamidoacetate (N-MeFBSAA): The recovery of the isotope labeled internal standard is <30%.

IAC23-03846.006 - A2:

Determination of per- and polyfluoroalkyl substances (PFAS) - indicative list, 6:2/8:2 Fluorotelomerphosphatediester (6:2/8:2 DiPAP): Due to a deviation in the drift control, the result may be an overestimate (indicative result).

Determination of per- and polyfluoroalkyl substances (PFAS) - indicative list, 6:2 Fluorotelomerphosphate diester (6:2 DiPAP): Due to a deviation in the drift control, the result may be an overestimate (indicative result).

Determination of per- and polyfluoroalkyl substances (PFAS) - indicative list, N-Methyl-perfluorobutanesulfonylamidoacetate (N-MeFBSAA): The recovery of the isotope labeled internal standard is <30%.

Determination of per- and polyfluoroalkyl substances (PFAS), N-ethylperfluorooctanesulfonamidoacetic acid (N-EtFOSAA): The recovery of the isotope labeled internal standard is <30%.

Determination of per- and polyfluoroalkyl substances (PFAS), Perfluorotetradecanoic acid (PFTeDA): The recovery of the isotope labeled internal standard is <30%.

Determination of per- and polyfluoroalkyl substances (PFAS), Perfluoroundecanoic acid (PFUnDA): The recovery of the isotope labeled internal standard is <30%.

IAC23-03846.007 - A5:

Determination of per- and polyfluoroalkyl substances (PFAS) - indicative list, 10:2 Fluorotelomersulfonic acid (10:2 FTS): The recovery of the isotope labeled internal standard is <30%.

Determination of per- and polyfluoroalkyl substances (PFAS) - indicative list, 6:2/8:2 Fluorotelomerphosphatediester (6:2/8:2 DiPAP): Due to a deviation in the drift control, the result may be an overestimate (indicative result).

Determination of per- and polyfluoroalkyl substances (PFAS) - indicative list, 6:2 Fluorotelomerphosphate diester (6:2 DiPAP): Due to a deviation in the drift control, the result may be an overestimate (indicative result).

Determination of per- and polyfluoroalkyl substances (PFAS) - indicative list, N-Methyl-perfluorobutanesulfonylamidoacetate (N-MeFBSAA): The recovery of the isotope labeled internal standard is <30%.

Determination of per- and polyfluoroalkyl substances (PFAS), 6:2 Fluorotelomersulfonic acid (6:2 FTS): The recovery of the isotope labeled internal standard is <30%.

Determination of per- and polyfluoroalkyl substances (PFAS), Perfluorobutane sulfonic acid (PFBS): The recovery of the isotope labeled internal standard is <30%.

Determination of per- and polyfluoroalkyl substances (PFAS), Perfluorodecanoic acid (PFDA): The recovery of the isotope labeled internal standard is <30%.

Determination of per- and polyfluoroalkyl substances (PFAS), Perfluorohexanoic acid (PFHxA): The recovery of the isotope labeled internal standard is <30%.

Determination of per- and polyfluoroalkyl substances (PFAS), Perfluoronononic acid (PFNA): The recovery of the isotope labeled internal standard is <30%.

Determination of per- and polyfluoroalkyl substances (PFAS), Perfluorooctanoic acid (PFOA): The recovery of the isotope labeled internal standard is <30%.

Determination of per- and polyfluoroalkyl substances (PFAS), Perfluorotetradecanoic acid (PFTeDA): The recovery of the isotope labeled internal standard is <30%.

IAC23-03846.008 - A6:

Determination of per- and polyfluoroalkyl substances (PFAS) - indicative list, 6:2/8:2 Fluorotelomerphosphatediester (6:2/8:2 DiPAP): Due to a deviation in the drift control, the result may be an overestimate (indicative result).

Determination of per- and polyfluoroalkyl substances (PFAS) - indicative list, 6:2 Fluorotelomerphosphate diester (6:2 DiPAP): Due to a deviation in the drift control, the result may be an overestimate (indicative result).

Determination of per- and polyfluoroalkyl substances (PFAS) - indicative list, N-Methyl-perfluorobutanesulfonylamidoacetate (N-MeFBSAA): The recovery of the isotope labeled internal standard is <30%.

Determination of per- and polyfluoroalkyl substances (PFAS), N-ethylperfluorooctanesulfonamidoacetic acid (N-EtFOSAA): The recovery of the isotope labeled internal standard is <30%.

Determination of per- and polyfluoroalkyl substances (PFAS), Perfluorobutane sulfonic acid (PFBS): The recovery of the isotope labeled internal standard is <30%.

Determination of per- and polyfluoroalkyl substances (PFAS), Perfluorodecanoic acid (PFDA): The recovery of the isotope labeled internal standard is <30%.

Determination of per- and polyfluoroalkyl substances (PFAS), Perfluorohexanoic acid (PFHxA): The recovery of the isotope labeled internal standard is <30%.

Determination of per- and polyfluoroalkyl substances (PFAS), Perfluoropentanoic acid (PFPeA): The recovery of the isotope labeled internal standard is <30%.

Determination of per- and polyfluoroalkyl substances (PFAS), Perfluorotetradecanoic acid (PFTeDA): The recovery of the isotope labeled internal standard is <30%.

Determination of per- and polyfluoroalkyl substances (PFAS), Perfluoroundecanoic acid (PFUnDA): The recovery of the isotope labeled internal standard is <30%.

IAC23-03846.009 - A7:

Determination of per- and polyfluoroalkyl substances (PFAS) - indicative list, 6:2/8:2 Fluorotelomerphosphatediester (6:2/8:2 DiPAP): Due to a deviation in the drift control, the result may be an overestimate (indicative result).

Determination of per- and polyfluoroalkyl substances (PFAS) - indicative list, 6:2 Fluorotelomerphosphate diester (6:2 DiPAP): Due to a deviation in the drift control, the result may be an overestimate (indicative result).

Determination of per- and polyfluoroalkyl substances (PFAS) - indicative list, N-Methyl-perfluorobutanesulfonylamidoacetate (N-MeFBSAA): The recovery of the isotope labeled internal standard is <30%.

IAC23-03846.010 - CT1:

ANALYTICAL REPORT : IAC23-03846

Determination of per- and polyfluoroalkyl substances (PFAS) - indicative list, 6:2/8:2 Fluorotelomerphosphatediester (6:2/8:2 DiPAP): Due to a deviation in the drift control, the result may be an overestimate (indicative result).
 Determination of per- and polyfluoroalkyl substances (PFAS) - indicative list, 6:2 Fluorotelomerphosphate diester (6:2 DiPAP): Due to a deviation in the drift control, the result may be an overestimate (indicative result).
 Determination of per- and polyfluoroalkyl substances (PFAS) - indicative list, N-Methyl-perfluorobutanesulfonylamidoacetate (N-MeFBSAA): The recovery of the isotope labeled internal standard is <30%.
 Determination of per- and polyfluoroalkyl substances (PFAS), N-ethylperfluorooctanesulfonamidoacetic acid (N-EtFOSAA): The recovery of the isotope labeled internal standard is <30%.
 Determination of per- and polyfluoroalkyl substances (PFAS), N-methylperfluorooctanesulfonamidoacetic acid (N-MeFOSAA): The recovery of the isotope labeled internal standard is <30%.
 Determination of per- and polyfluoroalkyl substances (PFAS), Perfluorobutane sulfonic acid (PFBS): The recovery of the isotope labeled internal standard is <30%.
 Determination of per- and polyfluoroalkyl substances (PFAS), Perfluorodecanoic acid (PFDA): The recovery of the isotope labeled internal standard is <30%.
 Determination of per- and polyfluoroalkyl substances (PFAS), Perfluorododecanoic acid (PFDoDA): The recovery of the isotope labeled internal standard is <30%.
 Determination of per- and polyfluoroalkyl substances (PFAS), Perfluorohexanoic acid (PFHxA): The recovery of the isotope labeled internal standard is <30%.
 Determination of per- and polyfluoroalkyl substances (PFAS), Perfluorotetradecanoic acid (PFTeDA): The recovery of the isotope labeled internal standard is <30%.
 Determination of per- and polyfluoroalkyl substances (PFAS), Perfluoroundecanoic acid (PFUnDA): The recovery of the isotope labeled internal standard is <30%.

IAC23-03846.011 - CT2:

Determination of per- and polyfluoroalkyl substances (PFAS) - indicative list, 6:2/8:2 Fluorotelomerphosphatediester (6:2/8:2 DiPAP): Due to a deviation in the drift control, the result may be an overestimate (indicative result).
 Determination of per- and polyfluoroalkyl substances (PFAS) - indicative list, 6:2 Fluorotelomerphosphate diester (6:2 DiPAP): Due to a deviation in the drift control, the result may be an overestimate (indicative result).
 Determination of per- and polyfluoroalkyl substances (PFAS) - indicative list, N-Methyl-perfluorobutanesulfonylamidoacetate (N-MeFBSAA): The recovery of the isotope labeled internal standard is <30%.
 Determination of per- and polyfluoroalkyl substances (PFAS), N-ethylperfluorooctanesulfonamidoacetic acid (N-EtFOSAA): The recovery of the isotope labeled internal standard is <30%.
 Determination of per- and polyfluoroalkyl substances (PFAS), Perfluorobutane sulfonic acid (PFBS): The recovery of the isotope labeled internal standard is <30%.
 Determination of per- and polyfluoroalkyl substances (PFAS), Perfluorohexanoic acid (PFHxA): The recovery of the isotope labeled internal standard is <30%.

IAC23-03846.012 - CT3:

Determination of per- and polyfluoroalkyl substances (PFAS) - indicative list, 6:2/8:2 Fluorotelomerphosphatediester (6:2/8:2 DiPAP): Due to a deviation in the drift control, the result may be an overestimate (indicative result).
 Determination of per- and polyfluoroalkyl substances (PFAS) - indicative list, 6:2 Fluorotelomerphosphate diester (6:2 DiPAP): Due to a deviation in the drift control, the result may be an overestimate (indicative result).
 Determination of per- and polyfluoroalkyl substances (PFAS) - indicative list, N-Methyl-perfluorobutanesulfonylamidoacetate (N-MeFBSAA): The recovery of the isotope labeled internal standard is <30%.
 Determination of per- and polyfluoroalkyl substances (PFAS), Perfluorohexanoic acid (PFHxA): The recovery of the isotope labeled internal standard is <30%.
 Determination of per- and polyfluoroalkyl substances (PFAS), Perfluoroundecanoic acid (PFUnDA): The recovery of the isotope labeled internal standard is <30%.

IAC23-03846.013 - CT5:

Determination of per- and polyfluoroalkyl substances (PFAS) - indicative list, 6:2/8:2 Fluorotelomerphosphatediester (6:2/8:2 DiPAP): Due to a deviation in the drift control, the result may be an overestimate (indicative result).
 Determination of per- and polyfluoroalkyl substances (PFAS) - indicative list, 6:2 Fluorotelomerphosphate diester (6:2 DiPAP): Due to a deviation in the drift control, the result may be an overestimate (indicative result).
 Determination of per- and polyfluoroalkyl substances (PFAS), N-ethylperfluorooctanesulfonamidoacetic acid (N-EtFOSAA): The recovery of the isotope labeled internal standard is <30%.

IAC23-03846.014 - CT8:

Determination of per- and polyfluoroalkyl substances (PFAS) - indicative list, 6:2/8:2 Fluorotelomerphosphatediester (6:2/8:2 DiPAP): Due to a deviation in the drift control, the result may be an overestimate (indicative result).
 Determination of per- and polyfluoroalkyl substances (PFAS) - indicative list, 6:2 Fluorotelomerphosphate diester (6:2 DiPAP): Due to a deviation in the drift control, the result may be an overestimate (indicative result).
 Determination of per- and polyfluoroalkyl substances (PFAS) - indicative list, N-Methyl-perfluorobutanesulfonylamidoacetate (N-MeFBSAA): The recovery of the isotope labeled internal standard is <30%.
 Determination of per- and polyfluoroalkyl substances (PFAS), N-ethylperfluorooctanesulfonamidoacetic acid (N-EtFOSAA): The recovery of the isotope labeled internal standard is <30%.

IAC23-03846.015 - CT10:

Determination of per- and polyfluoroalkyl substances (PFAS) - indicative list, 6:2/8:2 Fluorotelomerphosphatediester (6:2/8:2 DiPAP): Due to a deviation in the drift control, the result may be an overestimate (indicative result).
 Determination of per- and polyfluoroalkyl substances (PFAS), Perfluorodecanoic acid (PFDA): The recovery of the isotope labeled internal standard is <30%.

IAC23-03846.016 - CT9-1:

Determination of per- and polyfluoroalkyl substances (PFAS) - indicative list, 6:2/8:2 Fluorotelomerphosphatediester (6:2/8:2 DiPAP): Due to a deviation in the drift control, the result may be an overestimate (indicative result).
 Determination of per- and polyfluoroalkyl substances (PFAS), Perfluorobutane sulfonic acid (PFBS): The recovery of the isotope labeled internal standard is <30%.

ANALYTICAL REPORT : IAC23-03846

Determination of per- and polyfluoroalkyl substances (PFAS), Perfluorododecanoic acid (PFDoDA): The recovery of the isotope labeled internal standard is <30%.

Determination of per- and polyfluoroalkyl substances (PFAS), Perfluoroheptanoic acid (PFHpA): The recovery of the isotope labeled internal standard is <30%.

Determination of per- and polyfluoroalkyl substances (PFAS), Perfluorohexanoic acid (PFHxA): The recovery of the isotope labeled internal standard is <30%.

Determination of per- and polyfluoroalkyl substances (PFAS), Perfluorooctanoic acid (PFOA): The recovery of the isotope labeled internal standard is <30%.

Determination of per- and polyfluoroalkyl substances (PFAS), Perfluorotetradecanoic acid (PFTeDA): The recovery of the isotope labeled internal standard is <30%.

Determination of per- and polyfluoroalkyl substances (PFAS), Perfluoroundecanoic acid (PFUnDA): The recovery of the isotope labeled internal standard is <30%.

IAC23-03846.017 - CT9-2:

Determination of per- and polyfluoroalkyl substances (PFAS) - indicative list, 6:2/8:2 Fluorotelomerphosphatediester (6:2/8:2 DiPAP): Due to a deviation in the drift control, the result may be an overestimate (indicative result).

Determination of per- and polyfluoroalkyl substances (PFAS) - indicative list, 6:2 Fluorotelomerphosphate diester (6:2 DiPAP): Due to a deviation in the drift control, the result may be an overestimate (indicative result).

Determination of per- and polyfluoroalkyl substances (PFAS) - indicative list, N-methylperfluorobutanesulfonamide (N-MeFBSA): The recovery of the isotope labeled internal standard is <30%.

Determination of per- and polyfluoroalkyl substances (PFAS) - indicative list, N-Methyl-perfluorobutanesulfonylamidoacetate (N-MeFBSAA): The recovery of the isotope labeled internal standard is <30%.

Determination of per- and polyfluoroalkyl substances (PFAS) - indicative list, Perfluorobutanesulfonamide (PFBSA): The recovery of the isotope labeled internal standard is <30%.

IAC23-03846.018 - CT6:

Determination of per- and polyfluoroalkyl substances (PFAS) - indicative list, 6:2/8:2 Fluorotelomerphosphatediester (6:2/8:2 DiPAP): Due to a deviation in the drift control, the result may be an overestimate (indicative result).

Determination of per- and polyfluoroalkyl substances (PFAS) - indicative list, 6:2 Fluorotelomerphosphate diester (6:2 DiPAP): Due to a deviation in the drift control, the result may be an overestimate (indicative result).

Determination of per- and polyfluoroalkyl substances (PFAS) - indicative list, N-Methyl-perfluorobutanesulfonylamidoacetate (N-MeFBSAA): The recovery of the isotope labeled internal standard is <30%.

Determination of per- and polyfluoroalkyl substances (PFAS), Perfluorohexanoic acid (PFHxA): The recovery of the isotope labeled internal standard is <30%.

Determination of per- and polyfluoroalkyl substances (PFAS), Perfluorooctanoic acid (PFOA): The recovery of the isotope labeled internal standard is <30%.

Determination of per- and polyfluoroalkyl substances (PFAS), Perfluoropentanoic acid (PFPeA): The recovery of the isotope labeled internal standard is <30%.

IAC23-03846.019 - N2:

Determination of per- and polyfluoroalkyl substances (PFAS) - indicative list, 6:2/8:2 Fluorotelomerphosphatediester (6:2/8:2 DiPAP): Due to a deviation in the drift control, the result may be an overestimate (indicative result).

Determination of per- and polyfluoroalkyl substances (PFAS) - indicative list, 6:2 Fluorotelomerphosphate diester (6:2 DiPAP): Due to a deviation in the drift control, the result may be an overestimate (indicative result).

Determination of per- and polyfluoroalkyl substances (PFAS) - indicative list, N-Methyl-perfluorobutanesulfonylamidoacetate (N-MeFBSAA): The recovery of the isotope labeled internal standard is <30%.

Determination of per- and polyfluoroalkyl substances (PFAS), Perfluorohexanoic acid (PFHxA): The recovery of the isotope labeled internal standard is <30%.

IAC23-03846.020 - N4:

Determination of per- and polyfluoroalkyl substances (PFAS) - indicative list, 6:2 Fluorotelomerphosphate diester (6:2 DiPAP): Due to a deviation in the drift control, the result may be an overestimate (indicative result).

Determination of per- and polyfluoroalkyl substances (PFAS) - indicative list, N-Methyl-perfluorobutanesulfonylamidoacetate (N-MeFBSAA): The recovery of the isotope labeled internal standard is <30%.

IAC23-03846.021 - N6:

Determination of per- and polyfluoroalkyl substances (PFAS) - indicative list, 6:2/8:2 Fluorotelomerphosphatediester (6:2/8:2 DiPAP): Due to a deviation in the drift control, the result may be an overestimate (indicative result).

Determination of per- and polyfluoroalkyl substances (PFAS) - indicative list, 6:2 Fluorotelomerphosphate diester (6:2 DiPAP): Due to a deviation in the drift control, the result may be an overestimate (indicative result).

Determination of per- and polyfluoroalkyl substances (PFAS) - indicative list, N-Methyl-perfluorobutanesulfonylamidoacetate (N-MeFBSAA): The recovery of the isotope labeled internal standard is <30%.

Determination of per- and polyfluoroalkyl substances (PFAS), Perfluorohexanoic acid (PFHxA): The recovery of the isotope labeled internal standard is <30%.

IAC23-03846.023 - N10:

Determination of per- and polyfluoroalkyl substances (PFAS) - indicative list, 6:2/8:2 Fluorotelomerphosphatediester (6:2/8:2 DiPAP): Due to a deviation in the drift control, the result may be an overestimate (indicative result).

Determination of per- and polyfluoroalkyl substances (PFAS) - indicative list, N-Methyl-perfluorobutanesulfonylamidoacetate (N-MeFBSAA): The recovery of the isotope labeled internal standard is <30%.

IAC23-03846.024 - CR2:

Determination of per- and polyfluoroalkyl substances (PFAS) - indicative list, 6:2/8:2 Fluorotelomerphosphatediester (6:2/8:2 DiPAP): Due to a deviation in the drift control, the result may be an overestimate (indicative result).

Determination of per- and polyfluoroalkyl substances (PFAS) - indicative list, 6:2 Fluorotelomerphosphate diester (6:2 DiPAP): Due to a deviation in the drift control, the result may be an overestimate (indicative result).

Determination of per- and polyfluoroalkyl substances (PFAS) - indicative list, N-Methyl-perfluorobutanesulfonylamidoacetate (N-MeFBSAA): The recovery of the isotope labeled internal standard is <30%.

ANALYTICAL REPORT : IAC23-03846

Determination of per- and polyfluoroalkyl substances (PFAS), N-ethylperfluorooctanesulfonamidoacetic acid (N-EtFOSAA): The recovery of the isotope labeled internal standard is <30%.

Determination of per- and polyfluoroalkyl substances (PFAS), Perfluorohexanoic acid (PFHxA): The recovery of the isotope labeled internal standard is <30%.

Determination of per- and polyfluoroalkyl substances (PFAS), Perfluoropentanoic acid (PFPeA): The recovery of the isotope labeled internal standard is <30%.

IAC23-03846.025 - CR8:

Determination of per- and polyfluoroalkyl substances (PFAS) - indicative list, 6:2 Fluorotelomerphosphate diester (6:2 DiPAP): Due to a deviation in the drift control, the result may be an overestimate (indicative result).

Determination of per- and polyfluoroalkyl substances (PFAS) - indicative list, N-Methyl-perfluorobutanesulfonylamidoacetate (N-MeFBSAA): The recovery of the isotope labeled internal standard is <30%.

Determination of per- and polyfluoroalkyl substances (PFAS) - indicative list, Perfluorobutanesulfonamide (PFBSA): The recovery of the isotope labeled internal standard is <30%.

IAC23-03846.026 - CR3:

Determination of per- and polyfluoroalkyl substances (PFAS) - indicative list, 6:2/8:2 Fluorotelomerphosphatediester (6:2/8:2 DiPAP): Due to a deviation in the drift control, the result may be an overestimate (indicative result).

Determination of per- and polyfluoroalkyl substances (PFAS) - indicative list, 6:2 Fluorotelomerphosphate diester (6:2 DiPAP): Due to a deviation in the drift control, the result may be an overestimate (indicative result).

Determination of per- and polyfluoroalkyl substances (PFAS) - indicative list, N-Methyl-perfluorobutanesulfonylamidoacetate (N-MeFBSAA): The recovery of the isotope labeled internal standard is <30%.

Determination of per- and polyfluoroalkyl substances (PFAS), N-methylperfluorooctanesulfonamidoacetic acid (N-MeFOSAA): The recovery of the isotope labeled internal standard is <30%.

Determination of per- and polyfluoroalkyl substances (PFAS), Perfluorohexanoic acid (PFHxA): The recovery of the isotope labeled internal standard is <30%.

Determination of per- and polyfluoroalkyl substances (PFAS), Perfluoropentanoic acid (PFPeA): The recovery of the isotope labeled internal standard is <30%.

IAC23-03846.027 - CR4:

Determination of per- and polyfluoroalkyl substances (PFAS) - indicative list, 6:2/8:2 Fluorotelomerphosphatediester (6:2/8:2 DiPAP): Due to a deviation in the drift control, the result may be an overestimate (indicative result).

Determination of per- and polyfluoroalkyl substances (PFAS) - indicative list, 6:2 Fluorotelomerphosphate diester (6:2 DiPAP): Due to a deviation in the drift control, the result may be an overestimate (indicative result).

Determination of per- and polyfluoroalkyl substances (PFAS) - indicative list, N-Methyl-perfluorobutanesulfonylamidoacetate (N-MeFBSAA): The recovery of the isotope labeled internal standard is <30%.

Determination of per- and polyfluoroalkyl substances (PFAS), N-ethylperfluorooctanesulfonamidoacetic acid (N-EtFOSAA): The recovery of the isotope labeled internal standard is <30%.

IAC23-03846.028 - CR7:

Determination of per- and polyfluoroalkyl substances (PFAS) - indicative list, 6:2/8:2 Fluorotelomerphosphatediester (6:2/8:2 DiPAP): Due to a deviation in the drift control, the result may be an overestimate (indicative result).

Determination of per- and polyfluoroalkyl substances (PFAS) - indicative list, 6:2 Fluorotelomerphosphate diester (6:2 DiPAP): Due to a deviation in the drift control, the result may be an overestimate (indicative result).

Determination of per- and polyfluoroalkyl substances (PFAS), Perfluorohexanoic acid (PFHxA): The recovery of the isotope labeled internal standard is <30%.

IAC23-03846.029 - CR10:

Determination of per- and polyfluoroalkyl substances (PFAS) - indicative list, 6:2/8:2 Fluorotelomerphosphatediester (6:2/8:2 DiPAP): Due to a deviation in the drift control, the result may be an overestimate (indicative result).

Determination of per- and polyfluoroalkyl substances (PFAS) - indicative list, N-Methyl-perfluorobutanesulfonylamidoacetate (N-MeFBSAA): The recovery of the isotope labeled internal standard is <30%.

IAC23-03846.030 - E3:

Determination of per- and polyfluoroalkyl substances (PFAS) - indicative list, 6:2/8:2 Fluorotelomerphosphatediester (6:2/8:2 DiPAP): Due to a deviation in the drift control, the result may be an overestimate (indicative result).

Determination of per- and polyfluoroalkyl substances (PFAS) - indicative list, 6:2 Fluorotelomerphosphate diester (6:2 DiPAP): Due to a deviation in the drift control, the result may be an overestimate (indicative result).

Determination of per- and polyfluoroalkyl substances (PFAS) - indicative list, N-Methyl-perfluorobutanesulfonylamidoacetate (N-MeFBSAA): The recovery of the isotope labeled internal standard is <30%.

Determination of per- and polyfluoroalkyl substances (PFAS), Perfluorodecanoic acid (PFDA): The recovery of the isotope labeled internal standard is <30%.

Determination of per- and polyfluoroalkyl substances (PFAS), Perfluorohexanoic acid (PFHxA): The recovery of the isotope labeled internal standard is <30%.

Determination of per- and polyfluoroalkyl substances (PFAS), Perfluorooctanoic acid (PFOA): The recovery of the isotope labeled internal standard is <30%.

IAC23-03846.031 - E5:

Determination of per- and polyfluoroalkyl substances (PFAS) - indicative list, 6:2/8:2 Fluorotelomerphosphatediester (6:2/8:2 DiPAP): Due to a deviation in the drift control, the result may be an overestimate (indicative result).

Determination of per- and polyfluoroalkyl substances (PFAS) - indicative list, 6:2 Fluorotelomerphosphate diester (6:2 DiPAP): Due to a deviation in the drift control, the result may be an overestimate (indicative result).

Determination of per- and polyfluoroalkyl substances (PFAS) - indicative list, N-Methyl-perfluorobutanesulfonylamidoacetate (N-MeFBSAA): The recovery of the isotope labeled internal standard is <30%.

IAC23-03846.032 - E6:

Determination of per- and polyfluoroalkyl substances (PFAS) - indicative list, 6:2/8:2 Fluorotelomerphosphatediester (6:2/8:2 DiPAP): Due to a deviation in the drift control, the result may be an overestimate (indicative result).

Determination of per- and polyfluoroalkyl substances (PFAS) - indicative list, 6:2 Fluorotelomerphosphate diester (6:2 DiPAP): Due to a deviation in the drift control, the result may be an overestimate (indicative result).

ANALYTICAL REPORT : IAC23-03846

Determination of per- and polyfluoroalkyl substances (PFAS) - indicative list, N-Methyl-perfluorobutanesulfonylamidoacetate (N-MeFBSAA): The recovery of the isotope labeled internal standard is <30%.

IAC23-03846.033 - E7:

Determination of per- and polyfluoroalkyl substances (PFAS) - indicative list, 6:2/8:2 Fluorotelomerphosphatediester (6:2/8:2 DiPAP): Due to a deviation in the drift control, the result may be an overestimate (indicative result).

Determination of per- and polyfluoroalkyl substances (PFAS) - indicative list, 6:2 Fluorotelomerphosphate diester (6:2 DiPAP): Due to a deviation in the drift control, the result may be an overestimate (indicative result).

Determination of per- and polyfluoroalkyl substances (PFAS), 8:2 Fluorotelomersulfonic acid (8:2 FTS): The recovery of the isotope labeled internal standard is <30%.

Determination of per- and polyfluoroalkyl substances (PFAS), N-ethylperfluorooctanesulfonamidoacetic acid (N-EtFOSAA): The recovery of the isotope labeled internal standard is <30%.

Determination of per- and polyfluoroalkyl substances (PFAS), Perfluorobutane sulfonic acid (PFBS): The recovery of the isotope labeled internal standard is <30%.

Determination of per- and polyfluoroalkyl substances (PFAS), Perfluorododecanoic acid (PFDoDA): The recovery of the isotope labeled internal standard is <30%.

Determination of per- and polyfluoroalkyl substances (PFAS), Perfluoroheptanoic acid (PFHpA): The recovery of the isotope labeled internal standard is <30%.

Determination of per- and polyfluoroalkyl substances (PFAS), Perfluorohexanoic acid (PFHxA): The recovery of the isotope labeled internal standard is <30%.

Determination of per- and polyfluoroalkyl substances (PFAS), Perfluorooctanoic acid (PFOA): The recovery of the isotope labeled internal standard is <30%.

Determination of per- and polyfluoroalkyl substances (PFAS), Perfluorotetradecanoic acid (PFTeDA): The recovery of the isotope labeled internal standard is <30%.

IAC23-03846.034 - E9-1:

Determination of per- and polyfluoroalkyl substances (PFAS) - indicative list, 6:2/8:2 Fluorotelomerphosphatediester (6:2/8:2 DiPAP): Due to a deviation in the drift control, the result may be an overestimate (indicative result).

Determination of per- and polyfluoroalkyl substances (PFAS) - indicative list, 6:2 Fluorotelomerphosphate diester (6:2 DiPAP): Due to a deviation in the drift control, the result may be an overestimate (indicative result).

IAC23-03846.035 - E9-2:

Determination of per- and polyfluoroalkyl substances (PFAS) - indicative list, 6:2/8:2 Fluorotelomerphosphatediester (6:2/8:2 DiPAP): Due to a deviation in the drift control, the result may be an overestimate (indicative result).

Determination of per- and polyfluoroalkyl substances (PFAS) - indicative list, 6:2 Fluorotelomerphosphate diester (6:2 DiPAP): Due to a deviation in the drift control, the result may be an overestimate (indicative result).

IAC23-03846.036 - M2:

Determination of per- and polyfluoroalkyl substances (PFAS) - indicative list, 6:2/8:2 Fluorotelomerphosphatediester (6:2/8:2 DiPAP): Due to a deviation in the drift control, the result may be an overestimate (indicative result).

Determination of per- and polyfluoroalkyl substances (PFAS) - indicative list, 6:2 Fluorotelomerphosphate diester (6:2 DiPAP): Due to a deviation in the drift control, the result may be an overestimate (indicative result).

Determination of per- and polyfluoroalkyl substances (PFAS) - indicative list, N-Methyl-perfluorobutanesulfonylamidoacetate (N-MeFBSAA): The recovery of the isotope labeled internal standard is <30%.

IAC23-03846.037 - M3:

Determination of per- and polyfluoroalkyl substances (PFAS) - indicative list, 6:2/8:2 Fluorotelomerphosphatediester (6:2/8:2 DiPAP): Due to a deviation in the drift control, the result may be an overestimate (indicative result).

Determination of per- and polyfluoroalkyl substances (PFAS) - indicative list, 6:2 Fluorotelomerphosphate diester (6:2 DiPAP): Due to a deviation in the drift control, the result may be an overestimate (indicative result).

Determination of per- and polyfluoroalkyl substances (PFAS) - indicative list, N-Methyl-perfluorobutanesulfonylamidoacetate (N-MeFBSAA): The recovery of the isotope labeled internal standard is <30%.

Determination of per- and polyfluoroalkyl substances (PFAS), N-methylperfluorooctanesulfonamidoacetic acid (N-MeFOSAA): The recovery of the isotope labeled internal standard is <30%.

IAC23-03846.038 - M4:

Determination of per- and polyfluoroalkyl substances (PFAS) - indicative list, 6:2/8:2 Fluorotelomerphosphatediester (6:2/8:2 DiPAP): Due to a deviation in the drift control, the result may be an overestimate (indicative result).

Determination of per- and polyfluoroalkyl substances (PFAS) - indicative list, 6:2 Fluorotelomerphosphate diester (6:2 DiPAP): Due to a deviation in the drift control, the result may be an overestimate (indicative result).

Determination of per- and polyfluoroalkyl substances (PFAS) - indicative list, N-Methyl-perfluorobutanesulfonylamidoacetate (N-MeFBSAA): The recovery of the isotope labeled internal standard is <30%.

Determination of per- and polyfluoroalkyl substances (PFAS), N-ethylperfluorooctanesulfonamidoacetic acid (N-EtFOSAA): The recovery of the isotope labeled internal standard is <30%.

Determination of per- and polyfluoroalkyl substances (PFAS), Perfluorohexanoic acid (PFHxA): The recovery of the isotope labeled internal standard is <30%.

IAC23-03846.039 - M1:

Determination of per- and polyfluoroalkyl substances (PFAS) - indicative list, 6:2/8:2 Fluorotelomerphosphatediester (6:2/8:2 DiPAP): Due to a deviation in the drift control, the result may be an overestimate (indicative result).

IAC23-03846.040 - M6:

Determination of per- and polyfluoroalkyl substances (PFAS) - indicative list, 6:2/8:2 Fluorotelomerphosphatediester (6:2/8:2 DiPAP): Due to a deviation in the drift control, the result may be an overestimate (indicative result).

Determination of per- and polyfluoroalkyl substances (PFAS) - indicative list, 6:2 Fluorotelomerphosphate diester (6:2 DiPAP): Due to a deviation in the drift control, the result may be an overestimate (indicative result).

Determination of per- and polyfluoroalkyl substances (PFAS) - indicative list, N-Methyl-perfluorobutanesulfonylamidoacetate (N-MeFBSAA): The recovery of the isotope labeled internal standard is <30%.

IAC23-03846.041 - M7:

ANALYTICAL REPORT : IAC23-03846

Determination of per- and polyfluoroalkyl substances (PFAS) - indicative list, 6:2/8:2 Fluorotelomerphosphatediester (6:2/8:2 DiPAP): Due to a deviation in the drift control, the result may be an overestimate (indicative result).

Determination of per- and polyfluoroalkyl substances (PFAS) - indicative list, N-Methyl-perfluorobutanesulfonylamidoacetate (N-MeFBSAA): The recovery of the isotope labeled internal standard is <30%.

Determination of per- and polyfluoroalkyl substances (PFAS), Perfluorotetradecanoic acid (PFTeDA): The recovery of the isotope labeled internal standard is <30%.

IAC23-03846.042 - M8:

Determination of per- and polyfluoroalkyl substances (PFAS) - indicative list, 6:2/8:2 Fluorotelomerphosphatediester (6:2/8:2 DiPAP): Due to a deviation in the drift control, the result may be an overestimate (indicative result).

Determination of per- and polyfluoroalkyl substances (PFAS) - indicative list, 6:2 Fluorotelomerphosphate diester (6:2 DiPAP): Due to a deviation in the drift control, the result may be an overestimate (indicative result).

Determination of per- and polyfluoroalkyl substances (PFAS), Perfluorohexanoic acid (PFHxA): The recovery of the isotope labeled internal standard is <30%.

Determination of per- and polyfluoroalkyl substances (PFAS), Perfluorooctanoic acid (PFOA): The recovery of the isotope labeled internal standard is <30%.

IAC23-03846.043 - M5:

Determination of per- and polyfluoroalkyl substances (PFAS) - indicative list, 6:2/8:2 Fluorotelomerphosphatediester (6:2/8:2 DiPAP): Due to a deviation in the drift control, the result may be an overestimate (indicative result).

Determination of per- and polyfluoroalkyl substances (PFAS) - indicative list, 6:2 Fluorotelomerphosphate diester (6:2 DiPAP): Due to a deviation in the drift control, the result may be an overestimate (indicative result).

IAC23-03846.044 - M10:

Determination of per- and polyfluoroalkyl substances (PFAS) - indicative list, 6:2 Fluorotelomerphosphate diester (6:2 DiPAP): Due to a deviation in the drift control, the result may be an overestimate (indicative result).

IAC23-03846.045 - M11:

Determination of per- and polyfluoroalkyl substances (PFAS) - indicative list, 6:2/8:2 Fluorotelomerphosphatediester (6:2/8:2 DiPAP): Due to a deviation in the drift control, the result may be an overestimate (indicative result).

Determination of per- and polyfluoroalkyl substances (PFAS) - indicative list, 6:2 Fluorotelomerphosphate diester (6:2 DiPAP): Due to a deviation in the drift control, the result may be an overestimate (indicative result).

Determination of per- and polyfluoroalkyl substances (PFAS) - indicative list, N-Methyl-perfluorobutanesulfonylamidoacetate (N-MeFBSAA): The recovery of the isotope labeled internal standard is <30%.

IAC23-03846.046 - M12:

Determination of per- and polyfluoroalkyl substances (PFAS) - indicative list, 6:2/8:2 Fluorotelomerphosphatediester (6:2/8:2 DiPAP): Due to a deviation in the drift control, the result may be an overestimate (indicative result).

Determination of per- and polyfluoroalkyl substances (PFAS) - indicative list, 6:2 Fluorotelomerphosphate diester (6:2 DiPAP): Due to a deviation in the drift control, the result may be an overestimate (indicative result).

Determination of per- and polyfluoroalkyl substances (PFAS) - indicative list, N-Methyl-perfluorobutanesulfonylamidoacetate (N-MeFBSAA): The recovery of the isotope labeled internal standard is <30%.

Determination of per- and polyfluoroalkyl substances (PFAS), Perfluorobutane sulfonic acid (PFBS): The recovery of the isotope labeled internal standard is <30%.